

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: Post Marketing Surveillance (PMS) Study for Cibinqo Tablet (Abrocitinib) in Patients With Moderate to Severe Atopic Dermatitis (AD) in Korea

Short Title/Acronym: A Study to Learn About the Study Medicine (Called Cibinqo) in People With Atopic Dermatitis

Protocol Number: [Internal Pfizer PMS ID]

Posting ID: 543374351616705412

NCT Number: NCT05391061

Trial Status: RECRUITING (Currently recruiting participants)

Sponsor / Company: Pfizer / Pfizer Pharmaceuticals Korea

Investigational Product: Cibinqo® Tablet (abrocitinib)

ATC Code: D11AH08

Phase of Development: Not Applicable (Post-Marketing Surveillance / Observational)

Medical Monitor: Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety and effectiveness of Cibinqo® Tablet in routine clinical practice for approved indications in Korea.

Secondary Objectives: To collect real-world data on adverse events (AEs), adverse drug reactions (ADRs), unexpected AEs, and the overall long-term effectiveness of patients receiving Cibinqo.

2.2 Background & Rationale To fulfill post-marketing surveillance requirements in Korea and generate real-world evidence regarding the safety profile and treatment outcomes of Cibinqo (a JAK1 inhibitor) in patients 12 years of age and older with moderate-to-severe atopic dermatitis (AD) who require systemic therapies.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Non-interventional prospective post-marketing surveillance) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: Targeted enrollment is 1,100 (Protocol narrative anticipates approximately 3,000 total requested cases per center) **Number of Sites:** Several centers across South Korea **Estimated Study Start:** May 2022 **Estimated Primary Completion:** Participants are observed for approximately 1 year

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients 12 years of age and older. 2. Diagnosed with moderate-to-severe atopic dermatitis (AD) who have required systemic therapies. 3. Determined to start treatment with Cibinqo Tablet according to the approved indications in routine clinical practice in Korea. 4. Evidence of a personally signed and dated informed consent document from the patient or their parent(s)/legal guardian.

4.2 Exclusion Criteria 1. Patients who have previously received Cibinqo Tablet. 2. Patients concurrently participating in other studies involving therapeutic interventions and/or investigational products. 3. Patients with a platelet count $<150 \times 10^3/\text{mm}^3$, absolute neutrophil count (ANC) $<1 \times 10^3/\text{mm}^3$, absolute lymphocyte count (ALC) $<0.5 \times 10^3/\text{mm}^3$, or hemoglobin $<8 \text{ g/dL}$. 4. Active serious systemic infections, including tuberculosis (TB), or severe hepatic impairment. 5. Pregnancy, breast-feeding, known hypersensitivity to the active substance/excipients, or rare hereditary problems of galactose intolerance, total lactase deficiency, or glucose-galactose malabsorption.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Cibinqo (abrocitinib) oral tablet, administered as prescribed by the treating physician per the Local Product Document (LPD). **Route of Administration:** Oral. **Duration of Treatment:** Monitored for approximately 1 year (52 weeks).

5.2 Concomitant & Prohibited Therapy Permitted: Routine clinical treatments for AD and comorbidities as determined by the physician. **Prohibited:** Use in patients concurrently participating in other interventional studies, patients with severe hepatic impairment, active serious systemic infections, or those contraindicated per the LPD.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening / Baseline	Day 0 Informed Consent, Medical History, Confirmation of prescribing criteria, First dose
2	Interim	Routine Care Routine clinical assessment, AE tracking (<i>Note: There is no mandatory fixed visit schedule</i>)
3	End of Study	~Week 52 Final observation data collection via Case Report Form (CRF)

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Number of participants with Adverse Events (AEs) according to frequency. 2. Number of participants with Adverse Drug Reactions (ADRs) according to frequency. 3. Number of participants with Unexpected AEs according to frequency.

7.2 Secondary Outcomes 1. Proportion of participants achieving the Investigator's Global Assessment (IGA) score of clear (0) or almost clear (1) (on a 5-point scale) and a reduction from baseline of ≥ 2 points. 2. Proportion of participants achieving Eczema Area and Severity Index (EASI) Response of ≥ 75 Percent (%) Improvement From Baseline. 3. Proportion of participants achieving ≥ 4 Points improvement in the severity of Pruritus Numerical Rating Scale (NRS) from baseline.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via CRF during routine clinical visits; investigators record patient experiences with the medication according to frequency. **Serious Adverse Events (SAEs):** Reported according to standard post-marketing pharmacovigilance protocols. **Data Monitoring Committee (DMC):** Pfizer Pharmaceuticals Korea Pharmacovigilance / Safety Team.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled patients who receive at least one dose of Cibinqo). **Sample Size Justification:** To meet local regulatory post-marketing surveillance requirements and adequately capture real-world safety data and outcomes. **Handling of Missing Data:** Descriptive statistics for observational data; handled according to standard post-marketing surveillance protocols.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP), local Korean post-marketing surveillance regulations, and the Declaration of Helsinki.

Monitoring Plan: Data collection via electronic Case Report Forms (CRFs) completed by investigators based on routine clinical care.

Audit Trail: Standard pharmacovigilance audits and data clarification mechanisms managed by Pfizer Pharmaceuticals Korea.

11. Study Identifiers & Governance

Primary ID: Pfizer PMS Internal Study ID **Posting ID:** 543374351616705412 **Registry Number:** NCT05391061 **Sponsor/Lead Organization:** Pfizer Pharmaceuticals Korea **Study Title:** A Study to Learn About the Study Medicine (Called Cibinqo) in People With Atopic Dermatitis **Official Regulatory Title:** Post Marketing Surveillance (PMS) Study for Cibinqo Tablet (Abrocitinib) in Patients With Moderate to Severe Atopic Dermatitis (AD) in Korea

12. Clinical Framework (Atopic Dermatitis Specific)

Primary Condition: Moderate to Severe Atopic Dermatitis (AD) **Diagnosis Threshold:** Patients 12 years of age and older requiring systemic therapies **Medical Methodology:** Systemic therapy with a JAK1 inhibitor (Abrocitinib / Cibinqo) **Optimization Target:** Long-term symptom relief and AD disease control via EASI, IGA, and Pruritus NRS improvements

13. Study Procedures & Methodology

Management Pathway: Routine clinical practice for Atopic Dermatitis **Education Protocol (HCP):** Prescribing criteria as per the Local Product Document (LPD) **Education Protocol (Patient):** Informed consent counseling, signing the data privacy statement, and routine clinical care education **Quality Audit Mechanism:** Post-marketing surveillance data collection sequentially enrolled via patient CRFs

14. Observation & Follow-Up Schedule

Total Duration: Approximately 1 year (52 weeks) **Onsite Visit Cadence:** No mandatory fixed visit schedule; strictly based on routine clinical care requirements **Remote Monitoring Frequency:** N/A (Based on routine care) **Checklist Review Interval:** Routine CRF updates by the investigator

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				