

1. Administrative & Study Identification

Full Study Title: CAPIVASERTIB REGULATORY POSTMARKETING SURVEILLANCE IN KOREA **Short Title/Acronym:** Capivasertib PMS Korea **Protocol Number:** D3612R00011 **NCT Number:** NCT06927648 **Sponsor Name:** AstraZeneca **Investigational Product:** Capivasertib **Phase of Development:** Post-Marketing Surveillance (Observational Phase IV) **Medical Monitor:** AstraZeneca Clinical Study Information Center

2. Study Synopsis & Rationale

2.1 Study Objective **Primary Objective:** To assess the safety of Capivasertib in patients prescribed with the study drug under the approved label(s) in South Korea in a real-world practice setting. **Secondary Objectives:** To assess the effectiveness of the study drug in patients prescribed with the study drug under the approved label(s) in South Korea.

2.2 Background & Rationale To fulfill the post-approval commitment to the Ministry of Food and Drug Safety (MFDS) to conduct post-marketing surveillance. This study is being conducted to generate real-world evidence regarding the safety and effectiveness of Capivasertib, primarily for the treatment of breast cancer and other indications, validating its clinical profile outside of controlled trial environments.

3. Study Design & Methodology

3.1 Design Framework **Study Type:** Observational (Prospective Cohort Study) **Control Type:** Single-arm (No control) **Blinding:** Open-label **Randomization:** N/A (Non-probability sample)

3.2 Planned Enrollment & Duration **Target \$N\$:** 130 patients **Number of Sites:** ~8 locations across South Korea **Estimated Study Start:** 15-Oct-2025 **Estimated Primary Completion:** 29-Dec-2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 19 years. 2. Any biological sex. 3. Patients prescribed Capivasertib under the approved local label in South Korea (e.g., for Breast Cancer or other approved off-label indications).

4.2 Exclusion Criteria 1. Healthy volunteers are not allowed. 2. Patients receiving Capivasertib outside the scope of the approved

local label guidelines. 3. Patients unwilling or unable to provide informed consent for observational data collection.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Capivasertib administered orally per the approved local label (typically 400 mg twice daily, 4 days on, 3 days off). **Route of Administration:** Oral. **Duration of Treatment:** Variable; continuous administration according to real-world standard clinical practice until disease progression or unacceptable toxicity.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care therapies and concomitant medications (such as fulvestrant) as determined by the treating physician in a real-world setting. **Prohibited:** Experimental or investigational therapies outside the scope of the standard of care practice for this patient population.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Baseline Characteristics, Capivasertib Prescription
Baseline	Day 0	First Dose, Observation Cohort Entry
Interim	Variable	Standard of Care Visits: Safety AE Monitoring, Routine Efficacy/Tumor Assessments
End of Study	Variable	Final Vital Signs, Treatment Discontinuation Documentation, AE Follow-up

(Note: Exact visit schedules follow routine real-world clinical practice rather than strict protocol-driven days)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence, severity, and relationship of Adverse Events (AEs) and Serious Adverse Events (SAEs) to assess the real-world safety of Capivasertib.

Measurement Method: Clinical observations, routine laboratory tests, and HCP interviews recorded systematically during the observation period.

7.2 Secondary & Exploratory Endpoints Real-world effectiveness outcomes of the study drug (e.g., clinical response, real-world progression-free survival) under the approved label(s).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via HCP observation and electronic medical records tracking during routine practice visits. **Serious Adverse Events (SAEs):** Routine pharmacovigilance reporting timelines strictly enforced (typically within 24 hours of site awareness). **Data Monitoring Committee (DMC):** Internal safety monitoring managed by AstraZeneca's local and global pharmacovigilance teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled patients who receive at least one dose of Capivasertib). **Sample Size Justification:** \$N=130\$ selected to fulfill local MFDS regulatory sample size requirements for adequate post-marketing surveillance. **Handling of Missing Data:** Standard observational study handling for real-world data (e.g., analyzing observed cases only, without imputation for missing safety parameters).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP), Good Pharmacoepidemiology Practice (GPP), the Ministry of Food and Drug Safety (MFDS) guidelines, and the Declaration of Helsinki. **Monitoring Plan:** Periodic data verification via remote monitoring and localized on-site review of source documents/electronic medical records. **Audit Trail:** Robust eCRF locking and standardized data clarification forms for PMS tracking.

11. Study Identifiers & Governance

Primary ID: {{D3612R00011}} **Registry Number:** {{NCT06927648}}
Sponsor/Lead Organization: {{AstraZeneca}} **Study Title:** {{CAPIVASERTIB REGULATORY POSTMARKETING SURVEILLANCE IN KOREA}}
Official Regulatory Title: {{CAPIVASERTIB REGULATORY POSTMARKETING SURVEILLANCE IN KOREA}}

12. Clinical Framework (Oncology/Breast Cancer Specific)

Primary Condition: {{Breast Cancer}} **Diagnosis Threshold:** {{Diagnosis of eligible HR+/HER2- breast cancer per local Capivasertib label}} **Medical Methodology:** {{Real-world standard clinical practice}} **Optimization Target:** {{Real-world safety evaluation and effectiveness tracking}}

13. Study Procedures & Methodology

Management Pathway: {{Standard clinical pathway for advanced breast cancer}} **Education Protocol (HCP):** {{Routine safety and post-marketing AE reporting guidelines}} **Education Protocol (Patient):** {{Onsite standard of care counseling for Capivasertib use}} **Quality Audit Mechanism:** {{Routine real-world data verification and pharmacovigilance AE tracking}}

14. Observation & Follow-Up Schedule

Total Duration: {{Follow-up through estimated study completion in Dec 2029}} **Onsite Visit Cadence:** {{Variable, determined strictly by standard clinical practice}} **Remote Monitoring Frequency:** {{Periodic real-world data extraction and EDC updates}} **Checklist Review Interval:** {{Standard PMS site monitoring interval}}

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				