

1. Administrative & Study Identification

Full Study Title: Pan-Tumor Study for Long-term Treatment of Cancer Patients Who Have Participated in BMS Sponsored Trials Investigating Nivolumab and Other Cancer Therapies **Short Title/ Acronym:** Pan Tumor Rollover Study (CA209-8TT) **Protocol Number:** CA209-8TT **NCT Number:** NCT03899155 **Posting ID:** 609601585754757624 **Sponsor/Company Name:** Bristol Myers Squibb **Investigational Product:** Nivolumab monotherapy, combinations (e.g., Ipilimumab, Relatlimab, Cabozantinib, Trametinib) and other cancer therapies including fluorouracil (ATC Code: L01BC02; Trade names: Carac, Efudex, Adrucil, Fluoroplex, Tolak) **Phase of Development:** Phase II **Trial Status:** RECRUITING (Currently recruiting participants) **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: Main Objective of this study is to examine long-term safety of nivolumab monotherapy including combinations and other cancer therapies in various tumor types. **Secondary Objectives:** To collect long-term survival information and assess continued clinical benefit in participants with different tumor types.

2.2 Background & Rationale This rollover study provides uninterrupted drug administration and collects long-term safety and survival data from participants who have completed, or are currently in follow-up from, a company-sponsored clinical trial (Parent Study). It ensures that patients who continue to benefit from nivolumab or its combinations have ongoing access to the therapy and systematic safety monitoring.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Clinical Trial, Extension Phase / Rollover Study) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A (Participants continue parent study regimen) **Criteria Type:** Phase Requirement (Trial must be in PHASE2)

3.2 Planned Enrollment & Duration Target \$N\$: 1,500 participants **Number of Sites:** Multiple clinical sites globally (e.g., US, UK, Europe, etc.) **Estimated Study Start:** 01-Apr-2019 **Estimated Primary Completion:** 24-Aug-2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Signed Written Informed Consent. 2. Eligible to receive continued study treatment per the Parent Study, including treatment beyond progression per investigator assessment in the Parent Study. 3. On treatment hold in the Parent Study following long-lasting response or are eligible for treatment rechallenge as defined in the Parent Study. 4. WOCBP (Women of childbearing potential) and male participants who are sexually active must agree to follow instructions for method(s) of contraception as described below and included in the ICF.

4.2 Exclusion Criteria 1. Participant is not eligible for study treatment per the Parent Study eligibility criteria. 2. Participants not receiving clinical benefit as assessed by the Investigator. 3. Any clinical adverse event (AE), laboratory abnormality, or intercurrent illness which, in the opinion of the Investigator, indicates that participation in the study is not in the best interest of the participant. 4. Other protocol-defined Inclusion/Exclusion Criteria apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Dosing and frequency continue as established in the respective BMS Parent Study. **Route of Administration:** Intravenous (IV) / Oral / Topical (depending on combinations or therapies like Cabozantinib, fluorouracil [Carac, Efudex, Adrucil, Fluoroplex, Tolak]). **Duration of Treatment:** Uninterrupted drug administration until disease progression, unacceptable toxicity, or withdrawal of consent.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care therapies permitted per the Parent Study protocol. **Prohibited:** Concurrent investigational therapies not specified or allowed under the Parent Study parameters.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -14 to 0 Informed Consent, verification of Parent Study clinical benefit Baseline Day 0 Rollover enrollment, continuous study drug administration Interim Per Parent Protocol Safety Labs, Efficacy Assessment, long-term safety monitoring End of Study Follow-up Phase Final Vital Signs, Exit Interview, Survival Follow-up

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints Definition: Long-term safety of nivolumab monotherapy and combinations, measured by: 1. Incidence of Adverse Events (AEs) 2. Incidence of drug related AEs 3. Incidence of AEs leading to Discontinuation **Measurement Method:** Clinical safety assessments, laboratory tests, and standard AE reporting per CTCAE criteria.

7.2 Secondary & Exploratory Endpoints * Overall Survival (OS) * Continued Clinical Benefit Response

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via continuous clinical oversight mapped to the parent protocol parameters.

Serious Adverse Events (SAEs): Reported to the sponsor within 24 hours of site awareness. **Data Monitoring Committee (DMC):** Internal/External safety review committees governing long-term immunotherapy studies.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients receiving at least one dose in the rollover study). **Sample Size Justification:**

Descriptive tracking approach; $N=1,500$ based on the eligible participant pool rolling over from parent BMS nivolumab trials.

Handling of Missing Data: Standard survival analysis methods (e.g., censoring at the last known alive date) and longitudinal data carry-forward protocols per standard oncology rollover designs.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Routine onsite and remote sponsor monitoring for continuous safety, IP accountability, and compliance. **Audit**

Trail: Standardized electronic Case Report Form (eCRF) locking and query resolution.

11. Study Identifiers & Governance

Primary ID: CA209-8TT **Registry Number:** NCT03899155 **Posting ID:**

609601585754757624 **Sponsor/Lead Organization:** Bristol Myers

Squibb **Study Title:** Pan Tumor Rollover Study **Official Regulatory**

Title: Pan-Tumor Study for Long-term Treatment of Cancer Patients

12. Clinical Framework (Oncology/Pan-Tumor Specific)

Primary Condition: Cancer / Malignant Neoplasms **Semantic Type:** Neoplastic Process **Condition Definition:** A neoplasm composed of atypical neoplastic, often pleomorphic cells that invade other tissues. Malignant neoplasms often metastasize to distant anatomic sites and may recur after excision. The most common malignant neoplasms are carcinomas, Hodgkin and non-Hodgkin lymphomas, leukemias, melanomas, and sarcomas. **Medical Classification Codes:** * **MeSH Code:** D009369 * **HPO Code:** HP:0002664 * **SNOMED ID:** 1240414004 (Hierarchy mapping includes Neoplasm, Proliferative mass, Mass, Lesion, Morphologically abnormal structure, Body structure, Proliferation, Growth alteration) **Diagnosis Threshold:** Prior participation in a BMS Parent Study with ongoing clinical benefit **Medical Methodology:** Long-term Immune Checkpoint Inhibition (Nivolumab +/- Combinations and other cancer therapies) **Optimization Target:** Long-term safety tracking and extended survival

13. Study Procedures & Methodology

Management Pathway: Long-term rollover and continued drug administration
Education Protocol (HCP): Protocol training for seamless rollover transition and long-term pharmacovigilance
Education Protocol (Patient): Informed consent on safety monitoring extending beyond the Parent Study
Quality Audit
Mechanism: Continuous AE/SAE tracking and overall survival status updates

14. Observation & Follow-Up Schedule

Total Duration: Up to ~10 Years (Estimated through Aug 2029)
Onsite Visit Cadence: Aligned with the Standard of Care/Parent Study protocol visits
Remote Monitoring Frequency: Intermittent survival and safety status checks
Checklist Review Interval: Routine oncology safety visits (e.g., Q4W/Q12W depending on the specific combination regimen)

15. Sign-off & Approval

Role	Name	Signature	Date		----	----	----	----
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]					
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]					