

1. Administrative & Study Identification

- **Full Study Title:** An Open-label, Multi-center Protocol for Patients Who Have Completed a Previous Novartis Sponsored Secukinumab Study and Are Judged by the Investigator to Benefit From Continued Secukinumab Treatment
- **Short Title/Acronym:** Secukinumab Open Label Roll-over Extension Protocol
- **Protocol Number:** CAIN457A02001B
- **NCT Number:** NCT04638647
- **Posting ID:** 636372041441007098
- **Trial Status:** RECRUITING (Currently recruiting participants)
- **Sponsor Name:** Novartis
- **Preferred UMLS Name:** Extension Study
- **Investigational Product:** Secukinumab s.c. injection (pre-filled syringes)
- **Phase of Development:** PHASE4
- **Medical Monitor:** Novartis Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To evaluate long term safety as assessed by occurrence of AEs/SAEs: Serious adverse events (SAEs), adverse events (AEs), and injection site reactions in participants who have completed a Novartis trial with secukinumab, have been judged by the investigator to benefit from continued treatment with secukinumab, and are unable to obtain the marketed secukinumab formulation. * **Secondary Objectives:** To monitor and evaluate the long-term tolerability and sustained treatment response of secukinumab over an extended period.

2.2 Background & Rationale This roll-over extension protocol is designed to provide continued access to secukinumab for patients suffering from autoimmunity and inflammatory conditions (such as Psoriatic Arthritis, Ankylosing Spondylitis, Non-radiographic Axial Spondyloarthritis, Severe Chronic Plaque Psoriasis, and Juvenile Idiopathic Arthritis). It aims to support patients who successfully completed a parent trial and derive continued medical benefit from the therapy, but face barriers to accessing the commercial formulation under their local prescription and reimbursement guidelines.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional * **Control Type:** Single-arm (Roll-over extension) * **Blinding:** Open-label * **Randomization:** N/A

3.2 Planned Enrollment & Duration * Targeted Enrollment: 715 participants * **Number of Sites:** Multi-center global study (including sites in Czechia, Italy, Poland, Portugal, Spain, etc.) * **Estimated Study Start:** 22-Dec-2020 * **Estimated Primary Completion:** 29-Jan-2030

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Signed informed consent must be obtained for adult participants before any assessment is performed. Written informed assent and parental permission (age as per local law) must be obtained for pediatric participants before any assessment is performed. If participants reach age of consent (age as per local law) during the study, they will need to also sign the corresponding study informed consent(s). 2. Ability to communicate effectively with the investigator, to understand and willing to comply with the requirements of the study. 3. Participant has completed treatment per protocol in a Novartis study of secukinumab (unless otherwise specified in a parent study protocol). Participants, who derive benefit from the treatment with secukinumab but have not completed the treatment in certain parent studies, due to parent study termination by Novartis, may be eligible if the termination was due to reasons other than safety or lack of efficacy (technical / administrative reasons). 4. Participant is deriving benefit from secukinumab, investigator believes he/she would continue to derive benefit from secukinumab and the benefit outweighs the risk, based on the investigator's judgement. 5. Participant is unable to obtain access to the marketed secukinumab formulation per local prescription and/or reimbursement guidelines.

4.2 Exclusion Criteria 1. Participant has prematurely discontinued study treatment in the parent protocol. 2. Women of childbearing potential, defined as all women physiologically capable of becoming pregnant, unless they are using methods of contraception during the entire study or longer if required by locally approved prescribing information (e.g., in European Union (EU) 20 weeks).

5. Intervention & Treatment Plan

5.1 Investigational Regimen * Drug Name: Secukinumab (Trade Name: Cosentyx) * **ATC Code:** L04AC10 * **EMA URL:** https://www.ema.europa.eu/en/documents/product-information/cosentyx-epar-product-information_en.pdf * **Dosage/Frequency:** Secukinumab administered at the maintenance dosing frequency established as beneficial in the parent protocol. * **Route of Administration:** Subcutaneous (s.c.) injection. * **Duration of Treatment:** Long-term extension phase (assessed up to 104 weeks or until the medication becomes commercially accessible locally).

5.2 Concomitant & Prohibited Therapy * Permitted: Standard allowed maintenance therapies for autoimmune and inflammatory

conditions continued from the parent trial. * **Prohibited:** Initiation of new investigational agents or concurrent biological therapies that could confound the safety profile of secukinumab.

6. Study Timeline & Visit Schedule

- **Screening (Day -14 to 0):** Informed Consent, verification of parent study completion, confirmation of local commercial drug unavailability.
- **Baseline (Day 0):** Baseline safety assessment, transition from parent protocol, Secukinumab dispensation.
- **Interim (Ongoing):** Routine safety monitoring, AE/SAE recording, physical examination, study drug administration/dispensation.
- **End of Study (Estimated 2030):** Final safety evaluation, transition to commercial supply if available.

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** To evaluate long term safety as assessed by occurrence of AEs/SAEs: Serious adverse events (SAEs), adverse events (AEs), and injection site reactions. * **Measurement Method:** Clinical observation, patient self-reporting, injection site reaction monitoring, and routine laboratory safety assessments.

7.2 Secondary & Exploratory Endpoints * Assessment of long-term sustained efficacy and disease stability in target indications. * Evaluation of overall tolerability and treatment compliance.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Continuous monitoring at each study visit and via patient reporting, particularly focusing on injection-site reactions.
- **Serious Adverse Events (SAEs):** Reported within 24 hours of site awareness, defined as any event causing death, life-threatening conditions, hospitalization, or significant disability.
- **Data Monitoring Committee (DMC):** Internal safety monitoring mechanisms managed by Novartis Pharmaceuticals.

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all patients rolling over from the parent trial who receive at least one dose of secukinumab in the extension phase).
- **Sample Size Justification:** $N=715$; sample size is based on the estimated number of eligible rollover patients from parent trials rather than formal power calculations.

- **Handling of Missing Data:** Descriptive statistics will be utilized; missing data are typically not imputed for long-term safety endpoints.

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
- **Monitoring Plan:** Routine risk-based monitoring to assure patient safety and data integrity over the multi-year study duration.
- **Audit Trail:** Electronic Case Report Forms (eCRF) utilized with full audit trails and data clarification mechanisms.

11. Study Identifiers & Governance

- **Posting ID:** 636372041441007098
- **Primary ID:** CAIN457A02001B
- **Registry Number:** NCT04638647
- **Sponsor/Lead Organization:** Novartis
- **Study Title:** Secukinumab Open Label Roll-over Extension Protocol
- **Official Regulatory Title:** An Open-label, Multi-center Protocol for Patients Who Have Completed a Previous Novartis Sponsored Secukinumab Study and Are Judged by the Investigator to Benefit From Continued Secukinumab Treatment

12. Clinical Framework (Autoimmunity & Inflammation Specific)

- **Disease Areas:** Autoimmunity, Inflammation
- **Condition Entity:** Autoimmunity (Preferred Name: Autoimmune Diseases)
- **Semantic Type:** Disease or Syndrome
- **Definition:** A disorder resulting from loss of function or tissue destruction of an organ or multiple organs, arising from humoral or cellular immune responses of the individual to his own tissue constituents. It may be systemic (e.g., systemic lupus erythematosus), or organ specific, (e.g., thyroiditis).
- **Clinical Classifications/Codes:**
 - **MeSH Code:** D001327
 - **HPO Code:** HP:0002960
 - **SNOMED CT ID:** 4301008
 - **SNOMED Hierarchy:** 106182000 | Immune system finding | Immune system finding (finding)
- **Diagnosis Threshold:** Confirmed diagnosis and demonstrated therapeutic benefit from a prior Novartis parent study.
- **Medical Methodology:** Long-term biologic immunomodulatory therapy.

- **Optimization Target:** Maintenance of disease control and long-term treatment tolerability.

13. Study Procedures & Methodology

- **Management Pathway:** Open-label maintenance and long-term safety tracking.
- **Education Protocol (HCP):** Protocol training focusing on the transition from the parent study and long-term AE reporting.
- **Education Protocol (Patient):** Instructions on s.c. self-administration and AE/injection-site reaction reporting.
- **Quality Audit Mechanism:** Standard sponsor clinical monitoring and safety audits.

14. Observation & Follow-Up Schedule

- **Total Duration:** Until completion in April 2030 (or commercial drug accessibility).
- **Onsite Visit Cadence:** Periodic visits scheduled for safety checks and medication dispensing.
- **Remote Monitoring Frequency:** Interim safety tracking as required by protocol.
- **Checklist Review Interval:** Every clinical visit.

15. Sign-off & Approval

Role	Name	Signature	Date
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]