

1. Administrative & Study Identification

Full Study Title: A Study of Ozanimod in Pregnant Women With Ulcerative Colitis and Their Offspring
Short Title/Acronym: Ozanimod UC Pregnancy Registry
Protocol Number: IM047-026
NCT Number: NCT05953402
Sponsor Name: Bristol-Myers Squibb
Investigational Product: Ozanimod (Zeposia) and conventional/advanced UC therapies (Observational)
Phase of Development: N/A (Observational / Patient Registry)
Medical Monitor: Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the association between ozanimod exposure during pregnancy and subsequent maternal, fetal, and infant outcomes, specifically focusing on the safety of ozanimod exposure in pregnant women with Ulcerative Colitis (UC) and their offspring. **Secondary Objectives:** To monitor and evaluate the overall safety profile, maternal disease activity during pregnancy, and developmental progress of offspring.

2.2 Background & Rationale To address the gap in long-term safety data regarding the use of sphingosine-1-phosphate (S1P) receptor modulators (such as ozanimod) during pregnancy. While ozanimod has shown significant effectiveness in inducing and maintaining UC remission, its safety profile concerning pregnant women and the potential risk of major congenital malformations in their offspring requires comprehensive observational tracking to inform clinical practice and maximize safe clinical outcomes.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Patient Registry)
Control Type: Parallel Cohorts (Active Comparator: Pregnant women exposed to conventional or other advanced UC therapies) **Blinding:** Open-label / None **Randomization:** N/A (Observational)

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 1,182 participants **Number of Sites:** Multicenter (Countries where ozanimod is prescribed) **Estimated Study Start:** 03-Dec-2025
Estimated Primary Completion: 30-Jun-2032

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Female, currently or recently pregnant. 2. Confirmed diagnosis of Ulcerative Colitis (UC). 3. Resident of a country where ozanimod is prescribed for the treatment of UC. 4. Exposed to ozanimod, conventional therapies (aminosalicylates and/or thiopurines), or advanced therapies for UC (biologics and/or small molecules) at any time during pregnancy.

4.2 Exclusion Criteria 1. Exposure to other S1P receptor modulators. 2. Patients who do not meet protocol-defined geographic or diagnostic eligibility.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: N/A (Observational study; medications are dosed according to real-world standard of care prescribed by the treating physician). **Route of Administration:** Oral (for Ozanimod and small molecules), IV/SC (for biologics). **Duration of Treatment:** Monitored throughout the entire duration of the pregnancy, with infant follow-up lasting up to 12 months post-delivery.

5.2 Concomitant & Prohibited Therapy Permitted: Conventional therapies (aminosalicylates, thiopurines) and advanced therapies (biologics) depending on the assigned observational cohort. **Prohibited:** Exposure to other S1P modulators outside of ozanimod is restricted for the defined cohorts.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening / Enrollment	Trimester 1 or upon pregnancy recognition Pregnancy confirmation, UC diagnosis documentation, medical history, initial treatment exposure recording
2	Pregnancy Follow-up	Trimesters 2 & 3 Standard of care obstetric visits, maternal UC disease activity tracking, concomitant medication review
3	Delivery	Day 0 (Birth) Recording of maternal/fetal outcomes, birth weight, APGAR scores, initial congenital assessments
4	End of Study / Offspring Follow-up	Up to 12 Months Infant safety follow-up, tracking of any Major Congenital Malformations, developmental milestones

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Event rate of Major Congenital Malformations in offspring. **Measurement Method:** Clinical pediatric assessment, medical record review, and registry tracking from birth up to 12 months of age.

7.2 Secondary & Exploratory Endpoints - Overall maternal pregnancy outcomes (e.g., rates of live birth, miscarriage, pre-eclampsia). - Fetal/infant outcomes (e.g., preterm birth rates, low birth weight).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine collection via patient registry questionnaires, obstetric HCP reports, and pediatric follow-ups focusing on pregnancy complications. **Serious Adverse Events (SAEs):** Congenital anomalies, birth defects, and maternal/fetal mortality reported to the registry and pharmacovigilance authorities per local timelines. **Data Monitoring Committee (DMC):** External/Internal registry oversight committee managed by Bristol-Myers Squibb to periodically evaluate epidemiological safety signals.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Enrolled pregnant women with UC and their offspring, divided into Ozanimod-exposed, Conventional therapy-exposed, and Advanced therapy-exposed cohorts. **Sample Size Justification:** Target $N = 1,182$ powered to epidemiologically detect shifts in the prevalence of rare major congenital malformations compared to background population rates. **Handling of Missing Data:** Standard epidemiological imputation methods appropriate for observational patient registries.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP), Good Pharmacoepidemiology Practices (GPP), and the Declaration of Helsinki. **Monitoring Plan:** Periodic source data verification against electronic health records (obstetric and pediatric notes). **Audit Trail:** Secure, centralized registry database with strict eCRF tracking and data clarification processes.

11. Study Identifiers & Governance

Primary ID: IM047-026 **Registry Number:** NCT05953402 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Study of Ozanimod in Pregnant Women With Ulcerative Colitis and Their Offspring **Official Regulatory Title:** A Prospective, Observational Study (Patient Registry) To evaluate the Safety of Ozanimod Exposure in Pregnant Women With UC and Their Offspring

12. Clinical Framework (Adapted for Ulcerative Colitis)

Primary Condition: Ulcerative Colitis (UC) in Pregnancy **Diagnosis Threshold:** Confirmed UC diagnosis and verified pregnancy status
Medical Methodology: Sphingosine-1-phosphate (S1P) receptor modulator therapy / Conventional Treatment **Optimization Target:** Maternal UC remission and fetal/infant safety

13. Study Procedures & Methodology

Management Pathway: Observational tracking of real-world clinical pathways for pregnant UC patients **Education Protocol (HCP):** Registry data entry training and adverse event reporting guidelines **Education Protocol (Patient):** Informed consent, registry participation, and self-reporting procedures **Quality Audit Mechanism:** Source data verification of obstetric and pediatric clinical records

14. Observation & Follow-Up Schedule

Total Duration: Length of pregnancy + up to 12 months follow-up for the offspring **Onsite Visit Cadence:** Aligned with standard-of-care obstetric (trimesterly) and pediatric visits **Remote Monitoring Frequency:** Periodic registry updates and phone/digital follow-ups **Checklist Review Interval:** Baseline, each trimester, delivery, and at the 12-month post-partum follow-up

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				