

1. Administrative & Study Identification

Full Study Title: A Study to Evaluate the Safety, Tolerability, and Efficacy of BMS-986523 Alone and in Combination With Anti-Cancer Agents in Participants With Advanced Solid Malignancies

Short Title/Acronym: CA256-0001 Study **Protocol Number:** CA256-0001

NCT Number: NCT07223047 **Posting ID:** 656675049824873641 **Trial**

Status: NOT_YET_RECRUITING (Not yet recruiting participants)

Sponsor/Company: Bristol Myers Squibb **Investigational Product:**

BMS-986523 (alone and in combination with Pembrolizumab, Cetuximab, or Gemcitabine and Nab-Paclitaxel) **Phase of**

Development: Phase 1, Phase 2 (PHASE1, PHASE2) **Medical Monitor:**

BMS Clinical Trials Contact Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, and maximum tolerated dose/recommended phase 2 dose of BMS-986523 administered alone and in combination with other anti-cancer agents in participants with advanced solid malignancies. **Secondary Objectives:** To assess the preliminary anti-tumor efficacy, specifically measuring the Objective Response Rate (ORR), Duration of Response (DOR), and pharmacokinetics (Cmax).

2.2 Background & Rationale To address the treatment gap for patients with locally advanced, unresectable, or metastatic solid tumors characterized by a Kirsten rat sarcoma viral oncogene homolog (KRAS) alteration (mutation or amplification). These patients have typically exhausted or are ineligible for standard-of-care treatments. BMS-986523 is being investigated to selectively target cancer cells to potentially enhance efficacy and reduce toxicity, both as a monotherapy and synergistically with immune checkpoint inhibitors, EGFR inhibitors, and standard chemotherapy.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:**

Multiple-arm (Dose Escalation/Expansion) **Blinding:** Open-label

Randomization: Non-randomized / Allocated to specific arms based on disease characteristics (e.g., PD-L1 expression)

3.2 Planned Enrollment & Duration Targeted Enrollment: 252

participants **Number of Sites:** Multicenter Global (Includes various U.S. sites such as San Antonio, TX, and Baltimore, MD)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age $\geq$ 18 years. 2. Histologically confirmed diagnosis of a locally advanced and unresectable or metastatic solid tumor malignancy with a known Kirsten rat sarcoma viral oncogene homolog (KRAS) alteration (mutation or amplification). 3. Must have previously received, be ineligible for, or decline (after having been provided adequate information to make an informed decision) the protocol defined standard of care (SoC) treatments. 4. For Arm D specifically: Participants must have a PD-L1 expression $\geq$ 50%.

4.2 Exclusion Criteria 1. Participants must not have untreated central nervous system (CNS) metastases. 2. Participants must not have concurrent malignancy (present during screening) requiring treatment or history of prior malignancy active within 2 years prior to treatment. 3. Participants must not have a history of, or any evidence of, interstitial lung disease or active, non-infectious pneumonitis. A history of radiation pneumonitis in the radiation field is permitted. 4. Participants must not have a history of prior severe cutaneous adverse reactions (SCARs), including Stevens-Johnson Syndrome (SJS) and toxic epidermal necrolysis (TEN). 5. Other protocol-defined Inclusion/Exclusion criteria apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: BMS-986523 administered per protocol cycles. **Route of Administration:** Intravenous (IV). **Duration of Treatment:** Continued until disease progression, unacceptable toxicity, or withdrawal of consent. **Study Arms:** * **Arm A, B, C:** BMS-986523 Monotherapy * **Arm D:** BMS-986523 + Pembrolizumab * **Arm E:** BMS-986523 + Cetuximab * **Arm F:** BMS-986523 + Gemcitabine (Trade Names: Gemzar, Infugem; ATC Code: L01BC05) + Nab-Paclitaxel

5.2 Concomitant & Prohibited Therapy Permitted: Supportive care per investigator discretion. **Prohibited:** Concurrent investigational therapies and active anti-cancer treatments outside of assigned study regimen.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -28 to 0 Informed Consent, Medical History, Tumor Molecular Profiling (KRAS/PD-L1)
Baseline	Day 0	Enrollment, First Dose, Safety Baseline	

Interim | Every Cycle | Safety Labs, PK/PD, Efficacy Assessment (Tumor Imaging) | | **End of Study** | Week [X] | Final Vital Signs, Exit Interview, IP Accountability, Safety Follow-up |

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Number of participants with adverse events (AEs). 2. Number of participants with serious adverse events (SAEs). 3. Number of participants with AEs meeting protocol-defined dose limiting toxicity (DLT) criteria.

7.2 Secondary Outcomes 1. Objective response rate (ORR) per Response Evaluation Criteria in Solid Tumors (RECIST) v1.1 as assessed by the investigator. 2. Duration of response (DOR) per RECIST v1.1 as assessed by the investigator. 3. Maximum observed plasma concentration (Cmax).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous clinical observation with a special focus on severe cutaneous adverse reactions (SCARs) and signs of pneumonitis or interstitial lung disease.

Serious Adverse Events (SAEs): Reported to the sponsor within 24 hours of site awareness. **Data Monitoring Committee (DMC):** Internal Safety Review Committee evaluating dose-escalation cohorts.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all participants who receive at least one dose) and Efficacy Evaluable Set. **Sample Size**

Justification: Sample size driven by standard Phase 1/2 dose escalation (e.g., 3+3 design or Bayesian equivalent) and dose expansion cohort rules to reach the targeted enrollment of 252.

Handling of Missing Data: Missing efficacy data treated as non-responders or handled via standard data imputation protocols defined by the sponsor.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Regular onsite and remote monitoring visits managed by Bristol Myers Squibb. **Audit Trail:** Data entered via secure eCRF with locking and data clarification forms mechanisms in place.

11. Study Identifiers & Governance

Primary ID: CA256-0001 **Posting ID:** 656675049824873641 **Registry Number:** NCT07223047 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study to Evaluate the Safety, Tolerability, and Efficacy of BMS-986523 Alone and in Combination With Anti-Cancer Agents in Participants With Advanced Solid Malignancies **Official Regulatory Title:** A Phase 1/2a, Open-Label, Multicenter Study to Assess the Safety, Tolerability, Pharmacokinetics, Pharmacodynamics and Preliminary Efficacy of BMS-986523 As Monotherapy and in Combination With Anti-Cancer Agents in Participants With Advanced Solid Malignancies

12. Clinical Framework (Oncology Specific)

Disease Areas / Conditions: Advanced Solid Malignancies, Non-small Cell Lung Cancer (NSCLC), Colorectal Cancer (CRC), Pancreatic Ductal Adenocarcinoma (PDAC) **Diagnosis Threshold:** Histologically confirmed, locally advanced and unresectable or metastatic solid tumor with KRAS mutation or amplification **Preferred UMLS & Ontology Classifications:** Advanced Solid Malignancy, Adenocarcinoma (Semantic Type: Neoplastic Process | MeSH Code: D000230 | SNOMED ID: 1187332001) **Medical Methodology:** Targeted biologic therapy (BMS-986523) combined with immunotherapy (Pembrolizumab), targeted therapy (Cetuximab), or chemotherapy (Gemcitabine/Nab-Paclitaxel). **Optimization Target:** Identifying Maximum Tolerated Dose (MTD) / Recommended Phase 2 Dose (RP2D) and achieving Objective Response Rate (ORR) and Duration of Response (DOR).

13. Study Procedures & Methodology

Management Pathway: Advanced solid tumor clinical trial pathway **Education Protocol (HCP):** Site initiation, protocol training, and dosing/safety monitoring education **Education Protocol (Patient):** Informed consent outlining trial risks, genetic testing requirements, and safety reporting **Quality Audit Mechanism:** Routine source data verification and adherence tracking to RECIST 1.1 evaluation criteria

14. Observation & Follow-Up Schedule

Total Duration: Follow-up continues until disease progression or unacceptable toxicity **Onsite Visit Cadence:** Pre-infusion and throughout each treatment cycle **Remote Monitoring Frequency:** Between treatment cycles as necessary for adverse event tracking **Checklist Review Interval:** Routine imaging assessments (e.g., Q8W-Q12W) to evaluate tumor response

15. Sign-off & Approval

	Role		Name		Signature		Date			:---		:---		:---		:---	
	Principal Investigator		[Insert Name]		_____		[DD-MMM-YYYY]										
	Clinical Operations Lead		[Insert Name]		_____		[DD-MMM-YYYY]										
		Lead Statistician		[Insert Name]		_____		[DD-MMM-YYYY]									