

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-APR-2026

1. Administrative & Study Identification

Full Study Title: A Phase I, Open-Label, Multi-center Study to Assess the Safety, Tolerability and Pharmacokinetics of AZD6244 (ARRY-142886) **Official Title:** A Phase I, Open-Label, Multi-center Study to Assess the Safety, Tolerability and Pharmacokinetics of AZD6244 (ARRY-142886) When Given in Combination With Standard Doses of Selected Chemotherapies to Patients With Advanced Solid Tumors **Short Title/Acronym:** Phase I AZD6244 + Chemotherapy in Advanced Solid Tumors **Protocol Number:** D1532C00004 **NCT Number:** NCT00600496 **Sponsor Name:** AstraZeneca **Investigational Product:** AZD6244 (selumetinib) **Phase of Development:** Phase I **Medical Monitor:** AstraZeneca Clinical Lead / Principal Investigators (e.g., Patricia LoRusso, DO, Karmanos Cancer Institute)

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To determine if a combination of AZD6244 given orally twice a day with standard doses of selected chemotherapies will be safe and tolerable for cancer patients with advanced solid tumors, and to evaluate the highest tolerated dose. * **Secondary Objectives:** To investigate how AZD6244 in combination with standard chemotherapies are absorbed, distributed, and excreted by the body (Pharmacokinetics), the length of time the drugs remain in the body, and to establish patient tumor response to the combination therapies.

2.2 Background & Rationale The RAS/RAF/MEK/ERK pathway is constitutively activated in many cancers. Selumetinib (AZD6244) is an oral, potent, highly selective MEK1/2 inhibitor. Preclinical data suggest that selumetinib may enhance the activity of chemotherapeutic agents, necessitating a Phase I trial to establish safety and appropriate dosing for combinations with standard-of-care therapies (e.g., docetaxel, dacarbazine, temsirolimus, and erlotinib).

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional (Dose-escalation and Dose-expansion) * **Trial Status:** Active, not recruiting (ACTIVE_NOT_RECRUITING) * **Control Type:** Single-arm (Parallel cohorts per chemotherapy agent; no placebo) * **Blinding:** Open-label * **Randomization:** N/A

3.2 Planned Enrollment & Duration * **Target N\$:** 140 patients *
Number of Sites: Multi-center (At least 4 centers in the USA) *
Estimated Study Start: 14-DEC-2007 * **Estimated Primary Completion:** 20-AUG-2010

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients will have measurable and/or non-measurable disease, lacking curative options for whom the selected chemotherapy agents represent the standard of care. 2. WHO performance status 0-1. 3. Patients must be able to swallow AZD6244 capsules.

4.2 Exclusion Criteria 1. Prior treatment with a MEK inhibitor. 2. Participation in a clinical study during the last 30 days or have not recovered from side effects of an investigational study drug. 3. Brain metastases or spinal cord compression unless treated and stable (for at least 1 month) off steroids.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * **Dosage/Frequency:** Escalating doses of AZD6244 (e.g., 50 mg or 75 mg BID) in combination with standard doses of Docetaxel, Dacarbazine (ATC: L01AX04), Temsirolimus, or Erlotinib. * **Route of Administration:** Oral (AZD6244 capsules) and Intravenous/Oral (chemotherapies). * **Duration of Treatment:** Administered continuously until disease progression or unacceptable toxicity.

5.2 Concomitant & Prohibited Therapy * **Permitted:** Prophylactic or supportive G-CSF (Granulocyte colony-stimulating factor) and standard anti-emetic/anti-diarrheal care. * **Prohibited:** Prior MEK inhibitors, concurrent investigational agents within 30 days.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Baseline Scans/Tumor Assessment
Baseline	Day 1 of Cycle 1	First Dose of selected chemotherapy
Interim	Day 3 and each Cycle	Initiation of AZD6244 BID (Day 3); Safety Labs, PK Sampling, Efficacy Scans
End of Study	Variable	Tumor Progression Assessment, Off-treatment safety follow-up, End of Treatment Visit

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** Safety and tolerability of twice-daily oral doses of AZD6244 when administered in combination with standard doses of selected chemotherapies. * **Measurement Method:** Incidence and intensity of adverse events as graded by CTCAE (version 3.0), physical examinations, vital signs (including weight, blood pressure and pulse rate), ECG parameters, MUGA scan and echocardiography, clinical chemistry (including liver function tests), Brain Natriuretic Peptide (BNP), Troponin I, hematology, urinalysis, and ophthalmologic examinations.

7.2 Secondary & Exploratory Endpoints 1. **PK:** Pharmacokinetics of AZD6244 and selected chemotherapies (absorbed, distributed, and excreted by the body). 2. **Dose Optimization:** Define the highest tolerated dose of AZD6244 when in combination with selected chemotherapies. 3. **Efficacy:** Tumor response based on initial and periodic assessments.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Continuous evaluation via physical exams, hematology, liver function tests, cardiac panels (BNP, Troponin), and frequent clinical evaluations for known toxicities (diarrhea, rash, neutropenia, mucositis).
 - **Serious Adverse Events (SAEs):** Protocol-defined Dose-Limiting Toxicities (DLTs) trigger immediate cohort review; standard 24-hour reporting for SAEs.
 - **Data Monitoring Committee (DMC):** Internal safety review committee evaluates DLTs before dose-escalation decisions.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all subjects receiving at least one dose) and PK Analysis Set.
 - **Sample Size Justification:** Approximately 140 patients, guided by standard Phase I dose-escalation rules (e.g., 3+3 design) and subsequent dose-expansion cohorts.
 - **Handling of Missing Data:** Standard handling for Phase I; PK parameters computed utilizing available noncompartmental profiles.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

- **Monitoring Plan:** Regular onsite and remote monitoring of safety data, particularly DLT events across the multi-center network.
 - **Audit Trail:** Standard source data verification, PK sample tracking, and eCRF locking procedures.
-

11. Study Identifiers & Governance

- **Primary ID:** D1532C000004
 - **Registry Number:** NCT00600496
 - **Posting ID:** 678033901773551079
 - **Sponsor/Lead Organization:** AstraZeneca
 - **Company:** AstraZeneca
 - **Study Title:** A Phase I, Open-Label, Multi-center Study to Assess the Safety, Tolerability and Pharmacokinetics of AZD6244 (ARRY-142886)
 - **Official Regulatory Title:** A Phase I, Open-Label, Multi-center Study to Assess the Safety, Tolerability and Pharmacokinetics of AZD6244 (ARRY-142886) When Given in Combination With Standard Doses of Selected Chemotherapies to Patients With Advanced Solid Tumors
-

12. Clinical Framework (Oncology Specific)

- **Primary Conditions:** Breast Cancer, Breast Neoplasms, Colon Cancer, Colonic Cancer, Colon Neoplasms, Lung Cancer, Melanoma, Kidney Cancer
 - **Preferred UMLS Name:** Antineoplastic Agents
 - **Diagnosis Threshold:** Measurable and/or non-measurable disease lacking curative options for whom the selected chemotherapy agents represent the standard of care
 - **Medical Methodology:** Targeted MEK inhibition combined with standard chemotherapy
 - **Optimization Target:** Maximum Tolerated Dose (MTD) determination
-

13. Study Procedures & Methodology

- **Management Pathway:** Phase I Dose-escalation followed by dose-expansion
 - **Education Protocol (HCP):** AE management protocols (e.g., dosing hold/reduction for neutropenia, rash, and mucositis)
 - **Education Protocol (Patient):** Oral drug compliance tracking and immediate AE reporting training
 - **Quality Audit Mechanism:** Dose-Limiting Toxicity (DLT) safety review committee evaluations per cohort
-

14. Observation & Follow-Up Schedule

- **Total Duration:** Until disease progression or unacceptable toxicity
 - **Onsite Visit Cadence:** Evaluated per treatment cycle (e.g., 21-day cycles)
 - **Remote Monitoring Frequency:** As needed for safety follow-up
 - **Checklist Review Interval:** Continuous DLT assessment window (Cycle 1) and ongoing AE tracking
-

15. Sign-off & Approval

	Role		Name		Signature		Date			:---		:---		:---		:---	
	Principal Investigator		Patricia LoRusso, DO (Example)		_____												
	02-APR-2026				Clinical Operations Lead		AstraZeneca										
	Representative		_____		02-APR-2026							Lead Statistician					
	[Insert Name]		_____		02-APR-2026												