

1. Administrative & Study Identification

Full Study Title: Observational Study of Nivolumab in Participants in Germany With Squamous Cell Carcinoma of the Head and Neck (SCCHN) Progressing on or After Platinum-Based Therapy
Short Title/Acronym: HANNA (CA209-99K)
Protocol Number: CA209-99K
NCT Number: NCT03114163
Sponsor Name: Bristol-Myers Squibb
Investigational Product: Nivolumab
Phase of Development: Observational (Non-Interventional Study / NIS)
Medical Monitor: Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate overall survival (OS) of nivolumab in real-world routine clinical practice in patients with recurrent or metastatic squamous cell carcinoma of the head and neck (R/M SCCHN). **Secondary Objectives:** To evaluate baseline characteristics, progression-free survival (PFS), best overall response (BOR), safety profiles, and quality of life (QOL) assessments.

2.2 Background & Rationale Nivolumab has previously demonstrated strong efficacy in clinical trials (e.g., CheckMate 141) for recurrent or metastatic SCCHN. However, because limited real-world data are available, this prospective study was designed to describe the use of nivolumab and its outcomes in routine clinical practice in Germany. The HANNA study comprises a more diverse set of patients than traditional phase 3 trials, including those with higher ECOG performance status, older age, and varying platinum sensitivity.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective Non-Interventional Study) **Control Type:** Single-arm (Real-world cohort) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 385 patients **Number of Sites:** 56 hospitals and practices across Germany **Estimated Study Start:** 2017 **Estimated Primary Completion:** Completed (Patients were followed for \$\\le 5\$ years from treatment initiation).

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult participants (≥ 18 years of age) at the time of the treatment decision. 2. Diagnosis of Squamous Cell Carcinoma of the Head and Neck (SCCHN) (either initial diagnosis or during later course histologically or cytologically confirmed). 3. The physician has already decided to initiate a treatment with nivolumab as 1st line (cohort 2) or ≥ 2 nd line therapy (cohort 1) for the first time for the treatment of SCCHN, according to the label approved in Germany.

4.2 Exclusion Criteria 1. Current primary diagnosis of a cancer other than SCCHN, i.e., a cancer other than SCCHN or cancer of unknown primary (CUP-syndrome) that requires systemic or other treatment. 2. Any cancer that has not been treated curatively (as per the discretion of the investigator).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Nivolumab administered as per standard market authorization approval and routine clinical practice in Germany. **Route of Administration:** Intravenous (IV). **Duration of Treatment:** Until disease progression, unacceptable toxicity, or withdrawal of consent (maximum follow-up of 5 years).

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant therapies typical of real-world routine clinical care for SCCHN. **Prohibited:** Systemic treatment for other primary active cancers.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening	Prior to 1st Dose Treatment decision, Consent, Baseline Characteristics (ECOG PS, primary tumor location, smoking history)
2	Treatment	Routine Care Nivolumab administration, Safety/AE monitoring, Quality of Life (QOL) tracking
3	End of Study	Up to 5 Years Final survival tracking (OS, PFS), Best Overall Response (BOR) evaluation, Exit

(Note: Because this is an observational real-world study, visit cadences strictly follow standard routine clinical practice rather than a rigid protocol schedule.)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Overall Survival (OS).

Measurement Method: Time from treatment initiation until death from any cause, tracked through routine medical records.

7.2 Secondary & Exploratory Endpoints 1. Progression-free survival (PFS). 2. Best overall response (BOR). 3. Safety profiles (drug-related AEs and SAEs). 4. Quality of Life (QOL) assessments.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Collection of drug-related adverse events directly through standard clinical practice charting.

Serious Adverse Events (SAEs): Evaluated during routine care visits (e.g., tracking Grade 3/4 AEs). **Data Monitoring Committee (DMC):** Internal safety data review as per Bristol-Myers Squibb observational study guidelines.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled patients receiving at least one dose of nivolumab in a real-world setting. **Sample Size**

Justification: A sample of up to 385 patients was utilized to accurately power descriptive analyses of real-world outcomes in a diverse SCCN population. **Handling of Missing Data:** Survival curves were estimated with the Kaplan-Meier method and compared using the log-rank test. Univariate and multivariable Cox proportional hazard models were performed to identify prognostic factors.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study was conducted in accordance with Good Epidemiological Practice (GEP) and the regulatory guidelines for non-interventional/observational studies in Germany. **Monitoring**

Plan: Data collected through routine documentation at the 56 participating hospitals and practices. **Audit Trail:** Standardized electronic Case Report Form (eCRF) collection per Sponsor guidelines.

11. Study Identifiers & Governance

Primary ID: CA209-99K **Registry Number:** NCT03114163 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** HANNA **Official Regulatory Title:** Observational Study of Nivolumab in

12. Clinical Framework (SCCHN Specific)

Primary Condition: Squamous Cell Carcinoma of the Head and Neck (SCCHN) **Diagnosis Threshold:** Histologically or cytologically confirmed SCCHN progressing on or after platinum-based therapy **Medical Methodology:** Routine clinical practice administration of nivolumab **Optimization Target:** Real-world survival outcomes (OS, PFS) and quality of life

13. Study Procedures & Methodology

Management Pathway: Routine clinical pathway for R/M SCCHN **Education Protocol (HCP):** N/A (Observational real-world study) **Education Protocol (Patient):** N/A (Routine clinical care counseling) **Quality Audit Mechanism:** Real-world data collection and longitudinal observational tracking

14. Observation & Follow-Up Schedule

Total Duration: Followed for \$\\le 5\$ years **Onsite Visit Cadence:** As per routine clinical practice **Remote Monitoring Frequency:** N/A (Observational standard-of-care model) **Checklist Review Interval:** Continuous during standard of care treatment cycles

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				