

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Real-World Study to Gain Clinical Insights Into Roche Ophthalmology Products **Short Title/Acronym:** VOYAGER
Protocol Number: MR41927 **NCT Number:** NCT05476926 **Posting ID:** 720847245422991155 **Sponsor Name:** Hoffmann-La Roche
Investigational Product: Faricimab (Vabysmo; ATC Code: S01LA09) and Port Delivery System with Ranibizumab (Susvimo) **Phase of Development:** Not Applicable (Observational / Real-world data collection) **Trial Status:** RECRUITING **Medical Monitor:** Hoffmann-La Roche Clinical Trial Contact

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To investigate the real-world long-term effectiveness (change in visual acuity from baseline at 1 Year, per approved retinal indication and product) and safety of faricimab and the Port Delivery System with ranibizumab (PDS) for neovascular age-related macular degeneration (nAMD), diabetic macular edema (DME), retinal vein occlusion (RVO), branch retinal vein occlusion, central retinal vein occlusion, and hemi-retinal vein occlusion in routine clinical practice. **Secondary Objectives:** To explore long-term changes in visual acuity over time, evaluate outcomes according to treatment regimens (percentage of eyes on fixed, treat-and-extend, as needed, or other regimens), number of treatments over time, and assess the occurrence, severity, and seriousness of ocular adverse events.

2.2 Background & Rationale To address the discrepancy between clinical practice and clinical trial outcomes by assessing relationships between treatment regimens, anatomic features, and vision. VOYAGER is designed to collect real-world, long-term data to gain novel insights into treatment patterns and the clinician- and disease-related factors driving treatment decisions among patients receiving Roche ophthalmology products in routine clinical practice.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Primary data collection, prospective, multinational, multicenter) **Control Type:** Single-arm/Multiple cohorts (Non-interventional) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$\$\$: Approximately 6,000 participants **Number of Sites:** ~500 sites across 31 countries
Estimated Study Start: 20-Nov-2022 **Estimated Primary Completion:** 29-Nov-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Have provided informed consent, as required per local regulations. 2. Adult patient, as defined by local regulations and local product label, who is newly initiating treatment (or initiated treatment in the previous visit) with a specified approved Roche ophthalmology product in a retinal indication of interest (nAMD, DME, RVO) in at least one eye, according to the investigator's discretion in routine clinical practice. 3. Alternatively, an adult patient continuing treatment with any specified approved Roche ophthalmology product after initiating that treatment in a Roche interventional trial.

4.2 Exclusion Criteria 1. Concomitant participation of the patient in an investigational ophthalmology clinical trial that includes receipt of any investigational drug or procedure within the last 28 days prior to enrollment (does not apply to patients rolling over from Roche interventional studies). 2. Ocular surgery or procedure within the last 28 days prior to enrollment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Administered as per local clinical practice and local labeling (variable regimens including fixed, treat-and-extend, or pro re nata). **Route of Administration:** Intravitreal injection (Faricimab) or permanent refillable ocular implant (Port Delivery System with Ranibizumab). **Product Information (Faricimab):** [EMA Product Information](#) **Duration of Treatment:** Long-term follow-up of up to 5 years.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care treatments and management as deemed appropriate by the treating physician. **Prohibited:** Concurrent participation in another investigational therapeutic ophthalmic clinical trial (unless continuing treatment from a prior Roche interventional trial).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening/Baseline	Day 0 Informed Consent, Routine Visual Acuity Assessment, First Dose or Implantation
2	Interim	Variable Management per usual care with no mandated scheduled visits. Collection of visual acuity, treatment setting/regimens, and upload of routinely collected fundus images
3	End	

of Study | Up to 5 Years | Final Visual Acuity Assessment, Safety Outcomes, Exit Data Collection |

(Note: Because this is a real-world non-interventional study, the exact visit cadence is dictated by routine clinical practice rather than a strict protocol-defined schedule.)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Change in Visual Acuity from Baseline at 1 Year, per Approved Retinal Indication and Product. **Measurement Method:** Visual acuity is collected as measured per local practice and then converted to the approximate Early Treatment Diabetic Retinopathy Study (ETDRS) letter score.

7.2 Secondary & Exploratory Endpoints 1. Change in Visual Acuity from Baseline Over Time, per Approved Retinal Indication and Product. 2. Percentage of Eyes on Each Treatment Regimen (Fixed, Treat-and-Extend, As Needed, or Other) Over Time, per Approved Retinal Indication and Product. 3. Number of Treatments Over Time, per Approved Retinal Indication and Product. 4. Change in Visual Acuity in relation to the presence/location of anatomic features (e.g., fluid, central subfield thickness, fibrosis).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Number of participants with at least one ocular adverse event. **Serious Adverse Events (SAEs):** Assessed independently by severity and seriousness (e.g., rated as mild, moderate, or severe) over the study duration. **Data Monitoring Committee (DMC):** Pharmacovigilance tracking per Roche standard real-world safety reporting procedures.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Real-world patients initiating or continuing faricimab or PDS for retinal indications. **Sample Size Justification:** Target of 6,000 patients intended to provide broad geographic representation across real-world practices globally. **Handling of Missing Data:** Standard handling for observational real-world evidence (RWE) studies, accommodating variable visit schedules and missing intermediate visual acuity assessments.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with standard real-world data collection guidelines, Good Pharmacoepidemiology Practices (GPP), and the Declaration of

Helsinki. **Monitoring Plan:** Centralized remote data monitoring of the proprietary Imaging Platform and Electronic Data Capture (EDC) systems. **Audit Trail:** eCRF locking and imaging data validation (verifying key anatomical features on the provided images) via an innovative investigator interface.

11. Study Identifiers & Governance

Primary ID: MR41927 **Registry Number:** NCT05476926 **Posting ID:** 720847245422991155 **Sponsor/Lead Organization:** Hoffmann-La Roche (Company: Roche) **Study Title:** VOYAGER **Official Regulatory Title:** Real-World, Long-Term Data Collection to Gain Clinical Insights Into Roche Ophthalmology Products (VOYAGER STUDY)

12. Clinical Framework (Retinal Indications)

Disease Categories: Macular Degeneration, Retinal Vascular Disorders **Primary Conditions:** Neovascular Age-related Macular Degeneration (nAMD), Diabetic Macular Edema (DME), Retinal Vein Occlusion (RVO), Branch Retinal Vein Occlusion, Central Retinal Vein Occlusion, and Hemi-retinal Vein Occlusion **Diagnosis Threshold:** Diagnosis of indicated conditions warranting treatment initiation per local label **Medical Methodology:** Routine Clinical Practice / Standard of Care **Optimization Target:** Optimized vision outcomes through individualized treatment regimens

13. Study Procedures & Methodology

Management Pathway: Non-interventional (physician-determined independent of the study) **Education Protocol (HCP):** Interactive investigator interface to graphically display the patient's treatment journey **Education Protocol (Patient):** Standard disease education per local clinic norms **Quality Audit Mechanism:** Independent imaging assessment and real-world data validation

14. Observation & Follow-Up Schedule

Total Duration: Up to 5 years (60 months) **Onsite Visit Cadence:** Variable (As determined by the treating physician's standard of care) **Remote Monitoring Frequency:** Continuous data collection via site reporting **Checklist Review Interval:** Annual exploratory interim analyses planned

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |