

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Phase 1, Open-label, Single-dose Study to Evaluate the Pharmacokinetics of Deucravacitinib (BMS-986165) Administered as Various Solid Oral Gastro-retentive Tablet Formulation Prototypes in Healthy Participants **Short Title/ Acronym:** Study to Evaluate Drug Levels of Various Solid Gastro-retentive Formulations of Deucravacitinib **Protocol Number:** IM011-1201 (IRAS ID: 1009951, QSC302318) **NCT Number:** NCT06566768 **Posting ID:** 722603236084283579 **Sponsor/Company Name:** Bristol Myers Squibb **Investigational Product:** Deucravacitinib (BMS-986165) **Phase of Development:** Phase 1 **Trial Status:** COMPLETED (Study has been completed) **Medical Monitor:** GSM-CT Representative (mg-gsm-ct@bms.com)

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the pharmacokinetics and identify drug levels of gastro-retentive (GR) formulations of deucravacitinib to determine which prototypes successfully prolong retaining time in the stomach. **Secondary Objectives:** To compare side effects and blood levels when the drug is given in different forms (new prototypes vs. reference tablet), to explore the effect of food and stomach pH on drug absorption, and to assess the general safety and tolerability of the formulations.

2.2 Background & Rationale Deucravacitinib (Trade name: Sotyktu; ATC code: L04AA56) is an oral Tyrosine kinase 2 (TYK2) inhibitor currently being developed as a potential treatment for long-term autoimmune diseases, including Systemic Lupus Erythematosus and Sjögren's Disease. The purpose of this specific Phase 1 study is to explore novel solid oral gastro-retentive (GR) tablet prototypes to evaluate if they can improve the drug's pharmacokinetic profile by prolonging retention time in the stomach compared to the approved reference tablet.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Active Comparator (approved reference tablet of deucravacitinib) **Blinding:** Open-label **Randomization:** N/A (Single-dose sequence across various evaluation periods)

3.2 Planned Enrollment & Duration Target \$N\$: 52 Healthy Participants (26 subjects in Part A, 26 subjects in Part B)

Number of Sites: 1 Clinical Pharmacology Unit (Non-NHS site in the United Kingdom) **Estimated Study Start:** 07-Oct-2024 **Study Status:** COMPLETED

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Healthy males and healthy females according to the assessment of the Investigator. 2. Age 18 to 55 years (A subset of participants undergoing scintigraphy must be 30-55 years, and females in this subset must not be of childbearing potential). 3. Body mass index (BMI) of 18.0 kg/m^2 through 32.0 kg/m^2 , inclusive, and body weight $\geq 50 \text{ kg}$.

4.2 Exclusion Criteria 1. Any significant acute or chronic medical illness. 2. Current or recent (within 3 months of first dose) gastrointestinal (GI) disease that could possibly affect drug absorption, distribution, metabolism, and excretion. 3. History of any significant drug allergy. *Note: Other protocol-defined Inclusion/Exclusion criteria apply.*

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single-dose administrations across multiple periods. Volunteers will receive new forms of the test medicine on up to 4 occasions and the approved form of the test medicine on 1 occasion. **Route of Administration:** Oral (solid gastro-retentive tablet formulation prototypes). **Duration of Treatment:** Stays in the clinic for up to 19 nights on up to 4 occasions per participant, corresponding to the pharmacokinetic sampling phases.

5.2 Concomitant & Prohibited Therapy Permitted: Famotidine (an approved acid-reducing drug) may be administered on up to 1 occasion to assess the impact of altered stomach pH on drug absorption. **Prohibited:** Medications that could alter gastrointestinal transit time, absorption, or metabolism, except as dictated by the protocol.

6. Study Timeline & Visit Schedule

| Visit ID | Window (Days) | Key Activities/Procedures | | :---
| :--- | :--- | | **Screening** | Day -28 to -1 | Informed Consent, Medical History, Physical Exam, Safety Labs | | **Admission / Baseline** | Day -1 of each period | Clinic admission, Baseline safety assessments, Confinement begins | | **Dosing & PK Sampling** | Up to 19 nights | Single-dose administration (fasted/fed), PK blood draws up to 5 days post-dose, Scintigraphy (for a subset of 6 participants per part) | | **End of Study** | ~ 1 month post-

dose | Final Vital Signs, Safety Labs, Exit assessments, AE monitoring |

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints 1. Maximum observed plasma concentration (C_{max}) 2. Concentration at 24 hours post dose (C_{24}) 3. Area under the concentration-time curve from time zero to time of last quantifiable concentration [$AUC(0-T)$]

7.2 Secondary Endpoints 1. Incidence of adverse events (AEs) 2. Incidence of serious adverse events (SAEs) 3. Incidence of AEs leading to discontinuation *Exploratory:* Incidence of clinical laboratory, vital sign, physical examination, and electrocardiogram (ECG) abnormalities.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous in-patient monitoring followed by an approximately 1-month follow-up window. Includes physical exams, ECGs, and clinical safety laboratory testing.

Serious Adverse Events (SAEs): Reported continuously throughout the study timeline up to 1 month post-last dose. **Data Monitoring Committee (DMC):** Sponsor-led internal safety and tolerability review for dose escalation/formulation selection decisions.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: PK Analysis Set (participants with evaluable PK data) and Safety Set (all participants who receive at least one dose of the study drug). **Sample Size Justification:** Target $N = 52$ (26 per study part). Evaluated to sufficiently characterize the PK profile and relative bioavailability of the novel GR formulations without formal hypothesis testing. **Handling of Missing Data:** Standard Phase 1 non-compartmental analysis (NCA); isolated missing PK samples will not be imputed, and safety parameters will be analyzed using observed data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Strict clinical pharmacology unit onsite monitoring by Sponsor/CRO; focusing on protocol adherence, safety reporting, and PK sampling timelines. **Audit Trail:** Time-stamped documentation of dose administration, food intake, and PK sample collection in a validated eCRF.

11. Study Identifiers & Governance

Primary ID: {{IM011-1201}} **Posting ID:** {{722603236084283579}}
Registry Number (NCT): {{NCT06566768}} **Sponsor/Company:** {{Bristol Myers Squibb}} **Study Title:** {{Study to Evaluate Drug Levels of Various Solid Gastro-retentive Formulations of Deucravacitinib (BMS-986165) in Healthy Participants}} **Official Regulatory Title:** {{A Phase 1, Open-label, Single-dose Study to Evaluate the Pharmacokinetics of Deucravacitinib (BMS-986165) Administered as Various Solid Oral Gastro-retentive Tablet Formulation Prototypes in Healthy Participants}} **Preferred UMLS Name:** {{Pharmacokinetics}} **Phase ID:** {{PHASE1}} **Status Name:** {{COMPLETED}} **Status Description:** {{Study has been completed}}
Source Level: {{5}}

12. Clinical Framework & Demographics

Primary Condition / Disease Areas: {{Healthy Participants}}
Preferred Name: {{Healthy Volunteers}} **Semantic Type:** {{Population Group}} **Population Definition:** {{An individual who is or becomes a participant in a research study and has no significant health-related issues.}} **MeSH Code:** {{D064368}}
SNOMED ID: {{106207008}} **SNOMED Hierarchy:** {{440545006|Healthy volunteer|Healthy volunteer (person)}} **Diagnosis Threshold:** {{Healthy by physical exam; BMI 18.0 - 32.0 kg/m²}} **Medical Methodology:** {{Phase 1 Pharmacokinetics & Safety Evaluation}}
Optimization Target: {{Identification of gastro-retentive formulations prolonging stomach retention time}}

Drug Details: **Drug Preferred Name:** {{deucravacitinib}} **Trade Names:** {{Sotyktu}} **ATC Code:** {{L04AA56}} **RxNorm Code:** {{}} **EMA URL:** {{https://www.ema.europa.eu/en/documents/product-information/sotyktu-epar-product-information_en.pdf}}

Criteria Requirements: **Criteria Type:** {{PHASE_REQUIREMENT}}
Criteria Text: {{Trial must be in PHASE1}}

13. Study Procedures & Methodology

Management Pathway: {{Inpatient Phase 1 Clinical Pharmacology confinement}} **Education Protocol (HCP):** {{Protocol training on PK sampling times, meal administration, and scintigraphy procedures}} **Education Protocol (Patient):** {{Informed consent on inpatient confinement, fed/fasted state requirements, and PK blood draw schedule}} **Quality Audit Mechanism:** {{Strict verification of PK sampling intervals and dosing logs}}

14. Observation & Follow-Up Schedule

Total Duration: {{Up to 1 month post-last dose}} **Onsite Visit Cadence:** {{Inpatient clinic stays up to 19 nights on up to 4 occasions}} **Remote Monitoring Frequency:** {{N/A (Inpatient Phase 1 study)}} **Checklist Review Interval:** {{Continuous during in-clinic stay}}

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				