

1. Administrative & Study Identification

Full Study Title: A Phase 1, Randomized, Double-Blind, Third-Party Open, Placebo-Controlled, Single-Dose Study to Evaluate the Pharmacokinetics, Safety, Tolerability, Immunogenicity, and Pharmacodynamics Following Intravenous Dose of PF-07264660 in Chinese Healthy Adult Participants **Short Title/Acronym:** A Study to Learn More About the Study Medicine PF-07264660 in Healthy Chinese Adult Participants **Protocol Number:** [Pfizer Internal Study ID] **NCT Number:** NCT06712082 **Sponsor Name:** Pfizer **Investigational Product:** PF-07264660 (Ompekimig - an IL-13 x IL-33 x IL-4 inhibitor) / Placebo **Phase of Development:** Phase 1 **Medical Monitor:** [Pfizer Medical Monitor Contact Information]

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the pharmacokinetics (PK), safety, tolerability, immunogenicity, and pharmacodynamics (PD) following a single intravenous (IV) dose of PF-07264660 in healthy Chinese adult participants. **Secondary Objectives:** To compare the experiences of participants receiving PF-07264660 to those receiving placebo to understand how the study medicine behaves inside the human body.

2.2 Background & Rationale PF-07264660 is an investigational drug being developed by Pfizer (targeting IL-13, IL-33, and IL-4). Before it can be widely tested in patients with specific conditions (such as Atopic Dermatitis), its baseline safety, tolerability, and processing (PK/PD) must be established in a healthy population. This study aims to ensure the medicine is safe and to map its pharmacological profile in healthy Chinese adults.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-Blind (Third-Party Open) **Randomization:** Randomized (3:1 ratio; three-fourths of participants will receive PF-07264660, and one-fourth will receive placebo)

3.2 Planned Enrollment & Duration Target \$N\$: [Not explicitly specified; standard Phase 1 healthy volunteer cohort size] **Number of Sites:** Conducted at a single study clinic in China **Estimated Study Start:** 2024 **Estimated Primary Completion:** September 2025 (Completed)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age between 18 to 65 years. 2. Chinese participants who are overtly healthy as determined by medical evaluation. 3. Body Mass Index (BMI) of 19 to 28 (or 27.9) kg/m^2 , inclusive, and a total body weight >50 kg (110 pounds). 4. Capable of giving signed informed consent and willing/able to comply with scheduled visits, treatment plans, and laboratory tests.

4.2 Exclusion Criteria 1. Screening supine blood pressure ≥ 140 mm Hg (systolic) or ≥ 90 mm Hg (diastolic) following at least 5 minutes of supine rest. 2. Standard 12-lead electrocardiogram (ECG) demonstrating clinically relevant abnormalities that may affect safety or interpretation of results. 3. History of human immunodeficiency virus (HIV) infection, hepatitis B, hepatitis C, or syphilis; positive testing for HIV, HBsAg, HCVAb, or syphilis. 4. Evidence of active, latent, untreated, or inadequately treated infection with Mycobacterium tuberculosis (TB), or any acute/chronic infections.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single dose administered only one time. **Route of Administration:** Intravenous (IV) infusion (directly into a vein). **Duration of Treatment:** Single infusion day, followed by an observational period of up to 181 days.

5.2 Concomitant & Prohibited Therapy Permitted: [Standard medications allowed in Phase 1 healthy volunteer units]
Prohibited: [Any concomitant medications, supplements, or live vaccines that could interfere with PK/PD analysis or pose an immunologic risk, per standard Phase 1 protocol]

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Up to Day -1	Informed Consent, Medical Evaluation, Lab Tests, ECG, Vital Signs
Baseline & Dosing	Day 0	Randomization, Single IV Infusion of PF-07264660 or Placebo
Inpatient Observation	Days 1 to 5	Stay at the study clinic for 5 days: Safety monitoring, vital signs, PK/PD blood sampling
Outpatient Follow-Up	Up to Day 181	8 study visits at the study clinic: Extended safety labs, Immunogenicity assessments, AE tracking

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Pharmacokinetics (PK), Safety, Tolerability, Immunogenicity, and Pharmacodynamics (PD) following a single intravenous dose. **Measurement Method:** Central Laboratory Analysis of blood serum samples (for PK/PD and immunogenicity), combined with clinical monitoring of Adverse Events (AEs), vital signs, and ECG.

7.2 Secondary & Exploratory Endpoints Comparison of safety and tolerability parameters (incidence of AEs and laboratory abnormalities) between the PF-07264660 group and the placebo group.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via inpatient stay (first 5 days) and subsequent outpatient clinic visits (8 visits up to 181 days). **Serious Adverse Events (SAEs):** [Standard Phase 1 reporting timeline, typically within 24 hours of investigator awareness]. **Data Monitoring Committee (DMC):** [Internal Pfizer Safety Review Team].

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all randomized participants receiving at least one dose of study medication); PK/PD Analysis Set (participants with sufficient samples to evaluate pharmacokinetic profiles). **Sample Size Justification:** Powered descriptively for Phase 1 PK, PD, and general tolerability endpoints rather than inferential efficacy testing. **Handling of Missing Data:** Standard handling for PK concentration-time curve analysis (e.g., values below the limit of quantification treated as zero).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Strict onsite monitoring during the 5-day inpatient phase, followed by scheduled outpatient visit audits. **Audit Trail:** Secure eCRF management and data clarification logs managed by the sponsor (Pfizer).

11. Study Identifiers & Governance

Primary ID: [Pfizer Internal Protocol ID] **Registry Number:** NCT06712082 **Sponsor/Lead Organization:** Pfizer **Study Title:** A

Study to Learn More About the Study Medicine PF-07264660 in Healthy Chinese Adult Participants **Official Regulatory Title:** A Phase 1, Randomized, Double-Blind, Third-Party Open, Placebo-Controlled, Single-Dose Study to Evaluate the Pharmacokinetics, Safety, Tolerability, Immunogenicity, and Pharmacodynamics Following Intravenous Dose of PF-07264660 in Chinese Healthy Adult Participants

12. Clinical Framework (Phase 1 Specific)

Primary Condition: Healthy Adult Participants **Diagnosis Threshold:** Overtly healthy via standard medical evaluation, BMI \$19-28 \text{ kg/m}^2\$ **Medical Methodology:** Phase 1 First-in-Human / First-in-Region Evaluation **Optimization Target:** Establish baseline Safety, Tolerability, and Pharmacokinetics

13. Study Procedures & Methodology

Management Pathway: Strict Phase 1 Inpatient and Outpatient Clinical Pathway **Education Protocol (HCP):** Site initiation visits and Phase 1 dosing/emergency response protocols **Education Protocol (Patient):** Informed consent detailing expected restrictions, inpatient clinic rules, and reporting of AEs **Quality Audit Mechanism:** Continuous onsite vital and PK sample tracking

14. Observation & Follow-Up Schedule

Total Duration: Up to 181 days **Onsite Visit Cadence:** 5-day continuous stay initially, followed by 8 scheduled outpatient clinic visits. **Remote Monitoring Frequency:** N/A (Standardized to onsite follow-up visits) **Checklist Review Interval:** Daily during the 5-day inpatient stay, and at each of the 8 follow-up visits.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				