

1. Administrative & Study Identification

Full Study Title: A Prospective Low-Interventional Phase 4 Single Arm Study of Ocular Assessments in Patients Treated With Tivdak® in Recurrent or Metastatic Cervical Cancer **Short Title/Acronym:** Tivdak Ocular Assessments Study (GOG-3116 / C5721005) **Protocol Number:** C5721005 **NCT Number:** NCT06952660 **Sponsor Name:** Pfizer **Investigational Product:** Tivdak® (tisotumab vedotin-tftv) **Phase of Development:** Phase 4 **Medical Monitor:** Pfizer Clinical Operations Lead / Pfizer CT.gov Call Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the type, incidence, and severity of ocular adverse events (AEs) up to 90 days after the last dose of tisotumab vedotin. **Secondary Objectives:** To assess the time to resolution of ocular AEs up to 90 days after the last dose of tisotumab vedotin.

2.2 Background & Rationale Tivdak is an approved antibody-drug conjugate (ADC) used to treat adults with cervical cancer that has returned or spread after chemotherapy. Because eye problems are a common and potentially severe side effect of Tivdak, this Phase 4 study is being conducted to advance eye safety research. It aims to generate comprehensive, real-world data regarding the incidence and management of ocular toxicities by utilizing a strict eye care plan consistent with the US Prescribing Information.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 100 participants **Number of Sites:** Multiple U.S. clinical sites **Estimated Study Start:** 07-May-2025 **Estimated Primary Completion:** 13-Dec-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Female participants, Age ≥ 18 years. 2. Must have recurrent or metastatic cervical cancer with disease progression on or after chemotherapy. 3. Treating physician has determined that treatment with Tivdak is appropriate for the participant according to US Prescribing

Information. 4. Must be willing to undergo repeated ocular assessments as required by the study and regular clinic visits.

4.2 Exclusion Criteria 1. Active ocular disease at baseline per investigator assessment. 2. Previous treatment with Tivdak. 3. Previous administration of an investigational drug within 30 days. 4. Any medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Intravenous (IV) infusions of Tivdak administered once every 3 weeks. **Route of Administration:** Intravenous (IV). **Duration of Treatment:** Treatment will continue until disease progression (i.e., the medicine is no longer working against the cancer) or the participant decides to stop.

5.2 Concomitant & Prohibited Therapy Permitted: To reduce the risk of eye problems, participants must follow an eye care plan requiring the use of 3 different types of eye drops and the placement of a cold pack over the eyes during each infusion. **Prohibited:** Concurrent administration of other investigational drugs.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Baseline ocular exam by an eye care provider
Baseline	Day 0	First IV Infusion, Initiation of strict eye care plan (eye drops/cold packs)
Interim	Every 3 Weeks	Ocular assessments by an eye care provider <i>before each of the first 9 infusions</i>
End of Study	Follow-up	Ocular exams conducted monthly for 3 months (90 days) after the last Tivdak infusion

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Type, incidence, and severity of ocular adverse events (AEs). Time frame: Up to 90 days after the last dose of tisotumab vedotin. **Measurement Method:** Clinical ocular assessments and grading performed by an eye care provider.

7.2 Secondary & Exploratory Endpoints Time to resolution of ocular AEs, evaluated up to 90 days after the last dose of tisotumab vedotin.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Intensive monitoring of ocular safety via mandated exams by eye care professionals prior to infusions and during the follow-up period. **Serious Adverse Events (SAEs):** Severe ocular toxicities and other SAEs reported within standard regulatory timelines (typically 24 hours). **Data Monitoring Committee (DMC):** Internal safety monitoring mechanisms managed by the principal sponsor (Pfizer).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled participants receiving at least one dose of Tivdak). **Sample Size Justification:** Target $N = 100$ powered to collect robust descriptive statistics on the incidence, severity, and resolution timelines of ocular side effects. **Handling of Missing Data:** Standard imputation methods utilizing Last Observation Carried Forward (LOCF) for missing ocular assessment gradings where applicable.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** High-frequency onsite monitoring to track adherence to the Tivdak US Prescribing Information eye care plan (eye drops and cooling packs). **Audit Trail:** Clinical data review, eCRF locking, and tracking of continuous eye care provider assessments.

11. Study Identifiers & Governance

Primary ID: C5721005 **Registry Number:** NCT06952660 **Sponsor/Lead Organization:** Pfizer **Study Title:** Ocular Assessments in Patients Treated With Tivdak® in Recurrent or Metastatic Cervical Cancer **Official Regulatory Title:** A PROSPECTIVE LOW-INTERVENTIONAL PHASE 4 SINGLE ARM STUDY OF OCULAR ASSESSMENTS IN PATIENTS TREATED WITH TIVDAK® IN RECURRENT OR METASTATIC CERVICAL CANCER

12. Clinical Framework (Cervical Cancer Specific)

Primary Condition: Recurrent or Metastatic Cervical Cancer **Diagnosis Threshold:** Disease progression during or after chemotherapy **Medical Methodology:** Targeted therapy using an Antibody-Drug Conjugate (ADC) **Optimization Target:** Proactive ocular safety monitoring and AE mitigation

13. Study Procedures & Methodology

Management Pathway: Standard IV infusion cycle with integrated ocular safety protocols **Education Protocol (HCP):** Training on the strict execution of the US Prescribing Information eye care plan **Education Protocol (Patient):** Counseling on the mandatory use of 3 different types of eye drops and application of cold packs during each infusion **Quality Audit Mechanism:** Tracking of compliance via repeated mandated exams by specialized eye care providers

14. Observation & Follow-Up Schedule

Total Duration: Until disease progression/discontinuation + 90 days follow-up **Onsite Visit Cadence:** Infusion every 3 weeks; ocular exams before each of the first 9 infusions **Remote Monitoring Frequency:** N/A (Direct eye care provider examinations are required) **Checklist Review Interval:** Monthly for 3 months (90 days) post-treatment

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				