

1. Administrative & Study Identification

Full Study Title: A Study to Evaluate the Effect of Deucravacitinib on Quality of Life in Participants With Plaque Psoriasis in a Community Setting **Official Title:** A Multicenter, Randomized, Double-Blind, Placebo-Controlled Study Evaluating the Effect of Deucravacitinib on Quality of Life in Participants With Plaque Psoriasis in a Community Setting **Short Title/Acronym:** ARTISTYK (IM011-237) **Protocol Number:** IM011-237 / U1111-1276-5158 **NCT Number:** NCT05701995 **Posting ID:** 844410678595243546 **Sponsor / Company:** Bristol Myers Squibb **Investigational Product:** Deucravacitinib (Sotyktu) **Phase of Development:** PHASE4 **Trial Status:** COMPLETED (Study has been completed) **Medical Monitor:** Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the effect of deucravacitinib on quality of life (QoL) in participants with plaque psoriasis in a community setting. **Secondary Objectives:** To report long-term (Week 52) patient-reported outcomes, clinical efficacy results, and safety profiles.

2.2 Background & Rationale To address the impact of moderate-to-severe plaque psoriasis on patients' quality of life. Deucravacitinib is a first-in-class, oral, selective tyrosine kinase 2 (TYK2) inhibitor. The ARTISTYK study generates real-world, community-setting evidence to evaluate how treatment improves QoL in patients with a wide range of body surface area (BSA) involvement and largely or extremely impaired QoL.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** 2:1 (Deucravacitinib : Placebo). Randomization is stratified by body weight and baseline BSA.

3.2 Planned Enrollment & Duration Targeted Enrollment: 180 participants **Number of Sites:** Multicenter (Community Setting) **Estimated Study Start:** January 2023 **Estimated Primary Completion:** Late 2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Men and women aged ≥ 18 years diagnosed with stable plaque psoriasis for 6 months or more. Stable psoriasis is defined as no morphology changes or significant flares of disease activity in the opinion of the investigator. 2. $\geq 3\%$ of Body Surface Area (BSA) involvement at the Screening Visit and Day 1. 3. Dermatology Life Quality Index (DLQI) score > 5 at the Screening Visit and Day 1. 4. Moderate-to-severe plaque psoriasis as defined by static Physician Global Assessment (s-PGA) ≥ 3 at the Screening Visit and Day 1. 5. Deemed by the investigator to be a candidate for phototherapy or systemic therapy.

4.2 Exclusion Criteria 1. Target Disease Exceptions: Non-plaque psoriasis (that is, guttate, pustular, erythrodermic, palmoplantar only involvement or drug-induced psoriasis) at Screening Visit or Day 1. 2. Unstable plaque psoriasis, defined as morphology changes or significant flares of disease activity. 3. Concurrent use of prohibited systemic anti-psoriatic therapies or phototherapy. 4. Significant concurrent medical conditions or laboratory abnormalities precluding the safe use of a TYK2 inhibitor.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Investigational Product: Deucravacitinib (Sotyktu) **ATC Code:** L04AA56 **Dosage/Frequency:** * **Period 1 (Weeks 0-16):** Deucravacitinib 6 mg once daily (QD) OR Placebo QD. * **Period 2 (Weeks 16-52):** Open-label Deucravacitinib 6 mg QD for all participants (Placebo group switches to Deucravacitinib). **Route of Administration:** Oral **Duration of Treatment:** 52 weeks of treatment plus a 4-week safety follow-up. **EMA Product Information:** [EMA URL](#)

5.2 Concomitant & Prohibited Therapy Permitted: Standard allowed maintenance medications for comorbidities. **Prohibited:** Concurrent biologic agents, phototherapy, or other systemic treatments for psoriasis.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, BSA, DLQI, s-PGA assessment
Baseline	Day 0	Randomization (2:1), First Dose, PRO Questionnaires
Interim 1	Week 16	Primary Efficacy Assessment (DLQI), Placebo crossover to Deucravacitinib
End of Study	Week 52	Final Efficacy & PRO Assessments, IP Accountability
Safety Follow-Up	Week 56	Final Safety Checks and Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition & Measurement Method: Percentage of Participants Achieving Dermatology Life Quality Index (DLQI) Score of 0 or 1 at Week 16. The DLQI is a participant-reported Quality of Life (QoL) survey which consists of 10 questions concerning symptoms and feelings, daily activities, leisure, work, school, personal relationships, and treatment during the last week. Each question is scored on a 4-point scale: 0=not at all, 1=a little, 2=a lot, 3=very much. The scores are added up to give a total score between 0 and 30. A lower total score means a better quality of life.

7.2 Secondary & Exploratory Endpoints * Percentage of Participants Achieving a $\geq$ 4-point Reduction From Baseline in Dermatology Life Quality Index (DLQI) at Week 16. * Change From Baseline in Whole-body Itch Numerical Rating Scale (NRS) Score at Week 16. * Percentage of Participants With a Static Physician's Global Assessment (s-PGA) Score of 0 (Clear) or 1 (Almost Clear) With at Least a 2-point Reduction From Baseline at Week 16.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection of Treatment-Emergent Adverse Events (TEAEs) throughout the 56-week trial.

Serious Adverse Events (SAEs): Defined as any untoward medical occurrence resulting in death, life-threatening scenarios, or requiring inpatient hospitalization. **Data Monitoring Committee (DMC):** Internal sponsor committee assessing overall trial safety.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy; Safety Set for all participants receiving $\geq$ 1 dose of study drug. **Sample Size Justification:** Appropriately powered to detect significant differences in DLQI using a stratified Cochran-Mantel-Haenszel test (stratified by baseline weight <90 kg vs ≥ 90 kg and baseline BSA $3\%-10\%$ vs $>10\%$). **Handling of Missing Data:** Nonresponder imputation (NRI) used for evaluating categorical efficacy endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Multicenter clinical site monitoring with verification of s-PGA and PROs standardization. **Audit Trail:** Data collected and locked via eCRF. Quality control mechanisms applied to patient-reported data. **Source Level:** 5

11. Study Identifiers & Governance

Primary ID: IM011-237 **Registry Number:** NCT05701995 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** ARTISTYK **Official Regulatory Title:** A Multicenter, Randomized, Double-Blind, Placebo-Controlled Study Evaluating the Effect of Deucravacitinib on Quality of Life in Participants With Plaque Psoriasis in a Community Setting

12. Clinical Framework (Plaque Psoriasis Specific)

Disease Area: Psoriasis **Condition Name:** Psoriasis (Preferred Name: Psoriasis, Preferred UMLS Name: Plaque Psoriasis) **Semantic Type:** Disease or Syndrome **Definition:** A common genetically determined, chronic, inflammatory skin disease characterized by rounded erythematous, dry, scaling patches. The lesions have a predilection for nails, scalp, genitalia, extensor surfaces, and the lumbosacral region. Accelerated epidermopoiesis is considered to be the fundamental pathologic feature in psoriasis. **Disease Classifications:** MeSH Code: D011565 | HPO Code: HP:0003765 | SNOMED ID: 9014002 **Diagnosis Threshold:** BSA $\geq 3\%$, sPGA ≥ 3 , DLQI > 5 **Medical Methodology:** Selective Tyrosine Kinase 2 (TYK2) inhibitor **Optimization Target:** Improvement of Quality of Life and skin clearance

13. Study Procedures & Methodology

Management Pathway: Systemic plaque psoriasis treatment in a community setting **Education Protocol (HCP):** Standardization of sPGA and BSA evaluations across sites **Education Protocol (Patient):** Patient-reported outcome training (DLQI, Itch NRS) **Quality Audit Mechanism:** Centralized data collection stratified by patient weight and baseline BSA

14. Observation & Follow-Up Schedule

Total Duration: 56 weeks (52-week treatment + 4-week safety follow-up) **Onsite Visit Cadence:** Baseline, Week 16, Week 52, Week 56 **Remote Monitoring Frequency:** Standard safety evaluation intervals **Checklist Review Interval:** DLQI and Itch NRS completion at specified protocol timelines

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |