

1. Administrative & Study Identification

Full Study Title: A PHASE 1A/B OPEN-LABEL MASTER STUDY OF PF-07799544 AS A SINGLE-AGENT AND IN COMBINATION WITH OTHER TARGETED AGENTS IN PARTICIPANTS WITH ADVANCED SOLID TUMORS **Short Title/Acronym:** PF-07799544 Monotherapy or Combination in Advanced Solid Tumors **Protocol Number:** C4901001 **NCT Number:** NCT05538130 **Sponsor Name:** Pfizer **Investigational Product:** PF-07799544 (MEK Brain Penetrant Inhibitor), PF-07799933, Encorafenib (Braftovi) **Phase of Development:** Phase 1 (Phase 1a/1b) **Trial Status:** Recruiting **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety and tolerability of PF-07799544 as a single agent and in combination with other targeted agents by determining the number of participants experiencing dose-limiting toxicities (DLTs), overall response rate (ORR), and the number of participants with treatment-emergent adverse events (AEs). **Secondary Objectives:** To evaluate preliminary anti-tumor activity including Progression-Free Survival (PFS) and Duration of Response (DOR), as well as to characterize overall safety (adverse events, physical exam, vital sign, and clinically significant laboratory abnormalities).

2.2 Background & Rationale To address the unmet medical need in patients with advanced, metastatic, or recurrent solid tumors (including melanoma, glioma, colorectal, thyroid, lung, and brain neoplasms) that have progressed on or demonstrated intolerance to standard-of-care treatments without satisfactory alternative options. This study aims to find the optimal dose and assess the efficacy of targeting the MAPK pathway using a novel MEK brain penetrant inhibitor, both alone and in combination with other study medicines.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm / Sequential Assignment (Dose Escalation and Dose Expansion) **Blinding:** Open-label **Randomization:** N/A (Sequential assignment to cohorts)

3.2 Planned Enrollment & Duration Target \$N\$: 124 participants **Number of Sites:** Global sites including the United States, Australia, Brazil, Canada, China, Israel, and Japan. **Estimated**

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age $\geq$ 16 years. 2. Diagnosis of advanced/metastatic solid tumor (including primary brain tumor for monotherapy phase 1a dose escalation) that has progressed during/following the last prior treatment with no satisfactory alternative treatment options. 3. For Substudy B: Histological or cytological diagnosis of advanced/metastatic melanoma with evidence of a BRAF V600 mutation or BRAF Class II/III alteration in tumor tissue and/or blood. 4. For Substudy C: Unresectable or advanced/metastatic solid tumor that progressed on, or with demonstrated intolerance to standard of care, excluding melanoma, with evidence of a BRAF founder alteration (non-V600 Class II/III BRAF alteration). 5. For Substudies B and C: Measurable disease by RECIST version 1.1.

4.2 Exclusion Criteria 1. Other active malignancy within the past 3 years. 2. Presence of leptomeningeal disease or brain metastasis larger than 4 cm. 3. History or current evidence of retinal vein occlusion (RVO). 4. Concurrent neuromuscular disorder associated with elevated creatine kinase (CK). 5. Retinal degenerative disease, or active gastrointestinal/interstitial lung disease.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: PF-07799544 administered initially 2 times per day (BID) in tablet form (may change to once daily or another frequency). Depending on the study cohort (part of the study), participants may also receive combination targeted therapy (e.g., PF-07799933 or encorafenib [Braftovi] capsules taken once per day). **Route of Administration:** Oral **Duration of Treatment:** Until disease progression, unacceptable toxicity, or for about 2 years.

5.2 Concomitant & Prohibited Therapy Permitted: Routine supportive care for advanced cancer and symptom management. **Prohibited:** Concurrent anti-cancer therapies outside of the assigned investigational study treatments.

6. Study Timeline & Visit Schedule

| Visit ID | Window (Days) | Key Activities/Procedures | | :---
| :--- | :--- | | **Screening** | Day -28 to 0 | Informed Consent, Medical History, Tumor Molecular Profiling (BRAF test), Imaging |
| **Baseline** | Day 0 | Physical Exam, Vital Signs, First Dose of Study Drug | | **Cycle 1** | Days 1 to 21 | PK/PD Labs, Safety

Monitoring, DLT Evaluation Window | | **Interim** | Every 21 Days | Safety Labs, Efficacy Assessment via RECIST v1.1 / RANO, Oral drug accountability | | **End of Study** | Up to Year 2 | Final Tumor/Safety Assessments, Exit Interview, Survival Follow-up |

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints Definition: 1. Number of participants experiencing Dose Limiting Toxicities (DLTs) during Phase 1a monotherapy and Phase 1b combination therapy dose escalation. 2. Overall Response Rate (ORR) during Phase 1b expansion. 3. Number of participants with treatment-emergent adverse events (AEs) during Phase 1a and 1b dose escalation. **Measurement Method:** DLTs evaluated by clinical and laboratory parameters per CTCAE version 5.0 criteria during the first 21-day cycle. Response evaluated via radiographical tumor assessments by RECIST v1.1.

7.2 Secondary Endpoints 1. Number of participants with treatment-emergent adverse events (AEs). 2. Number of participants with clinically significant change from baseline in laboratory abnormalities. 3. Number of participants with clinically significant change from baseline in vital sign abnormalities. 4. Progression-Free Survival (PFS) and Duration of Response (DOR).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous collection via investigator physical exams and participant reporting. AEs characterized by type, frequency, severity, timing, seriousness, and relationship to study therapy. **Serious Adverse Events (SAEs):** Reported within 24 hours to the sponsor, tracked continuously from baseline up to 28 days following the last dose of study treatment. **Data Monitoring Committee (DMC):** Internal Dose Escalation review committee evaluates safety data before opening subsequent dose levels.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Analysis Set (all enrolled participants receiving at least one dose of the investigational product). **Sample Size Justification:** Target $N=124$, statistically sized to adequately evaluate DLT probabilities during dose escalation and preliminary efficacy signs in the expansion cohorts. **Handling of Missing Data:** Standard oncology phase 1 censoring rules for time-to-event endpoints without formal imputation for missing toxicity data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Standard periodic onsite and remote monitoring of safety, regulatory, and drug accountability data. **Audit Trail:** eCRF entry tracking, data clarification forms, and rigorous source-data verification.

11. Study Identifiers & Governance

Primary ID: {{C4901001}} **Posting ID:** {{864289163785268282}}
Registry Number: {{NCT05538130}} **Trial Status:** {{Recruiting}}
Sponsor/Lead Organization: {{Pfizer}} **Study Title:** {{A Study to Learn About the Study Medicine Called PF-07799544 in People With Advanced Solid Tumors}} **Official Regulatory Title:** {{A PHASE 1A/B OPEN-LABEL MASTER STUDY OF PF-07799544 AS A SINGLE-AGENT AND IN COMBINATION WITH OTHER TARGETED AGENTS IN PARTICIPANTS WITH ADVANCED SOLID TUMORS}}

12. Clinical Framework (Oncology Specific)

Primary Condition: {{Melanoma, Glioma, Thyroid Cancer, Non-Small Cell Lung Cancer, Malignant Neoplasms, Brain Neoplasms, Colorectal Cancer}} **Diagnosis Threshold:** {{Evidence of a BRAF V600 mutation or BRAF founder/Class II/III alteration}} **Medical Methodology:** {{Targeted Therapy / MEK and BRAF Kinase Inhibition}} **Optimization Target:** {{Maximum Tolerated Dose (MTD) & Recommended Phase 2 Dose (RP2D)}}

13. Study Procedures & Methodology

Management Pathway: {{Sequential dose escalation and dose expansion cohorts}} **Education Protocol (HCP):** {{Dose-limiting toxicity monitoring and management training}} **Education Protocol (Patient):** {{Oral medication diary instruction and AE self-reporting}} **Quality Audit Mechanism:** {{Central radiological review for ORR/PFS and clinical safety monitoring}}

14. Observation & Follow-Up Schedule

Total Duration: {{Up to 2 years of active treatment plus survival follow-up}} **Onsite Visit Cadence:** {{Aligned with 21-day cycles}} **Remote Monitoring Frequency:** {{Continuous via site follow-ups}} **Checklist Review Interval:** {{Day 21 of Cycle 1 for DLT primary evaluation}}

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	03-Apr-2026					
Clinical Operations Lead	[Name]	_____	03-Apr-2026					Lead
Statistician	[Name]	_____	03-Apr-2026					