

1. Administrative & Study Identification

Full Study Title: A Study to Assess Deucravacitinib Post-marketing Surveillance in Participants With Psoriasis in Japan
Short Title/Acronym: Deucravacitinib PMS in Japan
Protocol Number: IM011-226
NCT Number: NCT05633264
Sponsor Name: Bristol-Myers Squibb
Investigational Product: Deucravacitinib
Phase of Development: Phase 4 / Post-marketing Surveillance (PMS)
Medical Monitor: Bristol-Myers Squibb Clinical Operations / Pharmacovigilance Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To determine the safety and effectiveness of deucravacitinib for the treatment of psoriasis (Ps0) in Japanese participants within a real-world clinical setting. **Secondary Objectives:** To monitor real-world adherence, treatment persistence, and the incidence of adverse events (AEs) over the 52-week surveillance period.

2.2 Background & Rationale To address the need for long-term, post-marketing safety and effectiveness data following the regulatory approval of deucravacitinib in Japan. This surveillance is conducted to monitor patients with plaque psoriasis, generalized pustular psoriasis, and erythrodermic psoriasis to assure the therapy's safety profile and clinical utility in routine medical practice.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational, Prospective Cohort Study (Post-marketing Surveillance) **Control Type:** Single-arm (No control group) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$\$\$: 369 patients **Number of Sites:** Multiple medical institutions across Japan **Estimated Study Start:** 05-Dec-2022 **Estimated Primary Completion:** 28-May-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants diagnosed with Psoriasis (Ps0), specifically plaque psoriasis, generalized pustular

psoriasis, or erythrodermic psoriasis. 2. Participants receiving Deucravacitinib for the first time for approved indications at medical institutions in Japan. 3. Male or female participants of any age (Child, Adult, Older Adult) eligible for treatment.

4.2 Exclusion Criteria 1. Participants receiving Deucravacitinib for an off-label indication. 2. Any significant concurrent medical condition that the prescribing physician deems unsafe for deucravacitinib treatment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Oral deucravacitinib prescribed and administered as per the approved Japanese commercial label instructions. **Route of Administration:** Oral **Duration of Treatment:** Up to 52 weeks (Surveillance observation period).

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications for comorbidities as prescribed by the treating physician in a real-world setting. **Prohibited:** Prescribing deucravacitinib for off-label use during the surveillance period.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Baseline	Day 0 Participant Enrollment, First Deucravacitinib dose, Baseline characteristics assessment
Interim	Real-world routine visits	Routine clinical care follow-ups, Safety/AE monitoring, Effectiveness assessment	
End of Study	Week 52	Final Safety assessment (Incidence of AEs), Final Effectiveness Evaluation	

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Adverse Events (AEs) evaluated up to 52 weeks. **Measurement Method:** Clinical assessment and patient reporting during standard post-marketing surveillance physician visits.

7.2 Secondary & Exploratory Endpoints Real-world clinical effectiveness of deucravacitinib in treating plaque psoriasis, generalized pustular psoriasis, and erythrodermic psoriasis.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine collection via HCP reports during standard clinical visits as required by Japan's Good

Vigilance Practice (GVP). **Serious Adverse Events (SAEs):** Reported promptly according to local Japanese post-marketing pharmacovigilance regulations. **Data Monitoring Committee (DMC):** Pharmacovigilance and Medical Safety team at Bristol-Myers Squibb.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled participants who received at least one dose of deucravacitinib during the surveillance period). **Sample Size Justification:** $N = 369$ patients appropriately sized to fulfill Japanese post-marketing regulatory requirements to capture long-term safety signals and AEs. **Handling of Missing Data:** Handled using standard epidemiological observation methods for missing real-world data without strict imputation unless applicable.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Japan's Good Post-marketing Study Practice (GPSP) and Good Vigilance Practice (GVP). **Monitoring Plan:** Centralized monitoring of collected registry safety data by the sponsor. **Audit Trail:** Pharmacovigilance database tracking and standard site data clarification mechanisms.

11. Study Identifiers & Governance

Primary ID: IM011-226 **Registry Number:** NCT05633264 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Study to Assess Deucravacitinib Post-marketing Surveillance in Participants With Psoriasis in Japan **Official Regulatory Title:** Deucravacitinib Post-marketing Surveillance in Patients With Psoriasis in Japan

12. Clinical Framework (Psoriasis Specific)

Primary Condition: Psoriasis (Ps0) in Japan **Diagnosis Threshold:** Confirmed plaque, generalized pustular, or erythrodermic psoriasis requiring systemic treatment **Medical Methodology:** Post-marketing prescribed standard of care therapy **Optimization Target:** Long-term safety management and real-world effectiveness

13. Study Procedures & Methodology

Management Pathway: Standard clinical pathway for Psoriasis (Ps0) management **Education Protocol (HCP):** GPSP (Good Post-marketing Study Practice) AE reporting training **Education Protocol**

(Patient): Standard of care medication counseling and administration instructions **Quality Audit Mechanism:** Pharmacovigilance tracking and AE incidence reporting

14. Observation & Follow-Up Schedule

Total Duration: Up to 52 weeks **Onsite Visit Cadence:** Real-world routine follow-up visits **Remote Monitoring Frequency:** As per local site standard of care **Checklist Review Interval:** Periodic up to 52 weeks (End of Study)

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					