

1. Administrative & Study Identification

Full Study Title: Mavacamten Pregnancy Surveillance Program
Short Title/Acronym: Mavacamten Pregnancy Registry
Protocol Number: CV027-014
NCT Number: NCT05939700
Posting ID: 896312571431791347
Sponsor/Company Name: Bristol Myers Squibb
Investigational Product: Mavacamten (Preferred Name: Mavacamten)
Phase of Development: Observational (Phase Not Applicable; Trial must be in Not Applicable)
Trial Status: RECRUITING (Currently recruiting participants)
Medical Monitor: Bristol Myers Squibb Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective: To assess maternal, fetal, and infant outcomes after exposure to mavacamten at any time during pregnancy and/or breastfeeding.

2.2 Background & Rationale

There is an ongoing need to establish the safety profile of mavacamten—a cardiac myosin inhibitor used for the treatment of symptomatic Hypertrophic Cardiomyopathy (HCM)—when taken by pregnant or breastfeeding women. This observational surveillance registry is conducted to collect real-world data and address the evidence gap concerning potential teratogenic effects and overall maternal/fetal safety outcomes.

Disease Definition: Hypertrophic Cardiomyopathy is a form of CARDIAC MUSCLE disease, characterized by left and/or right ventricular hypertrophy (HYPERTROPHY, LEFT VENTRICULAR; HYPERTROPHY, RIGHT VENTRICULAR), frequent asymmetrical involvement of the HEART SEPTUM, and normal or reduced left ventricular volume. Risk factors include HYPERTENSION; AORTIC STENOSIS; and gene MUTATION; (FAMILIAL HYPERTROPHIC CARDIOMYOPATHY).

3. Study Design & Methodology

3.1 Design Framework

Study Type: Observational, prospective cohort study
Control Type: Single-arm (No control group)
Blinding: Open-label
Randomization: N/A

3.2 Planned Enrollment & Duration

Target Enrollment: 20
Number of Sites: Multicenter
Estimated Study Start: 03-Jul-2023
Estimated Primary Completion: Ongoing (Follow-up continues up to 12 months post-infant birth)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- 1. Exposure to at least 1 dose of mavacamten at any time during pregnancy (from 4 months prior to conception to pregnancy outcome) and/or at any time during breastfeeding (up to 12 months of infant age or weaning, whichever comes first).
- 2. At least 15 years of age or older at the time of enrollment.
- 3. Informed consent or institutional review board/ethics committee-approved waiver of informed consent.

4.2 Exclusion Criteria

- 1. None.
-

5. Intervention & Treatment Plan

5.1 Investigational Regimen

Drug Name: Mavacamten (Preferred Name: mavacamten)
Trade Name: Camzyos
ATC Code: C01EB24
Dosage/Frequency: Observational (based on standard clinical dosing prescribed by the patient's physician; requires exposure to \$ge 1\$ dose).
Route of Administration: Oral.
Duration of Treatment: Tracked during pregnancy and/or up to 12 months of breastfeeding.

5.2 Concomitant & Prohibited Therapy

Permitted: Standard of care therapies for HCM and routine prenatal/postpartum management.
Prohibited: None specified; purely observational surveillance.

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures	:---	:---
:---	Screening	Variable	Informed Consent, verification of mavacamten exposure.	Pregnancy Follow-ups
Monitor maternal/fetal health and complications via registry.	Delivery	Birth	Assessment of live birth, preterm delivery, congenital malformations.	Post-Natal
Up to 12 months	Monitor infant growth and development, breastfeeding tracking.			

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes

1. **Pregnancy outcomes:** (1) Number of live births, full term or preterm births, stillbirths, spontaneous abortions, and elective abortions; (2) Number of participants with pregnancy complications.

2. **Fetal/neonatal/infant outcomes:** Number of fetal/neonatal/infants in utero, at birth, and through the first year of life with major and minor congenital malformations, small for gestational age, premature delivery, and post-natal growth and development deficiency.

7.2 Secondary & Exploratory Endpoints

Not applicable. Outcomes mapped to primary measures for observational tracking.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine collection of maternal and fetal clinical outcomes via registry coordination.

Serious Adverse Events (SAEs): Reported per standard pharmacoepidemiologic guidelines (particularly congenital anomalies or maternal mortality).

Data Monitoring Committee (DMC): Internal pharmacovigilance safety monitoring managed by the sponsor.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled women with verified exposure to mavacamten during the qualifying window.

Sample Size Justification: Estimated target enrollment of 20; the sample size is driven by real-world exposure rates rather than powered hypothesis testing.

Handling of Missing Data: Descriptive reporting of available case records.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This registry will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and Good Clinical Practice (GCP).

Monitoring Plan: Remote data collection and secure registry coordination.

Audit Trail: Secure database tracking and medical record verification.

11. Study Identifiers & Governance

Primary ID: CV027-014

Registry Number: NCT05939700

Posting ID: 896312571431791347

Sponsor/Lead Organization: Bristol Myers Squibb

Study Title: Mavacamten Pregnancy Surveillance Program

EMA Information: https://www.ema.europa.eu/en/documents/product-information/camzyos-epar-product-information_en.pdf

12. Clinical Framework (Registry Specific)

Disease Areas: Breastfeeding, Hypertrophic Cardiomyopathy, Pregnancy Related

Primary Condition / Preferred Name: Hypertrophic Cardiomyopathy

Semantic Type: Disease or Syndrome

MeSH Code: D002312

HPO Code: HP:0001639

SNOMED ID: 233873004

Diagnosis Threshold: Exposure to ≥ 1 dose of mavacamten

Medical Methodology: Observational Safety Surveillance

Optimization Target: Maternal, Fetal, and Infant Safety Tracking

13. Study Procedures & Methodology

Management Pathway: Observational pregnancy registry

Education Protocol (HCP): Site training for reporting adverse pregnancy outcomes and exposure

Education Protocol (Patient): Registry participation and reporting instructions

Quality Audit Mechanism: Data verification via healthcare provider medical records

14. Observation & Follow-Up Schedule

Total Duration: Duration of pregnancy plus up to 12 months postpartum

Onsite Visit Cadence: Aligned with standard prenatal and postnatal care visits

Remote Monitoring Frequency: Periodic phone/electronic follow-ups per registry protocol

Checklist Review Interval: Trimester milestones and post-natal developmental checks

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |