

1. Administrative & Study Identification

Full Study Title: An Open Label, Multicenter Extension Study in Patients Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Atezolizumab Study **Short Title/Acronym:** IMbrella B **Protocol Number:** B040729 / 2023-506184-34-00 **NCT Number:** NCT03768063 **Sponsor Name:** Hoffmann-La Roche / Roche **Investigational Product:** Atezolizumab (Tecentriq) +/- combination agent(s) (including paclitaxel [Trade names: Abraxane, Onxol, Taxol, Paccal]) or comparator agent(s) **Phase of Development:** Phase 3 **Trial Status:** Active, Not Recruiting **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective * Primary Objective: To provide continued clinical trial treatments (atezolizumab monotherapy or combination therapy) to patients with cancer who previously participated in an atezolizumab-based parent trial and who continue to derive clinical benefit without local access to the treatment. *** Secondary Objectives:** To evaluate the long-term safety, tolerability, and sustained efficacy of atezolizumab regimens in patients rolling over from parent studies.

2.2 Background & Rationale Patients with cancer who benefit from treatment given in a clinical trial (meaning their cancer shrinks or does not get worse) may continue to be given that treatment if there is no alternative option locally and it is safe to do so. This extension study (IMbrella B) aims to provide ongoing access to these therapies for patients deriving clinical benefit from Genentech/Roche-sponsored parent studies who otherwise would lose access when the parent trial closes.

3. Study Design & Methodology

3.1 Design Framework * Study Type: Interventional (Extension Study) *** Control Type:** Single-arm (Open-label extension, varying per parent study assignment) *** Blinding:** Open-label *** Randomization:** N/A (Roll-over from parent trial)

3.2 Planned Enrollment & Duration * Target N: 1,000 *** Number of Sites:** Multicenter (Global) *** Estimated Study Start:** 28-Feb-2019 *** Estimated Primary Completion:** 05-Jul-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Eligible for continuing atezolizumab-based therapy at the time of roll-over from the parent study, as per the parent study protocol, or eligible for continuing the comparator agent(s) in a Genentech- or Roche-sponsored study as per the parent study protocol, with no access to commercially available comparator agent. 2. Time between the last dose of treatment received in parent study and first dose in extension study is no longer than the interruption period allowed in the parent study. First dose of study treatment in this extension study will be received within 7 days of the treatment interruption window allowed by the parent study. 3. Continue to benefit from atezolizumab-based study treatment or from the comparator at the time of roll-over from the parent study as assessed by the investigator. 4. Negative serum pregnancy test within 7 days prior to start of study treatment in women of childbearing potential. 5. For women of childbearing potential: agreement to remain abstinent or use contraceptive methods, and agreement to refrain from donating eggs. 6. For men: agreement to remain abstinent or use contraceptive measures, and agreement to refrain from donating sperm.

4.2 Exclusion Criteria 1. Meet any of the study treatment discontinuation criteria specified in the parent study at the time of enrollment in this extension study. 2. Study treatment or comparator agent is commercially marketed in the patient's country for the patient-specific disease and is accessible to the patient. 3. Treatment with any anti-cancer treatment during the time between last treatment in the parent study and the first dose of study treatment in this extension study. 4. Permanent discontinuation of atezolizumab for any reason during the parent study or during the time between last treatment in the parent study and the first dose of study treatment in this extension study (if applicable). Exception: Participants who permanently discontinued atezolizumab from parent studies that permit participants to continue treatment with the combination agent(s) alone after permanently discontinuing atezolizumab are eligible to enroll in this study. 5. Ongoing serious adverse event(s) that has not resolved to baseline level or Grade ≤ 1 from the parent study or during the time between the last treatment in the parent study and the first dose of study treatment in this extension study. 6. Any condition that, in the opinion of the investigator, would interfere with the interpretation of patient safety or place the patient at high risk for treatment-related complications. 7. Concurrent participation in any therapeutic clinical trial (other than the parent study). 8. Pregnant or lactating, or intending to become pregnant during this extension study and for the period after the last dose of study treatment specified in the designated referenced safety information (RSI).

5. Intervention & Treatment Plan

5.1 Investigational Regimen * Dosage/Frequency: Atezolizumab administered by intravenous infusion at a fixed dose of 1200 mg every 3 weeks (Q3W), or continued as per the dosing regimen in the parent study (at equivalent dose and schedule). *** Route of Administration:** Intravenous (IV) for atezolizumab; combination agents administered per parent protocol. *** Duration of Treatment:** Until unacceptable toxicity, loss of clinical benefit as determined by the investigator, or trial closure.

5.2 Concomitant & Prohibited Therapy * Permitted: Agent(s) in combination with atezolizumab at the same dose and schedule as the parent study. *** Prohibited:** Any new anti-cancer treatments during the transition period from the parent study.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -7 to 0	Verification of continued clinical benefit, roll-over eligibility, Pregnancy test
Baseline	Cycle 1 Day 1	Roll-over, First Extension Dose
Interim	Q3W (Every 3 weeks)	Safety Labs, IV Infusion (Atezolizumab 1200 mg), Efficacy Assessment
End of Study		Treatment Discontinuation Final vital signs, Safety follow-up upon loss of benefit or toxicity

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint 1. Number of Participants With Continued Access to Atezolizumab-Based Therapy and/or Comparator Agent(s).

7.2 Secondary Endpoints 1. Percentage of Participants With Serious Adverse Events (SAEs) According to National Cancer Institute (NCI) Common Terminology Criteria for Adverse Events (CTCAE) Version 5.0. 2. Percentage of Participants With Adverse Events of Special Interest Determined According to NCI CTCAE Version 5.0. 3. Treatment Duration.

8. Safety & Adverse Event Reporting

- Adverse Event (AE) Monitoring:** Standard collection via regular oncology treatment cycle visits (e.g., Q3W).
 - Serious Adverse Events (SAEs):** Reported within 24 hours of site awareness.
 - Data Monitoring Committee (DMC):** Internal safety monitoring managed by Hoffmann-La Roche/Genentech.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all participants who received at least one dose of the study treatment in the extension study).
 - **Sample Size Justification:** Convenience sample based on the number of eligible patients deriving benefit from parent studies rolling over into the extension (Target \$N \approx 1,000\$).
 - **Handling of Missing Data:** Standard imputation and censoring rules carried over from parent study parameters.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
 - **Monitoring Plan:** Routine onsite and remote monitoring per sponsor (Roche/Genentech) guidelines.
 - **Audit Trail:** eCRF locking and standard data clarification procedures.
-

11. Study Identifiers & Governance

Primary ID: B040729 **Registry Number:** NCT03768063 **Sponsor/Lead Organization:** Hoffmann-La Roche / Genentech / Roche **Study Title:** IMbrella B **Official Regulatory Title:** An Open Label, Multicenter Extension Study in Patients Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Atezolizumab Study

12. Clinical Framework (Adapted for Oncology)

Primary Condition: Cancer (Solid Tumors/Neoplasms) **Diagnosis Threshold:** Prior clinical benefit from atezolizumab-based therapy **Medical Methodology:** Atezolizumab (PD-L1 inhibitor) extension therapy +/- combination agents (e.g., paclitaxel) **Optimization Target:** Maintained clinical benefit without unacceptable toxicity

13. Study Procedures & Methodology

Management Pathway: Extension Study Roll-over Pathway **Education Protocol (HCP):** Protocol training on extension procedures and safety reporting **Education Protocol (Patient):** Informed consent for extension phase and treatment schedule confirmation **Quality Audit Mechanism:** Source data verification and AE/SAE tracking

14. Observation & Follow-Up Schedule

Total Duration: Until loss of clinical benefit or unacceptable toxicity (Estimated up to 2028) **Onsite Visit Cadence:** Every 3 weeks (Q3W) concurrent with dosing **Remote Monitoring Frequency:** Between treatment cycles as necessary for AE reporting **Checklist Review Interval:** Every 3 weeks (Q3W) prior to subsequent dose administration

15. Sign-off & Approval

Role	Name	Signature	Date						
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]						
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]						
Statistician	[Name]	_____	[DD-MMM-YYYY]						