

1. Administrative & Study Identification

Full Study Title: Study to Evaluate Efficacy and Safety of PF-04965842 With or Without Topical Medications in Subjects Aged 12 Years and Older With Moderate to Severe Atopic Dermatitis
Short Title/Acronym: JADE EXTEND **Protocol Number:** B7451015 **NCT Number:** NCT03422822 **Posting ID:** 985320738320310094 **Sponsor Name:** Pfizer **Trial Status:** Active, not recruiting **Investigational Product:** Abrocitinib (PF-04965842 / CIBINQO) | **ATC Code:** D11AH08 **Phase of Development:** Phase III **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the long-term safety and tolerability of abrocitinib with or without topical medications in subjects aged 12 years and older with moderate to severe atopic dermatitis over a prolonged extension period.
Secondary Objectives: To evaluate the long-term maintenance of efficacy, including skin clearance (IGA and EASI responses) and itch reduction (PP-NRS). An additional adolescent sub-study aims to investigate potential effects on pediatric bone health via serial knee MRI.

2.2 Background & Rationale Atopic dermatitis (AD) is a complex, chronic relapsing inflammatory skin disease that requires ongoing, long-term management. While short-term efficacy of the JAK1-selective inhibitor abrocitinib was established in parent phase 3 trials (e.g., JADE MONO-1, JADE MONO-2, JADE COMPARE), JADE EXTEND provides critical long-term exposure data (up to 4+ years) to fully characterize the sustained benefit-risk profile, safety, and continued efficacy of the drug in a real-world-reflective extension setting.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Uncontrolled / Active (Long-term extension of parent trial regimens) **Blinding:** Open-label (with initial maintenance of blinded dosing from parent trials for specific cohorts)
Randomization: N/A (Rollover assignment based on parent study)

3.2 Planned Enrollment & Duration Target **SN\$:** 3,166 subjects
Number of Sites: Global multicenter **Estimated Study Start:** 08-Mar-2018 **Estimated Primary Completion:** 31-Jan-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Male or female subjects 12 years of age or older at the time of informed consent. 2. Successfully completed the full treatment period in a qualifying phase 3 parent trial (e.g., JADE MONO-1, JADE MONO-2, JADE COMPARE, JADE TEEN, or JADE REGIMEN). 3. Female subjects of childbearing potential must agree to use a highly effective method of contraception for the duration of the active treatment period and for at least 28 days after the last dose.

4.2 Exclusion Criteria 1. Pregnant or breastfeeding females. 2. Any adverse event (AE) or medical condition developed during the parent study that would make continued treatment with abrocitinib inadvisable in the opinion of the investigator. 3. Active serious infections or history of active tuberculosis without adequate treatment prior to study entry.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Abrocitinib 100 mg or 200 mg taken orally once daily. **Route of Administration:** Oral **Duration of Treatment:** 92-week initial treatment period, followed by an open-label secondary treatment period until commercial availability.

5.2 Concomitant & Prohibited Therapy Permitted: Topical corticosteroids (TCS) and topical calcineurin inhibitors, as per investigator discretion. **Prohibited:** Concurrent use of other systemic immunosuppressants, biologic therapies (e.g., dupilumab), and live attenuated vaccines.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day 0	Rollover consent from parent study, Safety Labs
Baseline	Day 0	First Dose in LTE, Vitals, Baseline EASI/IGA/PP-NRS
Interim	Weeks 12, 24, 48, etc.	Safety Labs, TEAE monitoring, Efficacy Assessments (IGA, EASI, PP-NRS), Annual Knee MRI (for Adolescent Sub-study)
End of Study	Week 92+	Final Vital Signs, Exit Interview, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of treatment-emergent adverse events (TEAEs), serious adverse events (SAEs), and clinically significant changes in laboratory values up to Week 92 and beyond. **Measurement Method:** Clinical site evaluations, patient reporting, and centralized laboratory analysis.

7.2 Secondary & Exploratory Endpoints 1. Proportion of patients achieving an Investigator's Global Assessment (IGA) score of 0 or 1 (clear or almost clear). 2. Proportion of patients achieving $\geq 75\%$ and $\geq 90\%$ improvement in Eczema Area and Severity Index (EASI-75 and EASI-90). 3. Proportion of patients achieving a ≥ 4 -point improvement in Peak Pruritus Numerical Rating Scale (PP-NRS4).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring for TEAEs with specific attention to Adverse Events of Special Interest (AESIs) for JAK inhibitors, including serious infections (e.g., herpes simplex, herpes zoster), venous thromboembolism (VTE), major adverse cardiovascular events (MACE), and malignancies. **Serious Adverse Events (SAEs):** Standard 24-hour reporting timeline for all trial sites. **Data Monitoring Committee (DMC):** External independent Data Monitoring Committee evaluating unblinded safety data on an ongoing basis.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Full Analysis Set (FAS) and Safety Population (all randomized subjects who received at least one dose of the study medication). **Sample Size Justification:** Target enrollment driven by the rollover volume of eligible participants successfully completing the qualifying parent Phase 3 trials ($N = 3,166$). **Handling of Missing Data:** Non-responder imputation (NRI) is utilized for categorical efficacy endpoints (e.g., EASI-75, IGA 0/1); Last Observation Carried Forward (LOCF) or mixed-model repeated measures for continuous variables.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine onsite and remote monitoring visits to ensure protocol adherence, accurate safety reporting, and proper IP accountability. **Audit Trail:** Validated Electronic Data Capture (EDC) system featuring full audit trails, eCRF locking, and systematic data clarification forms.

11. Study Identifiers & Governance

Primary ID: B7451015 **Registry Number:** NCT03422822 **Posting ID:** 985320738320310094 **Trial Status:** Active, not recruiting **Sponsor/Lead Organization:** Pfizer **Study Title:** JADE EXTEND **Official Regulatory Title:** Study to Evaluate Efficacy and Safety of

12. Clinical Framework (Disease Specific)

Primary Condition: Atopic Dermatitis (AD) **Diagnosis Threshold:** Moderate to Severe AD (Rollover eligibility from parent trial baseline metrics) **Medical Methodology:** Selective Janus Kinase 1 (JAK1) Inhibition **Optimization Target:** Sustained skin clearance (IGA 0/1, EASI-75/90) and profound itch reduction (PP-NRS4)

13. Study Procedures & Methodology

Management Pathway: Long-term maintenance systemic therapy **Education Protocol (HCP):** Site investigator training on JAK inhibitor safety monitoring profiles and protocol-specific AESI reporting. **Education Protocol (Patient):** Counseling on daily oral adherence, concurrent topical medication use, and avoidance of live vaccinations. **Quality Audit Mechanism:** Ongoing source data verification and centralized statistical monitoring to detect data anomalies.

14. Observation & Follow-Up Schedule

Total Duration: Up to ~200 weeks (92-week initial treatment period followed by secondary extension period) **Onsite Visit Cadence:** Periodic safety visits (e.g., Weeks 12, 24, 48, 92) **Remote Monitoring Frequency:** Tele-health/remote patient reported outcomes (PRO) capture as delineated by site capabilities. **Checklist Review Interval:** Routine Q12W to Q24W symptom and quality of life (DLQI, POEM) assessments.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				