

1. Administrative & Study Identification

Full Study Title: A Rollover Study of CC-122 **Short Title/Acronym:** CC-122 Rollover Study
Protocol Number: CA092-1000 **NCT Number:** NCT05688475 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** CC-122 (Avadomide), Dexamethasone **Phase of Development:** Phase 1 **Trial Status:** Active, not recruiting **Medical Monitor:** Bristol Myers Squibb Clinical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective **Primary Objective:** To provide continued CC-122 treatment to participants who have been receiving CC-122 in other clinical trials for more than 5 years and are receiving clinical benefit, and to monitor the long-term safety and tolerability of CC-122. **Secondary Objectives:** To observe ongoing efficacy and long-term clinical outcomes in participants deriving benefit from CC-122.

2.2 Background & Rationale To address the clinical necessity of providing continuous access to therapy for patients who have participated in previous CC-122 protocols (including CC-122-ST-001 [NCT01421524], CC-122-ST-002 [NCT02509039], CC-122-DBCL-001 [NCT02031419], and CC-122-NHL-001 [NCT02417285]) that have met their primary and secondary endpoints. This rollover protocol allows patients to maintain disease control while ensuring the sponsor can collect long-term safety data.

3. Study Design & Methodology

3.1 Design Framework **Study Type:** Interventional **Control Type:** Single-arm (Rollover) **Blinding:** Open-label **Randomization:** N/A (Non-Randomized)

3.2 Planned Enrollment & Duration **Target N\$:** 12 participants
Number of Sites: Multiple global locations (including sites in New York, Tennessee, Wisconsin, USA; and Tokyo, Japan) **Estimated Study Start:** 11-Apr-2023 **Estimated Primary Completion:** 25-Feb-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participant who is currently receiving CC-122 on another CC-122 clinical trial that has met its primary

and secondary endpoints. 2. Participant who has participated in previous CC-122 protocols (including CC-122-ST-001 [NCT01421524], CC-122-ST-002 [NCT02509039], CC-122-DBCL-001 [NCT02031419], and CC-122-NHL-001 [NCT02417285]) and is deemed by the investigator to be deriving benefit from CC-122 as defined by the previous protocol. 3. Participant who is able to tolerate study therapy and has not yet experienced progressive disease or any treatment discontinuation criteria of the Parent Study.

4.2 Exclusion Criteria 1. Participant is not eligible for CC-122 treatment as per the Parent Study. 2. Participants not receiving clinical benefit as assessed by the investigator. Any clinical AE, laboratory abnormality, or intercurrent illness which, in the opinion of the investigator, indicates that participation in the study is not in the best interest of the participant. 3. Women who are breastfeeding.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: CC-122 (with or without dexamethasone) administered as per the established dosage and schedule from the participant's respective parent protocol. **Route of Administration:** Oral **Duration of Treatment:** Continuous until disease progression, unacceptable toxicity, or fulfillment of discontinuation criteria.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care and concomitant medications permitted under the parent protocol. **Prohibited:** Other concurrent investigational anti-cancer therapies or drugs known to severely interact with CC-122.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Rollover Eligibility Verification, Medical History
Baseline	Day 0	Continued CC-122 dosing under rollover protocol
Interim	Per Parent Protocol	Safety Labs, Efficacy Assessment, AE tracking
End of Study	Variable	Final Vital Signs, Treatment Discontinuation, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Endpoints Definition: 1. Number of participants with serious adverse events (SAEs) for participants who received at least 1 dose of CC-122. 2. Number of deaths for participants who received at least 1 dose of CC-122. **Measurement Method:** Clinical assessment, standard laboratory safety profiles, and investigator reporting.

7.2 Secondary & Exploratory Endpoints * Maintenance of clinical benefit (Progression-Free Survival / Overall Survival). * Long-term tolerability profiles.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via routine clinical follow-ups and laboratory assessments aligned with standard of care. **Serious Adverse Events (SAEs):** Must be reported to the sponsor within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Internal safety review managed by Bristol Myers Squibb.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled participants who receive at least one dose of CC-122 under the rollover protocol). **Sample Size Justification:** Non-statistically powered. Sample size (\$N=12\$) is based purely on the number of eligible patients remaining on CC-122 treatment in legacy studies. **Handling of Missing Data:** Descriptive statistics will be utilized; no imputation is planned for missing data in this long-term safety rollover.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine clinical site monitoring by sponsor/CRO to ensure protocol adherence, accurate safety reporting, and proper IP accountability. **Audit Trail:** Secure eCRF systems utilizing electronic signatures and complete audit trails for all entered data.

11. Study Identifiers & Governance

Primary ID: {{CA092-1000}} **Posting ID:** {{988453731642327736}}
Registry Number: {{NCT05688475}} **Sponsor/Lead Organization:** {{Bristol Myers Squibb}} **Study Title:** {{A Rollover Study of CC-122}} **Official Regulatory Title:** {{Continuing Treatment for Participants Who Have Participated in a Prior Protocol Investigating CC-122}}

12. Clinical Framework (Protocol Specific)

Primary Condition: {{Non-Hodgkin Lymphoma}} **Diagnosis Threshold:** {{Deriving clinical benefit from CC-122 on parent study}} **Medical**

Methodology: {{Targeted Protein Degradation / Maintenance Therapy}} **Optimization Target:** {{Continuous Disease Control and Safety Monitoring}}

13. Study Procedures & Methodology

Management Pathway: {{Continued CC-122 Treatment Pathway}}
Education Protocol (HCP): {{Protocol specific safety training and SAE reporting}} **Education Protocol (Patient):** {{Informed Consent review for rollover extension}} **Quality Audit Mechanism:** {{Standard Site Monitoring & AE Tracking}}

14. Observation & Follow-Up Schedule

Total Duration: {{Ongoing until disease progression or unacceptable toxicity}} **Onsite Visit Cadence:** {{As per standard of care and individual parent protocol}} **Remote Monitoring Frequency:** {{As needed for ongoing safety reporting}} **Checklist Review Interval:** {{Prior to each treatment cycle dispensing}}

15. Sign-off & Approval

Role	Name	Signature	Date		----	----	----	----
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]					
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]					