

1. Administrative & Study Identification

Full Study Title: A Phase 1, Multicenter, Open-label, Single-dose Study to Assess the Pharmacokinetics of Repotrectinib in Healthy Participants and Those With Moderate and Severe Hepatic Impairment **Short Title/Acronym:** A Study to Assess the Drug Levels of Repotrectinib in Healthy Participants and Participants With Moderate and Severe Hepatic Impairment **Protocol Number:** CA127-1070 **NCT Number:** NCT06352528 **Posting ID:** 989741485647126080 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** Repotrectinib (Trade Name: Augtyro) **Phase of Development:** Phase 1 **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the pharmacokinetics (drug levels) of a single oral dose of repotrectinib in participants with moderate and severe hepatic impairment (HI), and in healthy matched control participants with normal hepatic function. **Secondary Objectives:** To evaluate the safety and tolerability of a single oral dose of repotrectinib in participants with moderate and severe HI and matched healthy control participants.

2.2 Background & Rationale There is very limited to no data available on the pharmacokinetics of repotrectinib in patients with moderate and severe hepatic impairment. Since repotrectinib therapy has potential risks of adverse events due to over-exposure, this dedicated PK study is necessary to determine if dose adjustments are required for patients with compromised liver function and to inform appropriate posology recommendations.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Matched Control (healthy participants with normal hepatic function) **Blinding:** Open-label **Randomization:** N/A (participants assigned to groups based on hepatic function status)

3.2 Planned Enrollment & Duration Target \$N\$: 18 evaluable participants **Number of Sites:** Multicenter (US) **Trial Status:** Completed

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult female (as assigned at birth) not of childbearing potential or male (as assigned at birth) of any race or ethnicity. 2. Must have a body mass index between 18 and 40 kg/m² (inclusive) and body weight ≥ 50 kg at the time of signing the ICF. 3. Group 1 & 2 (Hepatic Impairment): Participants have moderate (Group 1) or severe (Group 2) HI or cirrhosis due to chronic hepatic disease and/or prior alcohol use, defined by the Child-Pugh score. 4. Group 3 (Healthy Control): Participant must be free of any clinically significant disease that would interfere with study evaluations. Must have liver-related laboratory test results within reference ranges or clinically insignificant excursions. Must be in good health as determined by medical history, physical examination, vital signs, ECG, and clinical laboratory safety tests.

4.2 Exclusion Criteria 1. Any major surgery within 4 weeks of the study intervention administration. 2. History of drug or alcohol abuse within 1 year of study intervention administration. 3. Participants who currently smoke, or those who have stopped smoking less than 6 months prior to dosing on Day 1.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Single oral dose of repotrectinib. **Route of Administration:** Oral **Duration of Treatment:** Single dose administration.

5.2 Concomitant & Prohibited Therapy Permitted: Standard treatments for underlying conditions not interfering with repotrectinib PK. **Prohibited:** Strong CYP3A4 inducers/inhibitors, or other drugs known to significantly interfere with the metabolism of repotrectinib.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to Day -1	Informed Consent, Medical History, Vital Signs, ECG, Lab Tests (including Hepatic Panel)
Baseline/Dosing	Day 1	Single Dose Administration, Serial PK Blood Sampling, Safety Monitoring
Follow-up	Days 2 to [End of PK]	Serial PK Blood Sampling, Safety Labs, AE Monitoring
End of Study	Final Phase	Final Vital Signs, Safety Review, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Maximum observed plasma concentration (C_{max}) 2. Time of maximum observed plasma concentration (T_{max}) 3.

Area under the plasma concentration-time curve from time zero to time of last quantifiable concentration (AUC(0-T))

7.2 Secondary Outcomes 1. Number of participants with Adverse Events (AEs) 2. Number of participants with Severe Adverse Events (SAEs) 3. Number of participants with physical examination abnormalities

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring by the investigator and site staff throughout the study duration.
Serious/Severe Adverse Events (SAEs): Reported within 24 hours of site awareness to the Sponsor and Institutional Review Board (IRB).
Data Monitoring Committee (DMC): Internal safety review by the Sponsor (Bristol Myers Squibb).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: - **PK Population:** All participants who received the study drug and have adequate concentration-time data to calculate reliable PK parameters. - **Safety Set:** All participants who received at least one dose of the investigational product.

Sample Size Justification: A sample size of 18 participants (distributed across the HI groups and healthy controls) is standard for Phase 1 hepatic impairment PK studies to provide adequate precision for estimating the geometric mean ratio of PK parameters. **Handling of Missing Data:** Missing PK data will not be imputed; concentrations below the lower limit of quantification (LLOQ) will be treated as zero for summary statistics.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
Monitoring Plan: Regular onsite and remote monitoring visits by clinical research associates (CRAs) to ensure protocol adherence and data integrity. **Audit Trail:** Electronic Case Report Forms (eCRFs) with full audit trails; data clarification forms issued for discrepancies.

11. Study Identifiers & Governance

Primary ID: CA127-1070 **Registry Number:** NCT06352528 **Posting ID:** 989741485647126080 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** A Study to Assess the Drug Levels of

Repotrectinib in Healthy Participants and Participants With Moderate and Severe Hepatic Impairment **Official Regulatory Title:** A Phase 1, Multicenter, Open-label, Single-dose Study to Assess the Pharmacokinetics of Repotrectinib in Healthy Participants and Those With Moderate and Severe Hepatic Impairment

12. Clinical Framework (Hepatic Impairment Specific)

Disease Areas / Conditions: Hepatic Impairment, Healthy Volunteers **Condition Definition:** Hepatic impairment refers to a reduction in the normal functional capacity of the liver. This condition arises from various forms of liver injury, disease, or dysfunction, which compromise its crucial roles in metabolism, detoxification, protein synthesis, and bile production. Consequently, individuals may experience a range of systemic effects, including jaundice, fatigue, fluid retention, impaired drug metabolism, and altered coagulation, depending on the severity and underlying cause. **Preferred UMLS Name:** Pharmacokinetics **Semantic Type:** Disease or Syndrome **MeSH Code:** D008107 **SNOMED ID:** 416629002 **SNOMED Hierarchy:** 11840003 | Disorder of liver | Disorder of liver (disorder) **Medical Methodology:** Pharmacokinetic Assessment (Hepatic clearance evaluation) **Optimization Target:** Dose adjustment guidelines for repotrectinib in HI patients

13. Study Procedures & Methodology

Management Pathway: Specialized Phase 1 clinical pharmacology unit standard operating procedures. **Education Protocol (HCP):** Site initiation visits and ongoing investigator training on PK sampling protocols. **Education Protocol (Patient):** Informed consent process detailing the strict PK blood draw schedule. **Quality Audit Mechanism:** Source data verification and PK sample tracking reconciliation.

14. Observation & Follow-Up Schedule

Total Duration: Approximately 4 to 6 weeks per participant (Screening to Final Follow-up). **Onsite Visit Cadence:** Frequent visits during the intense PK sampling phase (Days 1 to End of PK timeframe). **Remote Monitoring Frequency:** N/A (Predominantly onsite due to PK blood draws). **Checklist Review Interval:** Daily during the inpatient/frequent outpatient dosing period.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |