

1. Administrative & Study Identification

Full Study Title: An Open-Label, Multicenter Extension and Long-Term Observational Study in Patients Previously Enrolled in a Genentech- and/or F. Hoffmann-La Roche Ltd-Sponsored Atezolizumab Study **Short Title/Acronym:** IMbrella A **Protocol Number:** B039633 (also 2016-005189-75, 2023-506186-57-00) **NCT Number:** NCT03148418 **Trial Status:** ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Sponsor Name:** F. Hoffmann-La Roche Ltd / Genentech, Inc. (Company: Roche) **Investigational Product:** Atezolizumab (Preferred UMLS Name) monotherapy, atezolizumab combined with other agent(s), or comparator agent(s) **Phase of Development:** Phase 3 **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To provide continued access to atezolizumab-based therapy and/or comparator agent(s) for eligible patients who were still on study treatment at the time of their parent study closure. **Secondary Objectives:** * To evaluate the safety following exposure to atezolizumab monotherapy or atezolizumab administered with combined agent(s). * To evaluate overall survival (OS) following exposure to atezolizumab monotherapy or atezolizumab administered in combination with combined agent(s).

2.2 Background & Rationale To provide continued clinical trial treatments to people with cancer who took part in an atezolizumab-based trial sponsored by Genentech/Roche (e.g., IMpower133) and who do not have access to the treatment locally. This extension study allows participants who continue to derive clinical benefit from their respective parent studies to seamlessly continue their therapy while providing extended long-term safety and overall survival (OS) data for these agents.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Extension and long-term observational study) **Control Type:** Single-arm (Non-randomized) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 382 (Actual/Targeted enrollment) **Number of Sites:** Multicenter (Global) **Estimated Study Start:** 20-Sep-2017 **Estimated Primary Completion:** 06-Mar-2030

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria Specific criteria for patients who continue treatment as well as safety and survival follow-up in the extension study: 1. Eligible for continuing or crossing over to atezolizumab-based therapy at the time of the parent-study closure as per the parent study, or eligible for continuing the comparator agent(s) in a Genentech- or Roche-sponsored study at the time of the parent-study closure as per the parent study, with no access to commercially available comparator agent. 2. First dose of study treatment in the extension study will be received within 7 days of the treatment interruption window allowed by the parent study. 3. Continue to benefit from atezolizumab-based study treatment or from the comparator at the time of parent-study closure as assessed by the investigator. 4. Negative serum pregnancy test within 7 days prior to start of study treatment in women of childbearing potential.

Specific criteria for patients from the IMpower133 parent study only who do not continue treatment in the extension study and/or receive commercially available atezolizumab (Tecentriq) outside this extension study and continue safety and survival follow-up only: 5. Discontinuation of atezolizumab-based therapy in the IMpower133 parent study and in survival follow-up at the time of IMpower133 parent study closure, or eligible for continuing or crossing over to atezolizumab-based therapy as per the IMpower133 parent protocol and have access to commercially available atezolizumab (Tecentriq) outside this extension study at the time of the IMpower133 parent-study closure.

4.2 Exclusion Criteria Specific criteria for patients who continue treatment as well as safety and survival follow-up: 1. Meet any of the study treatment discontinuation criteria specified in the parent study at the time of enrollment in the extension study. 2. Study treatment is commercially marketed in the patient's country for the patient-specific disease and is accessible to the patient. 3. Time between the last dose of treatment received in parent study and first dose in extension study is longer than the interruption period (7 days) allowed in the parent study. 4. Treatment with any anti-cancer treatment (other than treatment permitted in the parent study) during the time between the last treatment in the parent study and the first dose of study treatment in the extension study. 5. Permanent discontinuation of atezolizumab for any reason during the parent study or during the time between last treatment in the parent study and the first dose of study treatment in the extension study (if applicable). 6. Any unresolved or irreversible toxicities during the parent study that required permanent discontinuation of study treatment, in accordance to the parent study or local prescribing information. 7. Ongoing SAE(s) that has not resolved to baseline level or Grade 1 from the parent study or during the time between last treatment

in the parent study and the first dose of study treatment in the extension study. 8. Any serious uncontrolled concomitant disease that would contraindicate the use of study treatment at the time of the extension study or that would place the participant at high risk for treatment-related complications. 9. Concurrent participation in any therapeutic clinical trial (other than the parent study).

Specific criteria for patients who do not continue treatment in the extension study: 10. Discontinuation of comparator in parent study and in survival follow-up at the time of parent study closure.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Primary Investigational Product: Atezolizumab. **Associated Agent(s):** Bevacizumab * **ATC Codes:** S01LA08, L01FG01 * **Trade Names:** Avastin, Vegzelma, Alymsys, Zirabev, Mvasi * **EMA URLs:** * Alymsys: [Product Info](#) * Avastin: [Product Info](#) * Mvasi: [Product Info](#) * Vegzelma: [Product Info](#) * Zirabev: [Product Info](#)

Dosage/Frequency: Dosing regimen for a given participant and indication is the same or equivalent to the respective parent study protocol (e.g., Atezolizumab 1200 mg every three weeks).

Route of Administration: Intravenous (IV) infusion (or as defined by the parent study). **Duration of Treatment:** Can continue until disease progression, or beyond if the patient continues to derive clinical benefit as judged by the investigator, until death, withdrawal of study consent, unacceptable toxicity, pregnancy, patient non-compliance, or study termination by the Sponsor.

5.2 Concomitant & Prohibited Therapy Permitted: Concomitant treatments permitted in the respective parent study. **Prohibited:** Unapproved anti-cancer treatments during the time between the last treatment in the parent study and the first dose of the extension study.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Parent Study Closure Evaluation of rollover eligibility, continued benefit assessment, pregnancy test (within 7 days) Baseline Day 0 Roll-over into IMbrella A, first extension dose Interim As per parent protocol Ongoing dosing, survival follow-up, SAEs and AESIs monitoring End of Study Follow-up / 2030 Final overall survival record, treatment discontinuation evaluation

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Number of Participants With Continued Access to Atezolizumab-Based Therapy and/or Comparator Agent(s). **Measurement Method:** Clinical dispensing and continuation records.

7.2 Secondary & Exploratory Endpoints * Percentage of Participants With Serious Adverse Events (SAEs) by Severity Determined According to National Cancer Institute (NCI) Common Terminology Criteria for Adverse Events (CTCAE) Version 4.0. * Percentage of Participants With Adverse Events of Special Interest by Severity Determined According to NCI CTCAE Version 4.0. * Time from Randomization or Treatment Initiation to Death due to any Cause for IMpower133 Participants Only.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Focus specifically on serious adverse events (SAEs) and adverse events of special interest (AESIs) directly in IMbrella A extension monitoring (evaluated via NCI CTCAE v4.0). **Serious Adverse Events (SAEs):** Assessed and reported continuously as per standard oncology protocol tracking. **Data Monitoring Committee (DMC):** Sponsor-managed safety monitoring protocols carried over from parent trials.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled rollover patients (Safety Set for AEs/SAEs, ITT/Efficacy Set for OS evaluation). **Sample Size Justification:** Not conventionally powered; sample size based purely on the number of eligible patients rolling over from completed parent studies (\$N=382\$). **Handling of Missing Data:** For OS analysis, patients who are alive at the data cutoff date are right-censored at the date the patient was last known to be alive.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Monitoring frequency aligns with the safety follow-up structures established in the parent studies. **Audit Trail:** Maintained via global eCRF locking systems managed by Roche/Genentech.

11. Study Identifiers & Governance

Primary ID: B039633 **Posting ID:** 990901495508723591 **Registry Number:** NCT03148418 **Trial Status:** ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Sponsor/Lead Organization:** F. Hoffmann-La Roche Ltd (Company: Roche) **Study Title:** A Study in Participants Previously Enrolled in a Genentech- and/or F. Hoffmann-La Roche Ltd-Sponsored Atezolizumab Study (IMbrella A) **Official Regulatory Title:** An Open-Label, Multicenter Extension and Long-Term Observational Study in Patients Previously Enrolled in a Genentech- and/or F. Hoffmann-La Roche Ltd-Sponsored Atezolizumab Study

12. Clinical Framework (Oncology Specific)

Primary Disease Area: Cancer **Specific Condition Name:** Malignant Neoplasms (Preferred Name: Malignant Neoplasms) **Semantic Type:** Neoplastic Process **Disease Definition:** A neoplasm composed of atypical neoplastic, often pleomorphic cells that invade other tissues. Malignant neoplasms often metastasize to distant anatomic sites and may recur after excision. The most common malignant neoplasms are carcinomas, Hodgkin and non-Hodgkin lymphomas, leukemias, melanomas, and sarcomas. **Diagnostic Coding:** * **MeSH Code:** D009369 * **HPO Code:** HP:0002664 * **SNOMED ID:** 1240414004 **Medical Methodology:** Immune Checkpoint Inhibitor Therapy (PD-L1 blockade) **Optimization Target:** Maintenance of clinical response and prolonged overall survival

13. Study Procedures & Methodology

Management Pathway: Extension and Rollover Pathway **Education Protocol (HCP):** Administration according to established parent study guidelines **Education Protocol (Patient):** Informed consent for open-label extension rollover **Quality Audit Mechanism:** Centralized safety monitoring and survival tracking

14. Observation & Follow-Up Schedule

Total Duration: Up to 13 years (Estimated completion 2030) **Onsite Visit Cadence:** Follows parent study administration schedules (e.g., Q3W dosing visits) **Remote Monitoring Frequency:** Routine survival follow-ups **Checklist Review Interval:** In alignment with individual parent study assessment guidelines

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Investigator Name]	_____	[DD-MMM-				

YYYY] | | Clinical Operations Lead | [Sponsor Rep Name] | ____ |
[DD-MMM-YYYY] | | *Lead Statistician* | [*Statistician Name*] | ____
| [DD-MMM-YYYY] |