

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	An Open-label, Single-sequence Multiple Cohort Study to Assess the Effect of Multiple Doses of AZD6234 and a Combination of AZD9550 and AZD6234 on the Pharmacokinetics of Single Doses of Combined Oral Contraceptive Ethinyl Estradiol/Levonorgestrel in Healthy Female Participants Living With Overweight or Obesity
Short Title:	A Study to Investigate the Effect of AZD6234 and a Combination of AZD9550 and AZD6234 on Pharmacokinetics of Combined Oral Contraceptive Ethinyl Estradiol/Levonorgestrel in Healthy Female Participants Living With Overweight or Obesity
Protocol Number:	461770279439263604
NCT Number:	NCT07013643
Sponsor Name:	AstraZeneca
Investigational Product:	paracetamol
Phase:	PHASE1
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Area under the concentration-time curve from time 0 to infinity (AUC _{inf}) of EE and LEVO: To assess the effect of multiple doses of AZD6234 and, multiple doses of co-administered AZD9550 and AZD6234 on the PK of single doses of combined oral contraceptive EE/LEVO. 2. Area under the concentration-time curve from time of dosing to the last measurable concentration (AUC _{last}) of EE and LEVO: To assess the effect of multiple doses of AZD6234 and, multiple doses of co-administered AZD9550 and AZD6234 on the PK of single doses of combined oral contraceptive EE/LEVO. 3. Maximum plasma concentration (C _{max}) of EE and LEVO: To assess the effect of multiple doses of AZD6234 and, multiple doses of co-administered AZD9550 and AZD6234 on the PK of single doses of combined oral contraceptive EE/LEVO.
Secondary Obj.:	1. Number of participants with adverse events (AEs) 2. Number of participants developing detectable anti-drug antibodies (ADAs) against AZD6234 and AZD9550 3. Area under plasma concentration-time curve from time 0 to 168 hours postdose (AUC _{0-168h}) of AZD6234

2.2 Background & Rationale

This study will measure the effects of multiple doses of AZD6234 and a combination of AZD6234 and AZD9550 given as injection(s) on pharmacokinetics (PK) of combined oral contraceptive ethinyl estradiol (EE)/levonorgestrel (LEVO) in healthy female participants with obesity.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, Status: RECRUITING

Target N: 50

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * All participants must have a negative pregnancy test at the Screening Visit and on admission to the Clinical Unit.
- * Females of childbearing potential must not be lactating and if heterosexually active, must agree to use an approved method of highly effective contraception.

o Hormonal contraceptives and estrogen-containing hormonal methods of birth control are not permitted due to potential effect and influence on the results using a combined oral contraceptive assessment.

- * Females of non-childbearing potential must be confirmed at the Screening Visit.
- * Have a Body Mass Index (BMI) ≥ 25 kg/m² inclusive and weigh at least 60 kg.

4.2 Exclusion Criteria

- * History of any clinically important disease or disorder (gastroparesis, deep vein thrombosis, venous thromboembolism, previous surgery of the upper gastrointestinal tract, cardiovascular disease, neuromuscular or neurogenic disease, severe vitamin D deficiency, type I or type II diabetes mellitus, glycated hemoglobin (HbA1c) $\geq 6.5\%$ at screening, history of neoplastic disease, basal calcitonin level >50 ng/L (50 pg/L) at screening (Cohort 2), history of acute or chronic pancreatitis or pancreatic amylase or lipase $>2\times$ ULN at screening (cohort 2), prior history of cholecystectomy or untreated cholelithiasis and personal or family history of medullary thyroid cancer (MTC) or multiple endocrine neoplasia type 2 (MEN2) (cohort 2)).
- * History or presence of gastrointestinal, hepatic, or renal disease or any other condition known to interfere with absorption, distribution, metabolism, or excretion of drugs.
- * Any clinically important illness, medical/surgical procedure, or trauma.
- * Any laboratory values with deviations or clinically important abnormalities in clinical chemistry, hematology, or urinalysis.
- * Any positive result on screening for serum Hepatitis B surface antigen (HBsAg), Hepatitis B core antibody (HBcAb) or Human immunodeficiency virus (HIV).
- * Abnormal vital signs.
- * Any clinically important abnormalities in rhythm, conduction, or morphology of the resting 12 lead electrocardiogram (ECG), at screening.
- * Current smokers or those who have smoked or used nicotine products.
- * Known or suspected history of alcohol or drug abuse or excessive intake of alcohol.
- * History of severe allergy/hypersensitivity or ongoing clinically important allergy/hypersensitivity.
- * Statin treatment within 4 weeks prior to the start of study treatment.
- * Current use of estrogen-containing products.

11. Study Identifiers & Governance

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Primary ID: 461770279439263604

Registry Number: NCT07013643

Sponsor: AstraZeneca

Study Title: A Study to Investigate the Effect of AZD6234 and a Combination of AZD9550 and AZD6234 on Pharmacokinetics of Combined Oral Contraceptive Ethinyl Estradiol/Levonorgestrel in Healthy Female Participants Living With Overweight or Obesity

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____