

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase III, Multicenter, Randomized, Visual Assessor-Masked, Active-comparator Study of the Efficacy, Safety, and Pharmacokinetics of the Port Delivery System With Ranibizumab in Patients With Diabetic Macular Edema (Pagoda)
Short Title:	A Study to Evaluate Efficacy, Safety & Pharmacokinetics of the Port Delivery System (PDS) With Ranibizumab in Participants With Diabetic Macular Edema (DME) Compared With Intravitreal Ranibizumab; A Substudy to Evaluate the Safety of Re-implanting the PDS With Ranibizumab in Participants With DME
Protocol Number:	1026602851728017749
NCT Number:	NCT04108156
Sponsor Name:	Roche
Investigational Product:	ranibizumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective: 1. Change in BCVA Score From Baseline Averaged Over Weeks 60 and 64 as Measured Using the ETDRS Chart in the Efficacy Population Using a Treatment Policy Strategy for all Intercurrent Events: BCVA = Best-Corrected Visual Acuity

ETDRS = Early Treatment Diabetic Retinopathy Study

A vision score of 20/20 vision is considered normal. A score of 20/200 is considered being legally blind. 2. Substudy: Number of Participants With Ocular and Systemic (Non-ocular) Adverse Events (AEs) and Severity of Ocular and Systemic AEs 3. Substudy: Number of Participants With Adverse Events of Special Interests (AESIs) and Severity of AESIs

Secondary Obj.: 1. Change in BCVA Score From Baseline Averaged Over Weeks 60 and 64 as Measured With Use of the ETDRS Chart in the Modified Intent-to-treat (mITT) Population Using a Treatment Policy Strategy for All Intercurrent Events 2. Change in BCVA Score From Baseline Averaged Over Weeks 60 and 64 as Measured With Use of the ETDRS Chart in the mITT Population Using a Hypothetical Strategy for All Intercurrent Events 3. Percentage of Participants With a ≥2-step Improvement From Baseline on the ETDRS-DRSS at Week 64 in the Efficacy Population

2.2 Background & Rationale

This study will evaluate the efficacy, safety, and Pharmacokinetics (PK) of the PDS with ranibizumab in participants with

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

DME when treated every 24 weeks (Q24W) compared with intravitreal (IVT) ranibizumab 0.5 milligrams (mg) every 4 weeks (Q4W).

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING

Target N: 634

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Age ≥18 years at time of signing informed consent form (ICF)
- * Documented diagnosis of diabetes mellitus (Type 1 or Type 2)
- * Glycated haemoglobin (HbA1c) level of ≤10% within 2 months prior to screening or at screening

Study eye

- * Macular thickening secondary to DME involving the center of the fovea with CST ≥325 micrometer (µm) on SD-OCT at screening
- * BCVA score of 78 to 25 letters (20/32 to 20/320 approximate Snellen equivalent)

4.2 Exclusion Criteria

- * High-risk PDR
- * Active intraocular inflammation (grade trace or above)
- * Suspected or active ocular or periocular infection of either eye
- * Uncontrolled ocular hypertension or glaucoma and any such condition the investigator determines may require a glaucoma-filtering surgery during a patient's participation in the study
- * Cerebrovascular accident or myocardial infarction within 6 months prior to randomization
- * Atrial fibrillation diagnosis or worsening within 6 months prior to randomization
- * Uncontrolled blood pressure

Substudy:

Inclusion Criteria:

- * Having experienced a septum dislodgement in the original implant while in the main study or after exiting the main study
- * Sufficiently clear ocular media and adequate pupillary dilation to allow for analysis and grading by central reading center

Exclusion Criteria (Cohort 1 Only):

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Recent history (in the last 3 months prior to enrollment) of other disease, other non-diabetic metabolic dysfunction, physical examination finding, or clinical laboratory finding giving reasonable suspicion of a condition that contraindicates the use of ranibizumab or surgical placement of the PDS implant; that might affect interpretation of the results of the study; or that renders the participant at high risk for treatment complications
- * Active cancer within the last 12 months, except for appropriately treated carcinoma in situ of the cervix, non-melanoma skin carcinoma, or prostate cancer
- * Current systemic treatment for a confirmed active systemic infection
- * Participation in an investigational trial that involves treatment with any drug or device (with the exception of vitamins and minerals or enrollment in Study GR40550) within 6 months prior to enrollment
- * Use of antimitotic or antimetabolite therapy within 30 days

Ocular Exclusion Criteria for Study Eye:

- * Any ocular condition that may render the participant at high risk for surgical or treatment complications
- * Intraocular surgery (including cataract surgery) within 1 month preceding the enrollment visit
- * Any use of medicated intraocular implants (other than the PDS implant), at any time prior to enrollment
- * History of rhegmatogenous retinal tears or peripheral retinal breaks within 3 months prior to the enrollment visit
- * Any concurrent ocular condition that would require surgical intervention during the study to prevent or treat visual loss
- * Concurrent conjunctival, tenon's capsule, and/or scleral condition in the supero-temporal quadrant of the eye (e.g., scarring, thinning, mass) that may affect the refill-exchange procedure of the PDS implant
- * Ongoing ocular complications that might affect participant safety Ocular Exclusion Criteria for Either Eye
- * Suspected or active ocular or periocular infection (e.g., infectious conjunctivitis or endophthalmitis)
- * Any history of uveitis
- * Active blepharitis

11. Study Identifiers & Governance

Primary ID: 1026602851728017749

Registry Number: NCT04108156

Sponsor: Roche

Study Title: A Study to Evaluate Efficacy, Safety & Pharmacokinetics of the Port Delivery System (PDS) With Ranibizumab in Participants With Diabetic Macular Edema (DME) Compared With Intravitreal Ranibizumab; A Substudy to Evaluate the Safety of Re-implanting the PDS With Ranibizumab in Participants With DME

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____