

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A PHASE 3, OPEN-LABEL STUDY OF ELRANATAMAB MONOTHERAPY VERSUS ELOTUZUMAB, POMALIDOMIDE, DEXAMETHASONE (EPd) OR POMALIDOMIDE, BORTEZOMIB, DEXAMETHASONE (PVd) OR CARFILZOMIB, DEXAMETHASONE (Kd) IN PARTICIPANTS WITH RELAPSED/REFRACTORY MULTIPLE MYELOMA WHO RECEIVED PRIOR ANTI-CD38 DIRECTED THERAPY
Short Title:	MagnetisMM-32: A Study to Learn About the Study Medicine Called Elranatamab in People With Multiple Myeloma (MM) That Has Come Back After Taking Other Treatments (Including Prior Treatment With an Anti-CD38 Antibody and Lenalidomide)
Protocol Number:	276240435228367103
NCT Number:	NCT06152575
Sponsor Name:	Pfizer
Investigational Product:	dexamethasone
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression free survival per International Myeloma Working Group criteria: From date of randomization to date of progressive disease, discontinuation from study, death, or censoring, whichever occurs first
Secondary Obj.:	1. Overall survival 2. Progression free survival on next-line treatment per International Myeloma Working Group criteria 3. Objective response rate per International Myeloma Working Group criteria

2.2 Background & Rationale

The purpose of this study is to learn about the study medicine called elranatamab. This study aims to compare elranatamab to other medicines for the treatment of MM (a type of cancer).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	492

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* Prior diagnosis of multiple myeloma as defined by International Myeloma Working Group (IMWG) criteria and previously received 1 to 4 prior lines of therapy including prior anti-cluster of differentiation 38 (CD38) antibody and prior

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

lenalidomide.

- * Documented evidence of progressive disease or failure to achieve a response to last line of therapy per IMWG criteria.
- * Measurable disease defined as at least 1 of the following: (a) Serum M-protein ≥ 0.5 g/dL; (b) Urinary M-protein excretion ≥ 200 mg/24 hours; (c) Serum involved immunoglobulin FLC ≥ 10 mg/dL AND abnormal serum immunoglobulin kappa to lambda FLC ratio (≤ 0.26 or ≥ 1.65).
- * Have clinical laboratory values within the specified range.
- * ECOG (Eastern Cooperative Oncology Group) performance status ≤ 2 .
- * Not pregnant or breastfeeding and willing to use contraception.

4.2 Exclusion Criteria

- * Smoldering multiple myeloma.
- * Plasma cell leukemia.
- * Amyloidosis.
- * Polyneuropathy, organomegaly, endocrinopathy, monoclonal gammopathy and skin abnormalities (POEMS) syndrome.
- * Known central nervous system (CNS) involvement or clinical signs of myelomatous meningeal involvement.
- * Stem cell transplant within 12 weeks prior to enrolment, or active graft versus host disease.
- * Any active, uncontrolled bacterial, fungal, or viral infection.
- * Any other active malignancy within 3 years prior to enrolment (exceptions include, adequately treated basal cell or squamous cell skin cancer, carcinoma in situ)
- * Previous treatment with a B cell maturation antigen (BCMA)-directed therapy or CD3-redirecting therapy.
- * Unable to receive investigator's choice therapy.
- * Live attenuated vaccine within 4 weeks of the first dose of study intervention.
- * Administration with an investigational product (e.g. drug or vaccine) within 30 days preceding the first dose of study intervention used in this study.

11. Study Identifiers & Governance

Primary ID:	276240435228367103
Registry Number:	NCT06152575
Sponsor:	Pfizer
Study Title:	MagnetisMM-32: A Study to Learn About the Study Medicine Called Elranatamab in People With Multiple Myeloma (MM) That Has Come Back After Taking Other Treatments (Including Prior Treatment With an Anti-CD38 Antibody and Lenalidomide)

15. Sign-off & Approval

Principal Investigator:	_____	Date:	_____
Clinical Operations Lead:	_____	Date:	_____
Lead Statistician:	_____	Date:	_____