

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	An Open-label, Randomized Phase 3 Study of MK-2870 as a Single Agent and in Combination With Pembrolizumab Versus Treatment of Physician's Choice in Participants With HR+/HER2- Unresectable Locally Advanced or Metastatic Breast Cancer
Short Title:	A Study of Sacituzumab Tirumotecan (MK-2870) as a Single Agent and in Combination With Pembrolizumab (MK-3475) Versus Treatment of Physician's Choice in Participants With HR+/HER2- Unresectable Locally Advanced or Metastatic Breast Cancer (MK-2870-010)
Protocol Number:	289482571851656238
NCT Number:	NCT06312176
Sponsor Name:	Merck
Investigational Product:	doxorubicin
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression-Free Survival (PFS) (sacituzumab tirumotecan versus treatment of physician's choice [TPC]; pembrolizumab + sacituzumab tirumotecan versus TPC): PFS is defined as the time from randomization to the first documented progressive disease (PD) or death due to any cause, whichever occurs first as assessed by Response Criteria in Solid Tumors Version 1.1 (RECIST 1.1). PD is defined as ≥20% increase in the sum of diameters of target lesions. In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of ≥5 mm. The appearance of one or more new lesions is also considered PD. PFS as assessed by blinded independent central review (BICR) will be presented.
Secondary Obj.:	1. Overall Survival (OS) 2. Progression-Free Survival (PFS) (pembrolizumab + sacituzumab tirumotecan + versus sacituzumab tirumotecan) 3. Objective Response Rate (ORR)

2.2 Background & Rationale

The purpose of this study is to compare sacituzumab tirumotecan as a single agent, and in combination with pembrolizumab, versus Treatment of Physician's Choice (TPC) in participants with hormone receptor positive/human epidermal growth factor receptor-2 negative (HR+/HER2-) unresectable locally advanced, or metastatic, breast cancer.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
-------------------	---

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Target N: 1200

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Has unresectable locally advanced or metastatic centrally-confirmed hormone receptor positive (HR+)/human epidermal growth factor receptor 2 negative (HER2-) breast cancer
- * Has radiographic disease progression on one or more lines of endocrine therapy for unresectable locally advanced/metastatic HR+/HER2- breast cancer, with one in combination with a CDK4/6 inhibitor
- * Is a chemotherapy candidate
- * Has an eastern cooperative oncology group (ECOG) performance status of 0 to 1 assessed within 7 days before randomization
- * Has adequate organ function
- * Human immunodeficiency virus (HIV)-infected participants must have well controlled HIV on antiretroviral therapy
- * Participants who are Hepatitis B surface antigen (HBsAg) positive are eligible if they have received HBV antiviral therapy for at least 4 weeks, and have undetectable HBV viral load
- * Participants with a history of Hepatitis C virus (HCV) infection are eligible if HCV viral load is undetectable

4.2 Exclusion Criteria

- * Has breast cancer amenable to treatment with curative intent
- * Has experienced an early recurrence (<6 months after completing adjuvant/neoadjuvant chemotherapy) and therefore is eligible to receive second-line (2L) treatment
- * Has symptomatic advanced/metastatic visceral spread at risk of rapidly evolving into life-threatening complications
- * Has received prior chemotherapy for unresectable locally advanced or metastatic breast cancer
- * Active autoimmune disease that has required systemic treatment in the past 2 years
- * History of (noninfectious) pneumonitis/interstitial lung disease that requires steroids, or has current pneumonitis/interstitial lung disease
- * Has an active infection requiring systemic therapy

11. Study Identifiers & Governance

Primary ID: 289482571851656238

Registry Number: NCT06312176

Sponsor: Merck

Study Title: A Study of Sacituzumab Tirumotecan (MK-2870) as a Single Agent and in Combination With Pembrolizumab (MK-3475) Versus Treatment of Physician's Choice in Participants With HR+/HER2- Unresectable Locally Advanced or Metastatic Breast Cancer (MK-2870-010)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____