

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	AN INTERVENTIONAL EFFICACY AND SAFETY, PHASE 3, RANDOMIZED, DOUBLE-BLIND, 3-ARM STUDY TO INVESTIGATE IBUZATRELVIR IN ADULTS WITH SYMPTOMATIC COVID-19 WHO ARE SEVERELY IMMUNOCOMPROMISED
Short Title:	A Study to Learn About the Study Medicine Ibuzatrelvir in Adults With COVID-19 Who Are Severely Immunocompromised
Protocol Number:	309128768336694799
NCT Number:	NCT07013474
Sponsor Name:	Pfizer
Investigational Product:	remdesivir
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. The difference in the proportion of participants with the composite endpoint of a) COVID-19-related ED visits with treatment, COVID-19-related hospitalization, or all-cause mortality, and b) evidence of recurrent or persistent SARS-CoV-2 infection: The difference in the proportion of patients meeting the primary composite endpoint, between ibuzatrelvir and remdesivir vs remdesivir groups in symptomatic adult participants with COVID-19 who are severely immunocompromised
Secondary Obj.:	1. Time to sustained alleviation of all targeted COVID-19 symptoms 2. Proportion of participants with evidence of recurrent or persistent SARS-CoV-2 infection. 3. Proportion of participants with COVID-19-related ED visits with administration of supplemental oxygen, COVID-19 antiviral, or IV treatment, COVID-19-related hospitalization, or all-cause mortality.

2.2 Background & Rationale

This is a Phase 3, randomized, actively controlled, double-blinded, double-dummy, superiority study to evaluate the efficacy and safety of ibuzatrelvir alone and in combination with remdesivir IV compared to remdesivir IV alone for the treatment of symptomatic COVID-19 in severely immunocompromised adult participants who are non-hospitalized or are hospitalized for observation but do not require supplemental oxygen for COVID-19.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	300

4. Subject Selection (Eligibility Criteria)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.1 Inclusion Criteria

1. 18 years of age or older at screening.
2. Confirmed SARS-CoV-2 infection as determined by RAT (or other locally approved test) collected within 2 days prior to randomization. Initial onset of symptoms attributable to COVID-19 within 5 days prior to the day of randomization and at least 1 of the specified symptoms attributable to COVID-19 present on the day of randomization.
3. Severely immunocompromised due to:
 - * Solid organ or islet cell transplant recipient who is receiving immunosuppressive therapy;
 - * Active hematologic malignancy (eg, chronic lymphocytic lymphoma, non-Hodgkin lymphoma, multiple myeloma, acute leukemia);
 - * Receipt of CAR-T-cell therapy or HCT either within 2 years of transplantation or who are receiving immunosuppressive therapy;
 - * Currently receiving B-cell depleting therapies (eg, rituximab).

4.2 Exclusion Criteria

1. Current need for supplemental oxygen for treatment of COVID-19.
2. Receiving dialysis or have known severe renal impairment within 6 months of the screening visit
3. Active liver disease
4. History of hypersensitivity or other contraindication to any of the components of the study interventions, as determined by the investigator
5. Suspected or confirmed concurrent active systemic infection other than COVID-19 that may interfere with the evaluation of response to the study intervention.
6. Life expectancy less than 30 days at study entry due to an underlying condition, in the judgement of the investigator.
7. Any medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or laboratory abnormality that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.
8. Has received any other antiviral for the treatment of the current COVID-19 infection
9. Current use of any prohibited concomitant medication(s) or unwillingness or inability to use a required concomitant medication(s).
10. Current or previous administration of an investigational product (drug or vaccine) within 30 days (or as determined by local requirement) or 5 half lives preceding the first dose of study intervention used in this study (whichever is longer). Authorized or products with conditional approval are not considered investigational.
11. Prior participation in this trial or any clinical trial of ibuzatreivir.
12. Females who are pregnant, breastfeeding, or who are planning to become pregnant within the timeframe of the study.
13. Investigator site staff directly involved in the conduct of the study and their family members, site staff otherwise supervised by the investigator, and sponsor and sponsor delegate employees directly involved in the conduct of the study and their family members.

11. Study Identifiers & Governance

Primary ID: 309128768336694799

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Registry Number: NCT07013474

Sponsor: Pfizer

Study Title: A Study to Learn About the Study Medicine Ibuzatrelvir in Adults With COVID-19 Who Are Severely Immunocompromised

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____