

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Two Part (Double-blind Inclisiran Versus Placebo [Year 1] Followed by Open-label Inclisiran [Year 2]) Randomized Multicenter Study to Evaluate Safety, Tolerability, and Efficacy of Inclisiran in Adolescents (12 to Less Than 18 Years) With Homozygous Familial Hypercholesterolemia and Elevated LDL-cholesterol (ORION-13)
Short Title:	Study to Evaluate Efficacy and Safety of Inclisiran in Adolescents With Homozygous Familial Hypercholesterolemia
Protocol Number:	56129907882111838
NCT Number:	NCT04659863
Sponsor Name:	Novartis
Investigational Product:	inclisiran
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Percentage Change in LDL-C From Baseline to Day 330 (Part 1/Year 1): Percentage change in low-density lipoprotein cholesterol (LDL-C) from baseline to Day 330 (Year 1)
Secondary Obj.:	1. Time-adjusted Percent Change in LDL-C From Baseline After Day 90 and up to Day 330 (Part 1/Year 1) 2. Percent Change in LDL-C From Baseline up to Day 720 3. Absolute Change in LDL-C From Baseline up to Day 720

2.2 Background & Rationale

This was a pivotal phase III study designed to evaluate safety, tolerability, and efficacy of inclisiran in adolescents with homozygous familial hypercholesterolemia (HoFH) and elevated low density lipoprotein cholesterol (LDL-C).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED
Target N:	13

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Homozygous Familial Hypercholesterolemia (HoFH) diagnosed by genetic confirmation
- * Fasting LDL-C ≥ 130 mg/dL (3.4 mmol/L) at screening
- * On maximally tolerated dose of statin (investigator's discretion) with or without other lipid-lowering therapy; stable for ? 30 days before screening
- * Male or female participants ≥ 12 to < 18 years of age at screening

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.2 Exclusion Criteria

- * Documented evidence of a null (negative) mutation in both LDLR alleles
- * Heterozygous familial hypercholesterolemia (HeFH)
- * Active liver disease
- * Secondary hypercholesterolemia, e.g. hypothyroidism or nephrotic syndrome
- * Previous treatment with monoclonal antibodies directed towards PCSK9 (within 90 days of screening)
- * Treatment with mipomersen or lomitapide (within 5 months of screening)
- * Recent and/or planned use of other investigational medicinal products or devices

11. Study Identifiers & Governance

Primary ID: 56129907882111838

Registry Number: NCT04659863

Sponsor: Novartis

Study Title: Study to Evaluate Efficacy and Safety of Inclisiran in Adolescents With Homozygous Familial Hypercholesterolemia

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____