

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Single-arm, Prospective, Multicentre, Open-label Study to Evaluate Ofatumumab Treatment Effectiveness and Patient-reported Outcomes (PRO) in Patients With Relapsing Multiple Sclerosis (RMS) Transitioning From Fumarate-based RMS Approved Therapies or Fingolimod
Short Title:	An Open-label Study Evaluating Ofatumumab Treatment Effectiveness and PROs in Subjects With RMS Transitioning From Fumarate-based RMS Approved Therapies or Fingolimod to Ofatumumab
Protocol Number:	568008719751049108
NCT Number:	NCT04353492
Sponsor Name:	Novartis
Investigational Product:	ofatumumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Annualized Relapse Rate (ARR): ARR is the number of confirmed relapses in a year calculated based on cumulative number of relapses by patient (adjusted for time-in-study by patient). Confirmed relapses are those accompanied by a clinically relevant change in the expanded disability status scale (EDSS). ARR was estimated from fitting a negative binomial regression model with log-link, and adjusted for prior MS therapies as a factor, number of relapses in previous year, baseline EDSS, baseline number of T1 Gd-enhancing lesions and the subject's age at baseline as covariates. The primary analysis describes the ARR with one-sided 95% confidence bound and test for null hypothesis (H0): $ARR \geq 0.18$ versus alternative hypothesis (H1): $ARR < 0.18$.
Secondary Obj.:	1. Number of of Participants With Adverse Events (AEs) and Serious Adverse Events (SAEs)

2.2 Background & Rationale

Open-label study to evaluate the effectiveness of treatment with ofatumumab in subjects transitioning from any fumarate-based RMS approved therapy or fingolimod due to breakthrough disease.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED
-------------------	--

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Target N: 562

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Diagnosis of MS according to the 2017 Revised McDonald criteria
- * Relapsing MS: relapsing forms of MS (RMS) including RMS and secondary progressive MS (SPMS)
- * Disability status at screening defined by Expanded Disability Status Scale (EDSS) score of 0 to 4 (inclusive)
- * MS treatment history with a maximum of 3 Disease Modifying Therapies (DMTs), where all fumarates are considered as one DMT
- * Subject transitioning from either any fumarate-based RMS approved therapies, such as dimethyl fumarate (DMF) or diroximel fumarate (DRF), or fingolimod which was administered for a period of at least 6 months, as their last DMT before first study drug administration
- * Breakthrough disease activity while the participant was adequately using fumarates or fingolimod prior to transitioning for a minimum of 6 months as evidenced by one or more clinically reported relapses or one or more signs of Magnetic Resonance Imaging (MRI) activity (e.g. Gd+ enhancement, new or enlarging T2 lesions)
- * Neurologically stable within one month prior to first study drug administration

4.2 Exclusion Criteria

- * Subjects with primary progressive MS or SPMS without disease activity
- * Subjects meeting criteria for neuromyelitis optica
- * Disease duration of more than 10 years since diagnosis
- * Pregnant or nursing (lactating) women
- * Women of child-bearing potential unless they are using highly effective forms of contraception during dosing and for at least 6 months after stopping study medication
- * Subjects with active chronic disease of the immune system other than MS or with immunodeficiency syndrome
- * Subjects with active systemic bacterial, fungal or viral infections (such as hepatitis, HIV, COVID-19), or known to have Acquired Immunodeficiency Syndrome (AIDS)
- * Subjects with neurological symptoms consistent with Progressive Multifocal Leukoencephalopathy (PML) or with confirmed PML
- * Subjects at risk of developing or having reactivation of syphilis or tuberculosis (e.g. subjects with known exposure to, or history of syphilis, or active or latent tuberculosis, even if previously treated), as confirmed by medical history or per local practice
- * Subjects with active hepatitis B and C disease, assessed locally
- * Have received any live or live-attenuated vaccines within 4 weeks prior to first study drug administration
- * Have been treated with medications as specified or within timeframes specified (e.g. corticosteroids, ofatumumab, rituximab, ocrelizumab, alemtuzumab, natalizumab, daclizumab, cyclophosphamide, teriflunomide etc.)
- * Subjects suspected of not being able or willing to cooperate or comply with study protocol requirements in the opinion of the investigator

11. Study Identifiers & Governance

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Primary ID: 568008719751049108

Registry Number: NCT04353492

Sponsor: Novartis

Study Title: An Open-label Study Evaluating Ofatumumab Treatment Effectiveness and PROs in Subjects With RMS Transitioning From Fumarate-based RMS Approved Therapies or Fingolimod to Ofatumumab

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____