

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Phase 3, Multicenter, Randomized, Double-blind, Group Sequential, Placebo-controlled Study to Assess Efficacy and Safety of Rimegepant for the Treatment of Migraine (With or Without Aura) in Children and Adolescents ? 6 to < 18 Years of Age
Short Title:	Randomized Study in Children and Adolescents With Migraine: Acute Treatment
Protocol Number:	694246504092247777
NCT Number:	NCT04649242
Sponsor Name:	Pfizer
Investigational Product:	rimegepant
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. To evaluate the efficacy of rimegepant compared with placebo in the acute treatment of migraine in adolescent population (? 12 to <18 years of age) as measured by pain freedom using the number of patients reporting no pain.: Pain freedom will be assessed in adolescent population (? 12 to \< 18 years of age) on a 4-point numeric rating scale (0=none, 1=mild, 2=moderate, 3=severe).
Secondary Obj.:	1. To compare rimegepant with placebo for pain freedom in children and adolescents combined. 2. To compare rimegepant with placebo on freedom from the most bothersome symptom (MBS) associated with migraine in adolescents. 3. To compare rimegepant with placebo on the probabilities of requiring rescue medication within in adolescents.

2.2 Background & Rationale

The purpose of this study is to test the safety and efficacy of BHV-3000 versus placebo in the acute treatment of moderate or severe migraine in children and adolescents.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	2100

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

1. History of migraine (with or without aura) for \> 6 months before Screening according to the IHS Classification ICHD-319 specifications for pediatric migraine. History may be verified using both medical records and recall by the

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

participant and/or participant's parent(s)/legal representative(s).

2. History of 1 to 8 moderate or severe attacks per month during the 2 months prior to enrollment, with attacks lasting $\geq$ 3 hours without treatment, and attacks occurring at intervals $\geq$ 24 hours.
3. Prophylactic migraine medication are permitted if the dose has been stable for at least 12 weeks prior to the Baseline Visit, and the dose is not expected to change during the course of the study.

1. Participants may remain on one (1) medication with possible migraine prophylactic effects, excluding CGRP antagonists [biologic or small molecule], during the treatment phases.

2. Concomitant use of a CGRP antagonist, such as erenumab or fremanezumab, is prohibited.

3. Previously discontinued prophylactic migraine medication must have done so at least 90 days prior to the Screening Visit.

4. Verbally distinguish between migraine and other types of headaches.

5. Participants must have a weight $\geq$ 40 kg at the Screening Visit.

6. Adequate venous access for blood sampling.

7. Male and female participants $\geq$ 6 to $<$ 18 years of age (participants must not reach their 18th birthday during the study).

4.2 Exclusion Criteria

1. History of cluster headache or hemiplegic migraine headache.

2. Confounding and clinically significant pain syndrome that may interfere with the participant's ability to participate in this study.

3. Current psychiatric condition that is uncontrolled and/or untreated for a minimum of 6 months prior to the Screening Visit. Participants with a lifetime history of psychosis and/or mania.

4. History of suicidal behavior or major psychiatric disorder.

5. Current diagnosis or history of substance abuse; positive drug test at Screening.

6. History of moderate or severe head trauma or other neurological disorder (including seizure disorder) or systemic medical disease that is likely to affect central nervous system functioning.

7. Recent or planned surgery, requiring general anesthesia, $<$ 8 weeks prior to the Screening Visit.

8. Participant has had gastrointestinal surgery that interferes with physiological absorption and motility (i.e., gastric bypass, duodenectomy, or gastric banding).

9. Current diagnosis of viral hepatitis or a history of liver disease.

10. Conditions considered clinically relevant in the context of the study such as uncontrolled hypertension (high blood pressure), diabetes, a life-threatening allergy

11. Study Identifiers & Governance

Primary ID: 694246504092247777

Registry Number: NCT04649242

Sponsor: Pfizer

Study Title: Randomized Study in Children and Adolescents With Migraine: Acute Treatment

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____