

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Long-term, Interventional, Open Label Extension Study Evaluating the Safety of Tocilizumab Treatment in Patients With Polyarticular-course Juvenile Idiopathic Arthritis From France Who Completed the Global, Multinational Trial (WA19977)
Short Title:	A Long-Term Extension Study of RoActemra/Actemra (Tocilizumab) in Patients With Juvenile Idiopathic Arthritis From France Who Completed WA19977 Core Study
Protocol Number:	737597389295586316
NCT Number:	NCT01673919
Sponsor Name:	Roche
Investigational Product:	tocilizumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants With Any Adverse Events and Any Serious Adverse Events: An adverse event (AE) is defined as any untoward medical occurrence in a participant or clinical investigation participant, temporally associated with the use of a medicinal product, whether or not considered to be related to the medicinal product. An serious adverse event (SAE) is any untoward medical occurrence that, at any dose, results in death, is life threatening, requires hospitalization or prolongation of existing hospitalization, results in disability/incapacity, or results in a congenital anomaly/birth defect. 2. Number of Participants With Adverse Events of Special Interest: An AE is defined as any untoward medical occurrence in a participant or clinical investigation participant, temporally associated with the use of a medicinal product, whether or not considered to be related to the medicinal product. The AEs of special interests included gingival bleeding, tooth abscess, acarodermatitis, ear infection, gastroenteritis, herpes zoster ophthalmic, lice infestation, nasopharyngitis, oral fungal infection, oral herpes, pharyngitis, rhinitis, sinusitis, tonsillitis, tracheitis, tracheobronchitis, urinary tract infection, menorrhagia, asthma, epistaxis, and hematoma. 3. Number of Participants With Adverse Events Related to Tocilizumab: An AE is defined as any untoward medical occurrence in a participant or clinical investigation participant, temporally associated with the use of a medicinal product, whether or not considered to be related to the medicinal product. Relatedness of any AEs was reported as possibly related, probably related, or remotely related to TCZ.
Secondary Obj.:	1. Mean Exposure to Study Treatment 2. Mean Duration of Study Follow-Up 3. Number of Participants With AEs Leading to TCZ Modification, AEs Leading to Death, Anaphylaxis or Serious Hypersensitivity and Deaths

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

2.2 Background & Rationale

This long-term, open-label extension study will evaluate the safety of RoActemra/Actemra (tocilizumab) in patients with polyarticular-course juvenile idiopathic arthritis who completed the WA19977 core study. Patients will continue to receive RoActemra/Actemra 8 mg/kg intravenously every 4 weeks. Anticipated time on study treatment is 104 weeks.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED

Target N: 7

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Patients who completed visit 33 (week 104) of WA19977 study and who may benefit from study drug treatment according to the investigator's assessment
- * Patients have to receive the first RoActemra/Actemra infusion in this study at the Week 8 visit at the latest
- * Females of child-bearing potential and males with female partners of child-bearing potential must agree to use effective contraception as defined by protocol

4.2 Exclusion Criteria

- * Patients with, according to investigator judgment, not satisfactory benefit from RoActemra/Actemra therapy within WA19977
- * Treatment with any investigational agent since the last administration of study drug in the core study WA19977
- * Patient developed any other autoimmune rheumatic disease or overlap syndrome other than the permitted polyarticular-course Juvenile Idiopathic Arthritis (JIA) subsets: rheumatoid factor positive or negative JIA or extended oligoarticular JIA
- * Patient is pregnant, lactating, or intending to become pregnant during the study and up to 12 weeks after the last administration of study drug
- * Any significant concomitant disease or medical or surgical condition
- * History of significant allergic or infusion reactions to prior biologic therapy
- * Currently active primary or secondary immunodeficiency
- * Any infections with contraindications to RoActemra/Actemra therapy according to investigator judgment
- * Inadequate hepatic, renal or bone marrow function

11. Study Identifiers & Governance

Primary ID: 737597389295586316

Registry Number: NCT01673919

Sponsor: Roche

Study Title: A Long-Term Extension Study of RoActemra/Actemra (Tocilizumab) in Patients With Juvenile Idiopathic Arthritis From France Who Completed WA19977 Core Study

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____