

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Multicenter, Open-Label Extension Study to Evaluate the Long-Term Safety and Tolerability of Faricimab in Patients With Neovascular Age-Related Macular Degeneration (AVONELLE-X)
Short Title:	A Study to Evaluate the Long-Term Safety and Tolerability of Faricimab in Participants With Neovascular Age-Related Macular Degeneration
Protocol Number:	986834589405695120
NCT Number:	NCT04777201
Sponsor Name:	Roche
Investigational Product:	faricimab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Incidence and Severity of Ocular Adverse Events in the Study Eye, With Severity Determined According to Adverse Event Severity Grading Scale: This is an analysis of participants with at least one ocular adverse event (AE) that occurred in the study eye. Investigators sought information on AEs at each contact with the participants. All AEs were recorded and the investigator made an assessment of the seriousness, severity (e.g., mild, moderate, or severe intensity), and causality for each AE. AEs of special interest (AESI) included the following: Sight-threatening AEs that cause a drop in visual acuity (VA) score ≥ 30 letters lasting more than 1 hour, are associated with severe intraocular inflammation (IOI), or require surgical or medical intervention to prevent permanent loss of sight; suspected transmission of an infectious agent by the study drug; and, cases of potential drug-induced liver injury that include an elevated ALT or AST in combination with either an elevated bilirubin or clinical jaundice, as defined by Hy's Law. 2. Incidence of Ocular Adverse Events in the Fellow Eye: This is an analysis of participants with at least one ocular adverse event (AE) that occurred in the study eye. Investigators sought information on AEs at each contact with the participants. All AEs were recorded and the investigator made an assessment of the seriousness, severity, and causality for each AE. AEs of special interest (AESI) included the following: Sight-threatening AEs that cause a drop in visual acuity (VA) score ≥ 30 letters lasting more than 1 hour, are associated with severe intraocular inflammation (IOI), or require surgical or medical intervention to prevent permanent loss of sight; suspected transmission of an infectious agent by the study drug; and, cases of potential drug-induced liver injury that include an elevated ALT or AST in combination with either an elevated bilirubin or clinical jaundice, as defined by Hy's Law. 3. Incidence and
--------------------	---

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Severity of Non-Ocular Adverse Events, With Severity Determined According to Adverse Event Severity Grading Scale: This is an analysis of participants with at least one non-ocular (systemic) adverse event (AE). Investigators sought information on AEs at each contact with the participants. All AEs were recorded and the investigator made an assessment of the seriousness, severity (e.g., mild, moderate, or severe intensity), and causality for each AE. AEs of special interest (AESI) included the following: Sight-threatening AEs that cause a drop in visual acuity (VA) score ≥ 30 letters lasting more than 1 hour, are associated with severe intraocular inflammation (IOI), or require surgical or medical intervention to prevent permanent loss of sight; suspected transmission of an infectious agent by the study drug; and, cases of potential drug-induced liver injury that include an elevated ALT or AST in combination with either an elevated bilirubin or clinical jaundice, as defined by Hy's Law.

Secondary Obj.: 1. Substudy: Percent Change in Corneal Endothelial Cell Density From Baseline at Week 24 in the Study Eye as Compared With the Fellow Eye

2.2 Background & Rationale

This main long-term extension study is designed to evaluate the long-term safety and tolerability of faricimab 6 milligrams (mg) administered by intravitreal injection at a personalized treatment interval (PTI) to participants with neovascular age-related macular degeneration (nAMD) who enrolled in and completed one of the Phase III studies: GR40306 (NCT03823287) or GR40844 (NCT03823300), also referred to as the parent studies. Eligible patients who consent to participate in this main study will be enrolled upon completion of the end-of-study visit in the parent study.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED

Target N: 1036

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Not Provided

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID: 986834589405695120

Registry Number: NCT04777201

Sponsor: Roche

Study Title: A Study to Evaluate the Long-Term Safety and Tolerability of Faricimab in Participants With Neovascular Age-Related Macular Degeneration

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____