

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase III, Multicenter, Randomized, Double-blind, Placebo-controlled Study to Assess the Efficacy and Safety of Alpelisib (BYL719) in Combination With Nab-paclitaxel in Patients With Advanced Triple Negative Breast Cancer With Either Phosphoinositide-3-kinase Catalytic Subunit Alpha (PIK3CA) Mutation or Phosphatase and Tensin Homolog Protein (PTEN) Loss Without PIK3CA Mutation
Short Title:	Study Assessing the Efficacy and Safety of Alpelisib + Nab-paclitaxel in Subjects With Advanced TNBC Who Carry Either a PIK3CA Mutation or Have PTEN Loss
Protocol Number:	996660315249619740
NCT Number:	NCT04251533
Sponsor Name:	Novartis
Investigational Product:	paclitaxel
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression-free Survival (PFS) Per Investigator Assessment in Study Part A: PFS was defined as time from the date of randomization to the date of the first documented progressive disease (PD) or death due to any cause. PFS was assessed via a local radiology assessment according to RECIST 1.1. PD=At least a 20% increase in the sum of diameter of all measured target lesions, taking as reference the smallest sum of diameter of all target lesions recorded at or after baseline. In addition to the relative increase of 20%, the sum must also demonstrate an absolute increase of at least 5 mm². PFS was censored at the date of the last adequate tumor assessment, if no PFS event was observed prior to the analysis cut-off date. 2. Overall Response Rate (ORR) Based on Local Radiology Assessments in Participants With Measurable Disease at Baseline in Study Part B1: ORR was defined as the percentage of participants with best overall response (BOR) of confirmed complete response (CR) or confirmed partial response (PR) according to RECIST 1.1. BOR was defined as the best response recorded from the start of the study treatment until progressive disease (PD)/recurrence. CR=Disappearance of all non-nodal target lesions. In addition, any pathological lymph nodes assigned as target lesions must have a reduction in short axis to < 10 mm. PR= At least a 30% decrease in the sum of diameters of all target lesions, taking as reference the baseline sum of diameters; PD= At least a 20% increase in the sum of diameters of all measured target lesions, taking as reference the smallest sum of diameter of all target lesions recorded at or after baseline. In addition, the sum must also demonstrate an absolute increase of at least 5 mm.
--------------------	--

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Secondary Obj.:

1. Overall Survival in Study Part A
2. Overall Response Rate (ORR) With Confirmed Response in Study Part A
3. Clinical Benefit Rate (CBR) With Confirmed Response in Study Part A

2.2 Background & Rationale

The purpose of this study was to determine whether treatment with alpelisib in combination with nab-paclitaxel is safe and effective in subjects with advanced triple negative breast cancer (aTNBC) who carry either a PIK3CA mutation (Study Part A) or have PTEN loss (Study Part B1) or PTEN loss without PIK3CA mutation (Study Part B2)

3. Study Design & Methodology

Design Framework:

Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING

Target N:

137

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Participant has histologically confirmed diagnosis of advanced (loco-regionally recurrent and not amenable to curative therapy), or metastatic (stage IV) TNBC
- * Participant has either a measurable disease per RECIST 1.1 criteria or, if no measurable disease is present, then at least one predominantly lytic bone lesion or mixed lytic-blastic bone lesion with identifiable soft tissue component (that can be evaluated by CT/MRI) must be present. Part B1: Participants must have measurable disease
- * Participant has adequate tumor tissue to identify the PIK3CA mutation status (either carrying a mutation or without a mutation) and the PTEN loss status; both of which will determine whether the subject can be allocated to Part A - PIK3CA mutation regardless of PTEN status; or to Part B1 - PTEN loss or to Part B2 - PTEN loss without a PIK3CA mutation
- * Participant has an Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1
- * Participant has received no more than one line of therapy for metastatic disease
- * Participant has adequate bone marrow and organ function

4.2 Exclusion Criteria

- * Participant has received prior treatment with any PI3K, mTOR or AKT inhibitor
- * Participant has a known hypersensitivity to alpelisib, nab-paclitaxel or to any of their excipients
- * Participant has not recovered from all toxicities related to prior anticancer therapies to NCI CTCAE version 4.03 Grade ?1; with the exception of alopecia
- * Participant has central nervous system (CNS) involvement which was not previously treated and/or was newly detected at screening
- * Participant with an established diagnosis of diabetes mellitus type I or uncontrolled type II based on Fasting Plasma Glucose and HbA1c
- * Participant has impairment of gastrointestinal (GI) function or GI disease that may significantly alter the absorption of the study drugs (e.g., ulcerative diseases, uncontrolled nausea, vomiting, diarrhea, malabsorption syndrome, or small bowel resection) based on investigator discretion
- * Participant has a history of acute pancreatitis within 1 year prior to screening or past medical history of chronic

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

pancreatitis

* Participant has currently documented pneumonitis/interstitial lung disease

* Participant has a history of severe cutaneous reactions, such as Steven-Johnson Syndrome (SJS), erythema multiforme (EM), Toxic Epidermal Necrolysis (TEN) or Drug Reaction with Eosinophilia and Systemic Syndrome (DRESS)

* Participant with unresolved osteonecrosis of the jaw

11. Study Identifiers & Governance

Primary ID: 996660315249619740

Registry Number: NCT04251533

Sponsor: Novartis

Study Title: Study Assessing the Efficacy and Safety of Alpelisib + Nab-paclitaxel in Subjects With Advanced TNBC Who Carry Either a PIK3CA Mutation or Have PTEN Loss

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____