

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Randomized, Double-Blind, Phase 3 Study of Pembrolizumab/Vibostolimab Coformulation (MK-7684A) in Combination With Chemotherapy Versus Pembrolizumab Plus Chemotherapy as First Line Treatment for Participants With Metastatic Non-Small Cell Lung Cancer (MK-7684A-007/KEYVIBE-007)
Short Title:	Study of Pembrolizumab/Vibostolimab Coformulation (MK-7684A) in Combination With Chemotherapy Versus Pembrolizumab Plus Chemotherapy in Participants With Metastatic Non-Small Cell Lung Cancer (MK-7684A-007/KEYVIBE-007)
Protocol Number:	1096279879358278590
NCT Number:	NCT05226598
Sponsor Name:	Merck
Investigational Product:	cisplatin
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Overall Survival (OS) in Participants With Programmed Cell Death-Ligand 1 (PD-L1) Tumor Proportion Score (TPS) ≥1%: OS is defined as the time from the date of randomization to death due to any cause. The OS is reported for all participants with PD-L1 positive tumors (PD-L1 TPS≥1%). The OS was calculated using the product-limit (Kaplan-Meier) method for censored data.
Secondary Obj.:	1. Overall Survival (OS) in All Participants 2. Progression-Free Survival (PFS) 3. Objective Response Rate (ORR)

2.2 Background & Rationale

The primary hypothesis is that pembrolizumab/vibostolimab (MK-7684A) in combination with chemotherapy is superior to pembrolizumab in combination with chemotherapy with respect to overall survival (OS) in participants with programmed cell death-ligand 1 (PD-L1) tumor proportion score (TPS) ≥1%.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N:	739

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* A histologically or cytologically confirmed diagnosis of Stage IV squamous or non-squamous NSCLC

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Has not received prior systemic treatment for metastatic NSCLC
- * Has measurable disease based on RECIST 1.1, as determined by the local site assessment
- * Has a life expectancy of at least 3 months
- * Males: Use contraception unless confirmed to be azoospermic; Females: Women of childbearing potential use highly effective contraceptive method

4.2 Exclusion Criteria

- * Known additional malignancy that is progressing or has required active treatment within the past 3 years
- * Known active central nervous system (CNS) metastases and/or carcinomatous meningitis
- * Severe hypersensitivity to MK-7684, MK-7684A, pembrolizumab, chemotherapy components, and/or any of its excipients
- * Diagnosis of immunodeficiency or is receiving chronic systemic steroid therapy (in dosing exceeding 10 mg daily of prednisone equivalent) or any other form of immunosuppressive therapy within 7 days before the first dose of study medication
- * Active autoimmune disease that has required systemic treatment in past 2 years, except replacement therapy (eg, thyroxine, insulin, or physiologic corticosteroid)
- * History of (noninfectious) pneumonitis/interstitial lung disease that required steroids or has current pneumonitis/interstitial lung disease
- * Has an active infection requiring systemic therapy
- * Has a known history of human immunodeficiency virus (HIV), Hepatitis B or/and Hepatitis C virus
- * Received prior systemic anticancer therapy for metastatic disease
- * Received a live or live attenuated vaccine within 30 days before the first dose of study intervention. Administration of killed vaccines are allowed
- * History of allogeneic tissue/solid organ transplant
- * Is unable to interrupt aspirin or other nonsteroidal anti-inflammatory drugs (NSAIDs), other than an aspirin dose ≥ 1.3 g/day, for a 5-day period (8-day period for long-acting agents, such as piroxicam)
- * Is unable or unwilling to take folic acid or vitamin B12 supplementation
- * Currently participating in or has participated in a study of an investigational agent or has used an investigational device within 4 weeks before the first dose of study intervention

11. Study Identifiers & Governance

Primary ID:	1096279879358278590
Registry Number:	NCT05226598
Sponsor:	Merck
Study Title:	Study of Pembrolizumab/Vibostolimab Coformulation (MK-7684A) in Combination With Chemotherapy Versus Pembrolizumab Plus Chemotherapy in Participants With Metastatic Non-Small Cell Lung Cancer (MK-7684A-007/KEYVIBE-007)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____