

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase III, Randomized, Multicenter, Open-Label, Comparative Study to Determine the Efficacy of Durvalumab or Durvalumab and Tremelimumab in Combination With Platinum-Based Chemotherapy for the First-Line Treatment in Patients With Extensive Disease Small-Cell Lung Cancer (SCLC) (CASPIAN)
Short Title:	Durvalumab ± Tremelimumab in Combination With Platinum Based Chemotherapy in Untreated Extensive-Stage Small Cell Lung Cancer (CASPIAN)
Protocol Number:	995038253080036812
NCT Number:	NCT03043872
Sponsor Name:	AstraZeneca
Investigational Product:	cisplatin
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Overall Survival (OS) in the Global Cohort; Assessed at Global Cohort Interim Analysis; D + EP Compared With EP: OS was defined as the time from date of randomization until death due to any cause. Any patient not known to have died at the time of analysis was censored based on the last recorded date on which the patient was known to be alive. Median OS was calculated using the Kaplan-Meier technique. An interim analysis of OS in the global cohort was pre-specified after approximately 318 OS events occurred each between the D + EP and EP groups (60% maturity), and between the D + T + EP and EP groups (60% maturity). At the global cohort interim analysis DCO (11 March 2019), comparison of OS in the D + EP versus (vs) EP groups had crossed the pre-specified boundary. Since these results were considered final in terms of formal statistical testing, they are presented here as a primary outcome measure. Analysis of OS for D + EP vs EP and for D + T + EP vs EP at the time of the global cohort final analysis is presented separately in the subsequent primary outcome measure. 2. OS in the Global Cohort; Assessed at Global Cohort Final Analysis; D + EP Compared With EP and D + T + EP Compared With EP: OS was defined as the time from date of randomization until death due to any cause. Any patient not known to have died at the time of analysis was censored based on the last recorded date on which the patient was known to be alive. Median OS was calculated using the Kaplan-Meier technique. This primary outcome measure presents OS for the analysis of D + EP vs EP and D + T + EP vs EP at the time of the global cohort final analysis DCO (27 January 2020). Analysis of D + EP vs EP at the global cohort interim analysis DCO is presented in the previous primary outcome measure. Analysis of D + T + EP vs D + EP (global
---------------------------	--

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

cohort final analysis) is presented as a secondary outcome measure. 3. OS in the China Cohort; Assessed at China Cohort First Analysis; D + EP Compared With EP: OS was defined as the time from date of randomization until death due to any cause. Any patient not known to have died at the time of analysis was censored based on the last recorded date on which the patient was known to be alive. Median OS was calculated using the Kaplan-Meier technique. An analysis of OS for D + EP vs EP in the China cohort was pre-specified at approximately 60% maturity (to ensure a similar maturity to the interim analysis of the Global cohort). This primary outcome measure presents OS for analysis of D + EP vs EP at the China cohort first analysis DCO (06 January 2020), and is comparable in terms of maturity with the interim analysis of OS for D + EP vs EP in the Global cohort. Analysis of OS for D + EP vs EP and for D + T + EP vs EP at the time of the China cohort second analysis is presented separately in the subsequent primary outcome measure.

Secondary Obj.:

1. OS in the Global Cohort; D + T + EP Compared With D + EP 2. Progression-Free Survival (PFS) in the Global Cohort 3. Objective Response Rate (ORR) in the Global Cohort

2.2 Background & Rationale

This is a phase III, randomized, open-label, multicenter, global study to determine the efficacy and safety of combining durvalumab ± tremelimumab with platinum based chemotherapy (EP) followed by durvalumab ± tremelimumab maintenance therapy versus EP alone as first-line treatment in patients with extensive-stage small-cell lung cancer

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING

Target N: 987

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Not Provided

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID: 995038253080036812

Registry Number: NCT03043872

Sponsor: AstraZeneca

Study Title: Durvalumab ± Tremelimumab in Combination With Platinum Based Chemotherapy in Untreated Extensive-Stage Small Cell Lung Cancer (CASPIAN)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____