

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase II, Randomized, Open-Label, Multicenter Study Evaluating the Efficacy and Safety of GDC-9545 Compared With Physician's Choice of Endocrine Monotherapy in Patients With Previously Treated Estrogen Receptor-Positive, HER2-Negative Locally Advanced or Metastatic Breast Cancer
Short Title:	A Study Evaluating the Efficacy and Safety of Giredestrant Compared With Physician's Choice of Endocrine Monotherapy in Participants With Previously Treated Estrogen Receptor-Positive, HER2-Negative Locally Advanced or Metastatic Breast Cancer (acelERA Breast Cancer)
Protocol Number:	230276512594547872
NCT Number:	NCT04576455
Sponsor Name:	Roche
Investigational Product:	fulvestrant
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression-Free Survival (PFS), as Determined by the Investigator According to Response Evaluation Criteria in Solid Tumors, Version 1.1 (RECIST v1.1): PFS was defined as the Kaplan-Meier estimate of time from randomization to the first occurrence of disease progression as determined by the investigator according to RECIST v1.1, or death from any cause (whichever occurs first). Disease progression was defined as ≥20% increase in the sum of diameters of target lesions, unequivocal progression in non-target lesions, and/or appearance of new lesions. Kaplan-Meier methodology was used to estimate median PFS. The 95% confidence interval for the median was computed using the method of Brookmeyer and Crowley. Participants without the occurrence of disease progression or death as of the clinical cutoff were censored at the time of the last tumor assessment prior to the clinical cutoff or at the time of randomization plus 1 day for those without post-baseline assessment.
Secondary Obj.:	1. Overall Survival (OS) 2. Objective Response Rate, as Determined by the Investigator According to RECIST v1.1 3. Duration of Response (DOR), as Determined by the Investigator According to RECIST v1.1

2.2 Background & Rationale

This Phase II, randomized, open-label, multicenter study will evaluate the efficacy and safety of giredestrant compared with physician's choice of endocrine monotherapy in participants with estrogen receptor (ER)-positive, human epidermal growth factor receptor 2 (HER2)-negative locally advanced or metastatic breast cancer who have received one or two

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

prior lines of systemic therapy in the locally advanced or metastatic setting.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: ACTIVE_NOT_RECRUITING

Target N: 303

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Women who are postmenopausal or premenopausal/perimenopausal
- * For women who are premenopausal or perimenopausal and for men: willing to undergo and maintain treatment with approved LHRH agonist therapy for the duration of study treatment
- * Locally advanced or metastatic adenocarcinoma of the breast, not amenable to treatment with curative intent
- * Documented ER-positive tumor and HER2-negative tumor, assessed locally
- * Disease progression after treatment with one or two lines of systemic therapy (but not more than one prior targeted therapy) in the locally advanced or metastatic setting
- * Measurable disease as defined per RECIST v.1.1 or bone only disease which must have at least one predominantly lytic bone lesion confirmed by CT or MRI which can be followed
- * Eastern Cooperative Oncology Group (ECOG) Performance Status 0-1
- * Adequate organ function

4.2 Exclusion Criteria

- * Prior treatment with a selective estrogen receptor degrader (SERD), with the exception of fulvestrant, if fulvestrant treatment was terminated at least 28 days prior to randomization
- * Treatment with any investigational therapy within 28 days prior to randomization
- * Advanced, symptomatic, visceral spread that is at risk of life-threatening complications
- * Known active uncontrolled or symptomatic CNS metastases, carcinomatous meningitis, or leptomeningeal disease
- * Active cardiac disease or history of cardiac dysfunction
- * Pregnant or breastfeeding

11. Study Identifiers & Governance

Primary ID: 230276512594547872

Registry Number: NCT04576455

Sponsor: Roche

Study Title: A Study Evaluating the Efficacy and Safety of Giredestrant Compared With Physician's Choice of Endocrine Monotherapy in Participants With Previously Treated Estrogen Receptor-Positive, HER2-Negative Locally Advanced or Metastatic Breast Cancer (aceLERA Breast Cancer)

15. Sign-off & Approval

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____