

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase II Multicenter, Open-label Study to Evaluate the Efficacy, Safety, Pharmacokinetics, and Pharmacodynamics of Satralizumab in Pediatric Patients With Duchenne Muscular Dystrophy (SHIELD DMD)
Short Title:	A Study to Assess the Efficacy and Safety of Satralizumab in Duchenne Muscular Dystrophy (DMD)
Protocol Number:	39366947587872783
NCT Number:	NCT06450639
Sponsor Name:	Roche
Investigational Product:	satralizumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Group 2: Change From Baseline to Week 52 in Lumbar Spine (LS) Bone Mineral Density (BMD) Z-score Measured by Dual-energy X-ray Absorptiometry (DEXA): BMD of the LS is measured using DEXA
Secondary Obj.:	1. All Participants: Change From Baseline to Weeks 24, 52, and 104 in LS BMD Z-score Measured by DEXA 2. Group 2: Change From Baseline to Weeks 24 and 104 in LS BMD Z-score Measured by DEXA 3. Group 2: Change From Baseline to Weeks 24, 52 and 104 in Total Body Less Head Bone Mineral Density (TBLH BMD) Z-score Measured by DEXA

2.2 Background & Rationale

The purpose of this study is to assess the efficacy, safety, pharmacokinetics (PK) and pharmacodynamics (PD) of satralizumab, a humanized anti-interleukin-6 receptor (aIL-6R) monoclonal antibody, in ambulatory and non-ambulatory participants with DMD age ≥ 8 to < 18 years old receiving corticosteroid therapy.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING
Target N:	50

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Signed Informed Consent Form and Signed Assent Form when appropriate
- * Male at birth

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * A definitive diagnosis of DMD prior to screening based on documentation of clinical findings and prior confirmatory genetic testing using a clinical diagnostic genetic test

- * Age ≥ 8 and < 18 years at the time of signing Informed Consent Form

- * Group 1 participants are required to meet the following criteria:

- $\geq$ Ambulatory (defined as able to walk independently without assistive devices) with a prior history of fractures:

- 1. Prior history of low-trauma fracture defined as: evidence of at least one prevalent vertebral compression fracture of Genant Grade 1 or 2 (or radiographic signs of VF) or history of at least one low-trauma long-bone fracture (upper or lower extremity) OR

- 2. Non-ambulatory, characterized as being non-ambulatory for a minimum of 6 months with onset of non-ambulatory status defined as participant- or caregiver-reported age of continuous wheelchair use approximated to the nearest month, and an North Star Ambulatory Assessment (NSAA) walk score of "0" and inability to perform the 10-Meter Walk/Run (10 MWR) at the baseline visit, with or without fractures

- * Group 2 participants are required to meet the following criteria:

- * Be fracture naïve, defined as: no history of prior low-trauma fractures before the baseline visit nor any radiological findings indicative of prevalent VF at the screening visit

- * Be ambulatory defined as able to walk independently without assistive devices

- * Age ≥ 8 to < 12 years old at the time of screening

- * Daily oral corticosteroids

Key Exclusion Criteria:

- * Major surgery (e.g. spinal surgery) within 3 months prior to Baseline or planned surgery or procedure that would interfere with the conduct of the study for any time during this study

- * Presence of any clinically significant illness

- * Has serological evidence of current, chronic, or active human immunodeficiency virus (HIV), tuberculosis (TB), hepatitis C, or hepatitis B infection

- * Has a symptomatic infection (e.g. upper respiratory tract infection, pneumonia, pyelonephritis, meningitis) within 4 weeks prior to baseline

- * Body weight at screening < 20 or > 100 kg

- * Evidence of a severe vertebral fracture (VF) (defined as Grade 3), assessed by radiographic imaging at screening and quantified using the Genant semiquantitative method

- * Treatment with prohibited therapies as defined by the protocol

- * Has received a live or live attenuated virus vaccine within 6 weeks of the Baseline visit or expects to receive a vaccination during the first 3 months after Baseline.

- * Has abnormal laboratory values considered clinically significant as defined by the protocol

- * Any medical condition that might interfere with the evaluation of LS BMD, such as severe scoliosis or spinal fusion.

- * Participant has previous or ongoing medical condition, medical history, physical findings or laboratory abnormalities that could affect safety, make it unlikely that treatment and follow-up will be correctly completed or impair the

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

assessment of study results, in the opinion of the investigator

* Participant has an allergy or hypersensitivity to the study medication or to any of its constituents

Other protocol defined inclusion and exclusion criteria may apply

4.2 Exclusion Criteria

* Major surgery (e.g. spinal surgery) within 3 months prior to Baseline or planned surgery or procedure that would interfere with the conduct of the study for any time during this study

* Presence of any clinically significant illness

* Has serological evidence of current, chronic, or active human immunodeficiency virus (HIV), tuberculosis (TB), hepatitis C, or hepatitis B infection

* Has a symptomatic infection (e.g. upper respiratory tract infection, pneumonia, pyelonephritis, meningitis) within 4 weeks prior to baseline

* Body weight at screening ≤ 20 or ≥ 100 kg

* Evidence of a severe vertebral fracture (VF) (defined as Grade 3), assessed by radiographic imaging at screening and quantified using the Genant semiquantitative method

* Treatment with prohibited therapies as defined by the protocol

* Has received a live or live attenuated virus vaccine within 6 weeks of the Baseline visit or expects to receive a vaccination during the first 3 months after Baseline.

* Has abnormal laboratory values considered clinically significant as defined by the protocol

* Any medical condition that might interfere with the evaluation of LS BMD, such as severe scoliosis or spinal fusion.

* Participant has previous or ongoing medical condition, medical history, physical findings or laboratory abnormalities that could affect safety, make it unlikely that treatment and follow-up will be correctly completed or impair the assessment of study results, in the opinion of the investigator

* Participant has an allergy or hypersensitivity to the study medication or to any of its constituents

Other protocol defined inclusion and exclusion criteria may apply

11. Study Identifiers & Governance

Primary ID: 39366947587872783

Registry Number: NCT06450639

Sponsor: Roche

Study Title: A Study to Assess the Efficacy and Safety of Satralizumab in Duchenne Muscular Dystrophy (DMD)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____