

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Randomized, Four-arm, Canakinumab Placebo-controlled, Participant, Investigator and Sponsor-blinded Study Investigating the Safety, Tolerability and Efficacy of Intra-articular Canakinumab Followed by Intra-articular LNA043 in Patients With Knee Osteoarthritis
Short Title:	A Safety and Efficacy Study of Anti-inflammatory (Canakinumab) and Cartilage Stimulating (LNA043) Drugs Injected Into the Knee Joint of Participants With Knee Osteoarthritis (OA)
Protocol Number:	433161839842161962
NCT Number:	NCT04814368
Sponsor Name:	Novartis
Investigational Product:	canakinumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Change in Cartilage Volume in the Index Region Measured by MRI at Day 197 (Placebo to ACZ885+LNA043 Versus Placebo to ACZ885): Magnetic resonance images (MRI) were obtained from the target knee to visualize and quantify changes in volume of cartilage in the index region. The index region was defined as the union of the femoral medial anterior (FMA), central (FMC) and posterior (FMP) cartilage subregions in the knee. 2. Change in Knee Injury and Osteoarthritis Outcome Score (KOOS) Pain Subscale (ACZ885 Versus Placebo to ACZ885): The KOOS questionnaire is a commonly used instrument to assess the patient's perception about their knee and associated problems. The original KOOS consists of 5 subscales. One of those is the KOOS pain consisting of 9 questions with a recall of 7days. Each question has 5 standardized answer options with a score from 0 to 4. A normalized score (100 indicating no symptoms and 0 indicating extreme symptoms) is calculated for each subscale.
Secondary Obj.:	1. Number of Participants With Anti-LNA043 Antibodies (Placebo to ACZ885+LNA043 Versus ACZ885 + LNA043) 2. Maximum Serum Concentration (Cmax) of ANGPTL3 (Placebo to ACZ885+LNA043 Versus ACZ885+LNA043) 3. Synovial Fluid Concentrations of ANGPTL3 (Placebo to ACZ885+LNA043 Versus ACZ885+LNA043)

2.2 Background & Rationale

The study was established to show safety and efficacy of canakinumab and LNA043 in patients with knee osteoarthritis (OA).

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: TERMINATED

Target N: 23

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Moderate to severe OA pain (corresponding to NRS Pain ?5 to ?9) in the target knee for the majority of days in the last 3 months prior to Screening
- * KOOS pain subscale \<60 for the target knee during Screening
- * High sensitivity C-reactive Protein (hsCRP) ?1.8 mg/L
- * Radiographic KL grade 2 to 4 knee OA and joint space width (JSW) 2.0-4.0 mm (men) or 1.5-3.5 mm (women) in the medial tibiofemoral compartment (TFC) in the target knee
- * Contrast-enhanced MRI (CE-MRI) diagnosed moderate or severe knee synovitis based on an established synovitis scoring system (moderate score 9-12 or severe score ?13)

4.2 Exclusion Criteria

- * History of, or planned; knee replacement (partial or total) in either knee; arthroscopy or lavage in either knee within 6 months prior to screening; any other previous surgical intervention in the target knee, or for the contralateral knee within 12 months prior to Screening, including mosaicplasty, microfracture, meniscectomy \>50% or osteotomy
- * Moderate to severe pain in the contralateral knee for the majority of days in the last 3 months prior to screening
- * Malalignment \>7.5° in the target knee (either varus or valgus)
- * Any diagnosis of systemic inflammatory arthritis or connective tissue disease, including but not limited to rheumatoid arthritis, psoriatic arthritis, ankylosing spondylitis, gout, Paget's disease, systemic lupus erythematosus) or other systemic condition that might confound assessment of OA (e.g. fibromyalgia)
- * Ipsilateral hip OA or hip prosthesis recently implanted (within 1 year prior to screening) or hip replacement on either side planned within the study period

11. Study Identifiers & Governance

Primary ID: 433161839842161962

Registry Number: NCT04814368

Sponsor: Novartis

Study Title: A Safety and Efficacy Study of Anti-inflammatory (Canakinumab) and Cartilage Stimulating (LNA043) Drugs Injected Into the Knee Joint of Participants With Knee Osteoarthritis (OA)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Lead Statistician: _____ Date: _____