

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1/2 Randomized Study to Evaluate the Safety, Tolerability, and Immunogenicity of a Modified RNA COVID-19 Vaccine and a Recombinant Influenza Vaccine Administered as a Single Injection in Healthy Adults 50 Years of Age or Older
Short Title:	A Study to Learn About a Combined COVID-19 and Influenza Shot in Healthy Adults
Protocol Number:	439709764418622968
NCT Number:	NCT06237049
Sponsor Name:	Pfizer
Investigational Product:	triamcinolone
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:

1. Percentage of Participants Who Reported Any Local Reaction up to 7 Days Following Vaccination: Local reactions included redness, swelling and pain at injection site, recorded by participants in an electronic diary (e-diary). Severity of all local reactions were evaluated as mild, moderate, severe or potentially life-threatening. In this outcome measure local reactions with any severity were reported for each left arm's deltoid and right arm's deltoid of each vaccine Group 1, 2, 3 and 4. 2. Percentage of Participants Who Reported Any Systemic Events up to 7 Days Following Vaccination: Systemic events: fever, fatigue, headache, vomiting, diarrhea, chills, new/worsened muscle pain, new/worsened joint pain were recorded by participants in e-diary. Severity of all systemic events were evaluated as mild, moderate, severe or potentially life-threatening. In this outcome measure systemic events with any severity were reported. 3. Percentage of Participants Who Reported Any Adverse Events (AEs) From Vaccination Through 4 Weeks After Vaccination: An AE was defined as any untoward medical occurrence in a participant temporally associated with the use of study intervention, whether or not considered related to the study intervention. Events collected by systematic assessment (local reactions and systemic events) were excluded from evaluation.

Secondary Obj.: Not Provided

2.2 Background & Rationale

The purpose of this clinical trial is to see if combining a licensed COVID-19 vaccine and a licensed influenza vaccine into a single shot is safe and can help produce antibodies to defend the body against both SARS-CoV-2 (the virus that causes COVID-19) and influenza. Participants enrolled in this trial will be healthy adults, 50 years of age or older.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: COMPLETED

Target N: 644

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Male or female participants aged 50 years or older at Visit 1 (Day 1).
- * Participants who are willing and able to comply with all scheduled visits, the investigational plan, laboratory tests, lifestyle considerations, and other study procedures.
- * Healthy participants who are determined by medical history, physical examination (if required), and clinical judgment of the investigator to be eligible for inclusion in the study.
- * Capable of giving signed informed consent as described in the protocol, which includes compliance with the requirements and restrictions listed in the informed consent document (ICD) and in the protocol.

4.2 Exclusion Criteria

- * Any medical or psychiatric condition including recent (within the past year) or active suicidal ideation/behavior or laboratory abnormality that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.
- * Known infection with human immunodeficiency virus (HIV), hepatitis C virus (HCV), or hepatitis B virus (HBV).
- * History of severe adverse reaction associated with any vaccine and/or severe allergic reaction (eg, anaphylaxis) to any component of the study interventions.
- * Participants with a history of autoimmune disease or an active autoimmune disease requiring therapeutic intervention, including but not limited to systemic or cutaneous lupus erythematosus, autoimmune arthritis/rheumatoid arthritis, multiple sclerosis, Sjögren's syndrome, idiopathic thrombocytopenia purpura, glomerulonephritis, autoimmune thyroiditis, temporal arteritis, psoriasis, and/or insulin-dependent diabetes mellitus.
- * Immunocompromised individuals with known or suspected immunodeficiency, determined by history and/or laboratory/physical examination.
- * Current heart disease, uncontrolled hypertension, or a prior history of myocarditis or pericarditis.
- * Bleeding diathesis or condition associated with prolonged bleeding that would, in the opinion of the investigator, contraindicate intramuscular injection.
- * Women who are pregnant, plan to become pregnant during the study, or are breastfeeding.
- * Prior history of ischemic stroke or transient ischemic attack.
- * Prior history of Guillain-Barré syndrome (GBS).
- * Participants with a calculated BMI of ≥ 35 .
- * Receipt of chronic medications with known systemic immunosuppressant effects (including cytotoxic agents or systemic corticosteroids), or radiotherapy, within 60 days before enrollment through conclusion of the study.
- * Receipt of blood/plasma products, immunoglobulin, or monoclonal antibodies used for the treatment or prevention of COVID 19 or those that are considered immunosuppressive, from 90 days before study intervention administration, or planned receipt throughout the study.
- * Vaccination with any investigational or licensed influenza vaccine within 6 months (180 days) before study intervention

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

administration, or ongoing receipt of chronic antiviral therapy with activity against influenza.

* Vaccination with any investigational or licensed COVID-19 vaccine within 6 months (180 days) before study intervention administration.

* Participation in other studies involving administration of an investigational product within 28 days prior to, and/or during, participation in this study.

* Investigator site staff directly involved in the conduct of the study and their family members, site staff otherwise supervised by the investigator, and sponsor and sponsor delegate employees directly involved in the conduct of the study and their family members.

* Deprived of freedom by an administrative or court order, or in an emergency setting, or hospitalized involuntarily.

* Current alcohol abuse or drug addiction that in the opinion of the investigator might interfere with the study conduct or completion.

11. Study Identifiers & Governance

Primary ID: 439709764418622968

Registry Number: NCT06237049

Sponsor: Pfizer

Study Title: A Study to Learn About a Combined COVID-19 and Influenza Shot in Healthy Adults

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____