

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	KEYMAKER-U01 Substudy 2: A Phase 2, Umbrella Study With Rolling Arms of Investigational Agents in Combination With Pembrolizumab in Treatment Naïve Patients With PD-L1 Positive Advanced Non-small Cell Lung Cancer (NSCLC)
Short Title:	KEYMAKER-U01 Substudy 2: Efficacy and Safety Study of Pembrolizumab (MK-3475) When Used With Investigational Agents in Treatment-naïve Participants With Anti-programmed Cell Death Receptor Ligand 1 (PD-L1) Positive Advanced Non-small Cell Lung Cancer (NSCLC) (MK-3475-01B/KEYMAKER-U01B)
Protocol Number:	718645122135314554
NCT Number:	NCT04165083
Sponsor Name:	Merck
Investigational Product:	pembrolizumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Objective Response Rate (ORR) According to Response Evaluation Criteria in Solid Tumors Version 1.1 (RECIST 1.1): ORR was defined as the percentage of participants in the analysis population who had a Complete Response (CR: Disappearance of all target lesions) or a Partial Response (PR: ≥30% decrease in the sum of diameters of target lesions) per RECIST 1.1.
Secondary Obj.:	1. Progression-Free Survival (PFS) According to Response Evaluation Criteria in Solid Tumors Version 1.1 (RECIST 1.1) 2. Number of Participants Who Experience One or More Adverse Events (AEs) 3. Number of Participants Who Discontinued Study Treatment Due to an Adverse Event (AE)

2.2 Background & Rationale

The purpose of this study is to assess the efficacy and safety of pembrolizumab (MK-3475) in combination with MK-4830 in treatment-naïve participants with advanced squamous or non-squamous NSCLC that is PD-L1 positive.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: ACTIVE_NOT_RECRUITING
Target N:	120

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Not Provided

4.2 Exclusion Criteria

- * Has a diagnosis of small cell lung cancer
- * Has a diagnosis of immunodeficiency or is receiving chronic systemic steroid therapy (in dosing exceeding 10 mg daily of prednisone equivalent) or any other form of immunosuppressive therapy within 7 days before the first dose of study treatment
- * Has a known additional malignancy that is progressing or has required active treatment within the past 2 years
- * Has known active central nervous system (CNS) metastases and/or carcinomatous meningitis
- * Has an active autoimmune disease that has required systemic treatment in the past 2 years
- * Has a history of (noninfectious) pneumonitis that required steroids or has current pneumonitis
- * Has an active infection requiring systemic therapy
- * Has clinically significant cardiac disease, including unstable angina, acute myocardial infarction within 6 months from Day 1 of study treatment, or New York Heart Association Class III or IV congestive heart failure
- * Has a known history of Human Immunodeficiency Virus (HIV) infection
- * Has a known history of Hepatitis B or known active Hepatitis C virus infection
- * Has known psychiatric or substance abuse disorders that would interfere with cooperating with the requirements of the study
- * Has had major surgery <3 weeks before the first dose of study treatment
- * Has received prior radiation therapy to the lung that is >30 Gray (Gy) within 6 months of the first dose of study treatment
- * Has received any prior immunotherapy and was discontinued from that treatment due to a severe or worse immune-related adverse event (irAE)
- * Has had chemotherapy or biological cancer therapy within 4 weeks before the first dose of study treatment or has not recovered to Common Terminology Criteria for Adverse Events (CTCAE) Grade 1 or better from the AEs due to cancer therapeutics administered more than 4 weeks before the first dose of study treatment (including participants who had previous immunomodulatory therapy with residual irAEs)
- * Has received a live vaccine within 30 days before the first dose of study treatment. Any licensed COVID-19 vaccine (including for Emergency Use) in a particular country is allowed as long as they are messenger ribonucleic acid (mRNA) vaccines, adenoviral vaccines, or inactivated vaccines. Investigational vaccines (ie, those not licensed or approved for Emergency Use) are not allowed
- * Has received prior systemic cytotoxic chemotherapy or other targeted or biological antineoplastic therapy for metastatic disease.
- * Has received prior therapy with an anti-programmed cell death receptor 1 (PD-1), anti-programmed cell death receptor ligand 1 (PD-L1), or anti-programmed cell death receptor ligand 2 (PD-L2) agent or prior therapy targeting other immuno-regulatory receptors or mechanisms
- * Is currently participating in or has participated in a study of an investigational agent or has used an investigational device within 4 weeks before the first dose of study treatment
- * Has had a severe hypersensitivity reaction to treatment with monoclonal antibodies (including pembrolizumab) and/or any of their excipients
- * Is pregnant or breastfeeding or expecting to conceive or father children within the projected duration of the study,

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

starting with the screening visit through 120 days after the last dose of study treatment

* Has had an allogenic tissue/solid organ transplant

11. Study Identifiers & Governance

Primary ID: 718645122135314554

Registry Number: NCT04165083

Sponsor: Merck

Study Title: KEYMAKER-U01 Substudy 2: Efficacy and Safety Study of Pembrolizumab (MK-3475) When Used With Investigational Agents in Treatment-naïve Participants With Anti-programmed Cell Death Receptor Ligand 1 (PD-L1) Positive Advanced Non-small Cell Lung Cancer (NSCLC) (MK-3475-01B/KEYMAKER-U01B)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____