

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	AN INTERVENTIONAL SAFETY AND EFFICACY PHASE 1B/2, OPEN-LABEL STUDY TO INVESTIGATE TOLERABILITY, PK, AND ANTITUMOR ACTIVITY OF VEPDEGESTRANT (ARV-471/PF-07850327), AN ORAL PROTEOLYSIS TARGETING CHIMERA, IN COMBINATION WITH PF-07220060 IN PARTICIPANTS AGED 18 YEARS AND OLDER WITH ER+/HER2- ADVANCED OR METASTATIC BREAST CANCER
Short Title:	A Study to Learn About Vepdegestrant When Given With PF-07220060 to People With Advanced or Metastatic Breast Cancer.
Protocol Number:	1074277837018082505
NCT Number:	NCT06206837
Sponsor Name:	Pfizer
Investigational Product:	naphazoline
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Phase 1b: Number of Participants With Dose Limiting Toxicities: Dose Limiting Toxicities (DLTs) rate for Vepdegestrant in combination with PF-07220060, estimated based on data from DLT-evaluable participants during the DLT observation period (Cycle 1). 2. Phase 2: Percentage of Participants With Objective Response by investigator assessment: Objective response (OR) refers to confirmed complete response (CR) or partial response (PR) according to Response Evaluation Criteria in Solid Tumor (RECIST) version 1.1. as determined by investigator assessment.
Secondary Obj.:	1. Phase 1b and Phase 2: Evaluation of Safety of Vepdegestrant in combination with PF-07220060 (number of participants experiencing any AE, SAE, treatment-related AE and treatment-related SAE) 2. Phase 1b and Phase 2: Evaluation of Safety of Vepdegestrant in combination with PF-07220060 (number of participants with lab abnormalities - Hematology and coagulation parameters) 3. Phase 1b and Phase 2: Evaluation of Safety of Vepdegestrant in combination with PF-07220060 (number of participants with lab abnormalities - chemistry parameters)

2.2 Background & Rationale

The purpose of this study is to learn about the safety and effects of giving vepdegestrant along with PF-07220060. Vepdegestrant is studied to see if it can be a possible treatment for advanced metastatic breast cancer. This type of cancer would have spread from where it started (breast) to other parts of the body and would be tough to treat. The study is seeking for participants who have breast cancer that:

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: ACTIVE_NOT_RECRUITING

Target N: 71

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* Histological or cytological diagnosis of breast cancer. At time of enrollment this must not be amenable to surgical resection with curative intent (?1% ER+ stained cells as per local practice on the most recent tumor biopsy HER2- tumor by IHC or in-situ hybridization per ASCO/CAP).

* prior anticancer therapies: Phase 1b: at least 1 line of SOC for A/MBC; Prior fulvestrant allowed; ?1 prior chemotherapy line (no antibody-drug conjugates permitted) for A/MBC setting allowed. Phase 2: At least one and maximum 2 lines of ET in A/MBC setting and most recent ET-based regimen for \>6 months.

1, and only 1, prior CDK4/6 inhibitor-based regimen required. Up to 1 prior regimen of cytotoxic chemotherapy (no antibody-drug conjugates permitted) in the A/MBC setting; Prior fulvestrant allowed.

* Participant with only non-measurable lesion (Phase1b) or at least 1 measurable lesion as defined by RECIST v1.1. (Phase2) are eligible.

* ECOG PS = 0 or 1 (Phase1b) ; ?2 (Phase2)

4.2 Exclusion Criteria

* visceral crisis at risk of life-threatening complications in the short term.

* Any condition precluding an adequate absorption of study interventions.

* newly diagnosed brain metastases, or symptomatic central nervous system (CNS) metastases, carcinomatous meningitis, or leptomeningeal disease. Participants with a history of CNS metastases or cord compression are eligible if they have been definitively treated, clinically stable and discontinued anti-seizure medications and corticosteroids for at least 28 days prior to enrollment in the of study.

* history of any other tumor malignancies within the past 3 years, except for the following: (1) adequately treated basal or squamous cell carcinoma of the skin; (2) curatively treated in situ carcinoma of the cervix. Inflammatory breast cancer are excluded

* impaired cardiovascular function or clinically significant cardiovascular diseases.

* concurrent administration of medications, food, or herb supplements that are strong inhibitors/inducers of CYP3A or UGT2B7, moderate inducers of CYP34 (Phase1b only) and drugs known to predispose to Torsade de Pointes or QT interval prolongation.

* renal impairment, not adequate liver function and/or bone marrow function.

* known active infection

11. Study Identifiers & Governance

Primary ID: 1074277837018082505

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Registry Number: NCT06206837

Sponsor: Pfizer

Study Title: A Study to Learn About Vepdegestrant When Given With PF-07220060 to People With Advanced or Metastatic Breast Cancer.

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____