

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Phase II Single-Arm Study of Durvalumab and Bevacizumab Following Transarterial Radioembolization Using Yttrium-90 Glass Microspheres (TheraSphere?) in Unresectable Hepatocellular Carcinoma Amenable to Locoregional Therapy
Short Title:	A US Study to Evaluate Transarterial Radioembolization (TARE) in Combination With Durvalumab and Bevacizumab Therapy in People With Unresectable Hepatocellular Carcinoma Amenable to TARE
Protocol Number:	145568512203123289
NCT Number:	NCT06040099
Sponsor Name:	AstraZeneca
Investigational Product:	bevacizumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression Free Survival (PFS): PFS is defined as the time from Day 1 (day of TARE) until the date of progressive disease per modified Response Evaluation Criteria in Solid Tumors (mRECIST), as assessed by the investigator, or death due to any cause. It is measured to assess the efficacy of TARE followed by durvalumab monotherapy followed by durvalumab + bevacizumab in participants with unresectable HCC amenable to locoregional therapy.
Secondary Obj.:	1. Number of participants with Adverse events (AEs) 2. Objective Response Rate (ORR) 3. Overall Survival (OS)

2.2 Background & Rationale

The purpose of this study is to measure the efficacy and safety of durvalumab intravenous (IV) solution plus bevacizumab IV solution after transarterial radioembolization (Yttrium 90 glass microspheres TARE) in participants with unresectable hepatocellular carcinoma (HCC) amenable to embolization.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING
Target N:	60

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* Participants with confirmed unresectable HCC

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Participants with Lung dose threshold for Yttrium 90 glass microspheres of 30 Gy (equal or less than 30 Gy per treatment for glass) and an estimated Future liver remnant volume (FLRV) $\geq$ 30% of whole liver volume.
- * Participants with more than 1 prior embolization are permitted if more than 12 months ago, for a different primary lesion, and FLR $\geq$ 30%.
- * Participants with no evidence of extrahepatic disease on any available imaging
- * Participants with one or more measurable lesions, unilobar disease for participants with segmental or right anterior/posterior portal vein invasion (Vp1/Vp2) and eligible for Yttrium 90 glass microspheres TARE.
- * Participants having Child-Pugh score class A.
- * Participants having ECOG performance status of 0 or 1 at enrollment
- * Adequate organ and marrow function

4.2 Exclusion Criteria

- * Disease amenable to curative surgery, ablation or transplantation. Transplant patients are considered eligible if outside of Milan criteria and not currently listed for transplant.
- * Participants co-infected with HBV and HDV
- * Any history of nephrotic or nephritic syndrome.
- * Clinically significant (eg, active) cardiovascular disease
- * Participants with uncontrolled hypertension
- * History of hepatic encephalopathy
- * Known hereditary predisposition to bleeding or thrombosis; any prior or current evidence of bleeding diathesis.
- * Receipt of more than 1 prior embolization (TACE or TARE) treatment/procedure
- * Participant has received any prior anticancer systemic therapy for unresectable HCC.
- * History of arterial thrombotic event, including myocardial infarction, unstable angina, cerebrovascular accident, or transient ischemic attack, within 6 months prior to enrollment.
- * History of abdominal fistula or gastrointestinal (GI) perforation, non-healed gastric ulcer that is refractory to treatment, or active GI bleeding within 6 months prior to enrollment

11. Study Identifiers & Governance

Primary ID: 145568512203123289

Registry Number: NCT06040099

Sponsor: AstraZeneca

Study Title: A US Study to Evaluate Transarterial Radioembolization (TARE) in Combination With Durvalumab and Bevacizumab Therapy in People With Unresectable Hepatocellular Carcinoma Amenable to TARE

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____