

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1/2 Study of V940 Plus Pembrolizumab With or Without Enfortumab Vedotin in Muscle-Invasive Urothelial Carcinoma (MIUC) (INTERpath-005)
Short Title:	A Clinical Study of Intismeran Autogene (V940) Treatment and Pembrolizumab in People With Bladder Cancer (V940-005/INTERpath-005)
Protocol Number:	381137111551453590
NCT Number:	NCT06305767
Sponsor Name:	Merck
Investigational Product:	pembrolizumab
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Adjuvant Cohort: Disease Free Survival (DFS): DFS is defined as the time from randomization until death from any cause, or presence of disease per investigator assessment with muscle-invasive (?pT2) disease or any high-grade non-muscle invasive disease in the urothelial tract (upper tract or lower tract) on imaging and biopsy, and/or disease recurrence outside the urothelial tract on imaging with or without confirmation by biopsy. DFS will be reported for the Adjuvant Cohort. 2. Perioperative Cohort: Number of Participants Who Experience an Adverse Event (AE): An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study treatment, whether or not considered related to the study treatment. An AE can therefore be any unfavorable and unintended sign (including an abnormal laboratory finding), symptom, or disease (new or exacerbated) temporally associated with the use of a study treatment. The number of participants who experience AEs will be reported for the Perioperative Cohort. 3. Perioperative Cohort: Number of Participants Who Discontinue Study Treatment Due to AE: An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study treatment, whether or not considered related to the study treatment. An AE can therefore be any unfavorable and unintended sign (including an abnormal laboratory finding), symptom, or disease (new or exacerbated) temporally associated with the use of a study treatment. The number of participants who discontinue study treatment due to an AE will be reported for the Perioperative Cohort.
Secondary Obj.:	1. Adjuvant Cohort: Overall Survival (OS) 2. Adjuvant Cohort: Distant Metastasis-Free Survival (DMFS) 3. Adjuvant Cohort: Number of Participants Who Experience an AE

2.2 Background & Rationale

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Researchers are looking for new ways to treat people with high-risk muscle-invasive urothelial carcinoma (MIUC). Urothelial carcinoma is a type of bladder cancer that begins in cells that line the inside of the bladder and other parts of the urinary tract, such as part of the kidneys, ureters, and urethra. People with MIUC usually have chemotherapy before surgery, then surgery to remove the cancer. Chemotherapy is a type of medicine to destroy cancer cells or stop them from growing. After surgery, some people receive more treatment to prevent cancer from returning. Pembrolizumab is an immunotherapy, which is a treatment that helps the immune system fight cancer. Enfortumab vedotin (EV) is an antibody drug conjugate (ADC). An ADC attaches to a protein on cancer cells and delivers treatment to destroy those cells. Researchers want to learn if giving intismeran autogene (the study treatment) with pembrolizumab can prevent MIUC from returning after surgery. Intismeran autogene (also called mRNA-4157) is designed to treat each person's cancer by helping the person's immune system identify and kill cancer cells based on certain proteins found on those cancer cells.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: RECRUITING
Target N: 230

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

The main inclusion criteria include but are not limited to the following:

- * Has a histological diagnosis of urothelial carcinoma (UC)
- * Must provide blood samples per protocol, to enable intismeran autogene production, and circulating tumor deoxyribonucleic acid testing
- * Has an Eastern Cooperative Oncology Group performance status of 0 to 2 assessed within 7 days before randomization
- * Must provide a formalin-fixed paraffin-embedded tumor tissue sample for next generation sequencing

Adjuvant Cohort:

- * Has MIUC
- * Has high-risk pathologic disease after radical resection
- * For participants who have not received cisplatin-based neoadjuvant chemotherapy, are ineligible to receive cisplatin according to protocol pre-defined criteria

Perioperative Cohort:

- * Has MIBC
- * Is deemed eligible for RC and PLND and agrees to undergo curative intent standard RC and PLND and neoadjuvant and adjuvant treatment per protocol
- * Is ineligible to receive cisplatin according to protocol pre-defined criteria

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.2 Exclusion Criteria

The main exclusion criteria include but are not limited to the following:

- * Has received a live or live-attenuated vaccine within 30 days before the first dose of study intervention
- * Has known additional malignancy that is progressing or has required active treatment ≥3 years prior to study randomization
- * Has current pneumonitis/interstitial lung disease
- * Has active infection requiring systemic therapy
- * Has active hepatitis B and hepatitis C virus infection

Adjuvant Cohort:

- * Has received prior systemic anticancer therapy
- * Has received prior neoadjuvant therapy, with the exception of neoadjuvant cisplatin-based chemotherapy for MIUC
- * Has severe hypersensitivity to either intismeran autogene or pembrolizumab (MK-3475) and/or any of their excipients

Perioperative Cohort:

- * Has received any prior systemic treatment, cancer vaccine treatment, chemoradiation, and/or radiation therapy treatment for MIBC
- * Has severe hypersensitivity to either intismeran autogene, pembrolizumab, or EV and/or any of their excipients
- * Has ongoing sensory or motor neuropathy
- * Has active keratitis or corneal ulcerations

11. Study Identifiers & Governance

Primary ID:	381137111551453590
Registry Number:	NCT06305767
Sponsor:	Merck
Study Title:	A Clinical Study of Intismeran Autogene (V940) Treatment and Pembrolizumab in People With Bladder Cancer (V940-005/INTerpath-005)

15. Sign-off & Approval

Principal Investigator: _____	Date: _____
Clinical Operations Lead: _____	Date: _____
Lead Statistician: _____	Date: _____