

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 2 Open-label Randomized Study of Farletuzumab Ecteribulin (MORAb-202), a Folate Receptor Alpha-targeting Antibody-drug Conjugate, Versus Investigator's Choice Chemotherapy in Women With Platinum-resistant High-grade Serous (HGS) Ovarian, Primary Peritoneal, or Fallopian Tube Cancer
Short Title:	A Study of MORAb-202 Versus Investigator's Choice Chemotherapy in Female Participants With Platinum-resistant High-grade Serous (HGS) Ovarian, Primary Peritoneal, or Fallopian Tube Cancer
Protocol Number:	707838954256629772
NCT Number:	NCT05613088
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	doxorubicin
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Objective Response Rate (ORR) by Response Evaluation Criteria in Solid Tumors (RECIST) v1.1 Per Investigator Assessment: Objective Response Rate (ORR) is defined as the number of randomized participants who achieve a best overall response (BOR) of confirmed complete response (CR) or confirmed partial response (PR), based on investigator assessments \[using Response Evaluation Criteria in Solid Tumors (RECIST) v1.1\], divided by the number of all randomized participants. Complete Response (CR): Disappearance of all target lesions. Any pathological lymph nodes (whether target or non-target) must have reduction in short axis to ≤ 10 mm. Partial Response (PR): At least a 30% decrease in the sum of diameters of target lesions, taking as reference the baseline sum diameters. 2. Number of Participants With Treatment-Related Adverse Event (TRAEs) Leading to Discontinuation Within 6 Months From First Dose: An adverse event (AE) is defined as any new untoward medical occurrence or worsening of a pre-existing medical condition occurring in a clinical investigation participant after starting study treatment, whether or not considered related to the study intervention.
Secondary Obj.:	1. Number of Participants With Adverse Events (AEs) 2. Number of Participants With Serious Adverse Events (SAEs) 3. Number of Participants With AEs Leading to Discontinuation

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

2.2 Background & Rationale

The purpose of the study is to assess the safety, tolerability, and efficacy of farletuzumab ecteribulin (MORAb-202) and compare it to Investigator's choice (IC) chemotherapy in female participants with platinum-resistant HGS ovarian, primary peritoneal, or fallopian tube cancer.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE2, Status: COMPLETED

Target N: 106

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Female participants with histologically-confirmed diagnosis of HGS ovarian, primary peritoneal, or fallopian tube cancer.
- * Platinum-resistant disease, defined as:
 - * For participants who had only 1 line of platinum-based therapy: progression between ≥ 1 month and ≤ 6 months after the last dose of platinum-based therapy of at least 4 cycles.
 - * For participants who had 2 or 3 lines of platinum-based therapy: progression ≥ 6 months after the last dose of platinum-based therapy.
- * Participants have received at least 1 but no more than 3 prior lines of systemic therapy and for whom single-agent therapy is appropriate as the next line of therapy. Participants may have been treated with up to 1 line of therapy subsequent to determination of platinum-resistance.
- * Disease progression per RECIST v1.1 (by investigator assessment) of at least 1 measurable lesion on or after the most recent therapy.
- * Either formalin-fixed, paraffin-embedded (FFPE) tissue (up to 5 years old) or newly-obtained biopsies must be available for FR? assessment prior to randomization.
- * Eastern Cooperative Oncology Group Performance Status (ECOG PS) of 0 or 1.

4.2 Exclusion Criteria

Medical Conditions

- * Clear cell, mucinous, endometrioid or sarcomatous histology, or mixed tumors containing components of any of these histologies, or low grade or borderline ovarian cancer.
- * Primary platinum-refractory ovarian cancer defined as disease progression within 1 month of the last dose of the first line platinum-containing regimen.
- * Pulmonary function test (PFT) abnormalities: FEV1 $\leq 70\%$ or FVC $\leq 60\%$, and DLCO $\leq 80\%$.
- * Investigator-assessed current ILD/pneumonitis, or ILD/pneumonitis suspected at screening or history of ILD/pneumonitis of any severity including ILD/pneumonitis from prior anti-cancer therapy.
- * Significant third-space fluid retention (eg, ascites or pleural effusion) that requires repeated drainage.

Physical and Laboratory Test Findings

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

* Evidence of organ dysfunction or any clinically-significant deviation from normal in physical examination, vital signs, ECG, or clinical laboratory determinations beyond what is consistent with the target population.

Allergies and Adverse Drug Reactions

* Has any prior severe hypersensitivity (? Grade 3) to monoclonal antibodies or eribulin or contraindication to the receipt of corticosteroids or any of the excipients (investigators should refer to the prescribing information for the selected corticosteroid).

* History of allergy or contraindication to IC chemotherapy agent selected if randomized to Arm C.

Other protocol-defined inclusion/exclusion criteria apply.

11. Study Identifiers & Governance

Primary ID: 707838954256629772

Registry Number: NCT05613088

Sponsor: Bristol Myers Squibb

Study Title: A Study of MORAb-202 Versus Investigator's Choice Chemotherapy in Female Participants With Platinum-resistant High-grade Serous (HGS) Ovarian, Primary Peritoneal, or Fallopian Tube Cancer

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____