

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1 Open-label, Multicenter Study of MK-6837 as Monotherapy and Combination Therapy in Participants With Advanced/Metastatic Solid Tumors
Short Title:	A Study of MK-6837 as a Monotherapy and Combination Therapy in Participants With Advanced/Metastatic Solid Tumors (MK-6837-001)
Protocol Number:	124368695430445934
NCT Number:	NCT06460961
Sponsor Name:	Merck
Investigational Product:	pembrolizumab
Phase:	PHASE1
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of participants who experience one or more dose-limiting toxicities (DLTs): The following events will be considered a DLT unless clearly due to underlying disease or extraneous causes: Grade 4 neutropenia lasting ≥ 7 days; Grade 3 or higher thrombocytopenia associated with clinically significant bleeding, regardless of duration; All Grade 3 or higher nonhematologic toxicities (with exceptions); Any abnormality that results in a drug induced liver injury; Febrile neutropenia Grade 3 or 4; Prolonged delay (≥ 2 weeks) in initiating treatment after the first 21 days due to intervention-related toxicity; Any intervention-related toxicity that causes the participant to discontinue intervention during the first 21 days; Grade 5 toxicity. The number of participants who experience a DLT will be presented. 2. Number of participants who experience one or more adverse events (AEs): An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. 3. Number of participants who discontinue study intervention due to an AE: An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention.
Secondary Obj.:	1. Maximum concentration (C _{max}) of MK-6837 in plasma 2. Minimum concentration (C _{trough}) of MK-6837 in plasma 3. Area Under the Concentration-Time Curve (AUC) of MK-6837 in plasma

2.2 Background & Rationale

The purpose of this study is to evaluate the safety, tolerability, pharmacokinetics (PK), and preliminary efficacy of MK-6837, administered as a monotherapy and in combination with pembrolizumab (MK-3475), in participants with histologically or cytologically confirmed advanced/metastatic solid tumors that have not responded to conventional

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

therapy. There will not be any hypothesis testing in the study.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, Status: RECRUITING

Target N: 168

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

The main inclusion criteria include but are not limited to the following:

- * Histologically or cytologically confirmed solid tumor by pathology report that is advanced or metastatic
- * Human Immunodeficiency Virus (HIV)-infected participants must have well controlled HIV on Antiretroviral Therapy (ART)
- * Participants who are Hepatitis B Surface Antigen (HBsAg) positive are eligible if they have received Hepatitis B Virus (HBV) antiviral therapy for at least 4 weeks, and have undetectable HBV viral load before allocation
- * Participants with history of Hepatitis C Virus (HCV) infection are eligible if HCV viral load is undetectable at screening

4.2 Exclusion Criteria

The main exclusion criteria include but are not limited to the following:

- * Has not recovered to Common Terminology Criteria for Adverse Events (CTCAE) Grade 1 or better from any Adverse Events (AEs) that were due to cancer therapeutics administered more than 4 weeks earlier
- * History of a second malignancy, unless potentially curative treatment has been completed with no evidence of malignancy for 2 years
- * Has clinically significant cardiovascular disease
- * HIV-infected participants with a history of Kaposi's sarcoma and/or Multicentric Castleman's Disease
- * Received prior systemic anticancer therapy including investigational agents within 4 weeks before the first dose of study intervention
- * Has received any prior immunotherapy and was discontinued from that treatment due to a Grade 3 or higher immune-related AE (except endocrine disorders that can be treated with replacement therapy) or was discontinued from that treatment due to Grade 2 myocarditis or recurrent Grade 2 pneumonitis
- * Received prior radiotherapy within 2 weeks of start of study intervention, or has radiation-related toxicities, requiring corticosteroids
- * Received a live or live-attenuated vaccine within 30 days before the first dose of study intervention. Administration of killed vaccines is allowed
- * Diagnosis of immunodeficiency or is receiving chronic systemic steroid therapy or any other form of immunosuppressive therapy within 7 days before the first dose of study intervention
- * Known additional malignancy that is progressing or has required active treatment within the past 2 years
- * Known active Central Nervous System (CNS) metastases and/or carcinomatous meningitis
- * Active autoimmune disease that has required systemic treatment in the past 2 years except replacement therapy

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * History of (noninfectious) pneumonitis/interstitial lung disease that required steroids or has current pneumonitis/interstitial lung disease
- * Active infection requiring systemic therapy
- * History of allogeneic tissue/solid organ transplant
- * Participants who have not adequately recovered from major surgery or have ongoing surgical complications

11. Study Identifiers & Governance

Primary ID: 124368695430445934

Registry Number: NCT06460961

Sponsor: Merck

Study Title: A Study of MK-6837 as a Monotherapy and Combination Therapy in Participants With Advanced/Metastatic Solid Tumors (MK-6837-001)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____