

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase I/II Open-Label Multi-Centre Master Protocol to Evaluate the Safety and Efficacy of AZD0486 Monotherapy or in Combination With Other Anticancer Agents in Participants With Mature B-Cell Malignancies
Short Title:	A Study of AZD0486 Monotherapy or in Combination With Other Anti-Cancer Agents for Mature B-Cell Malignancies
Protocol Number:	376674369970258013
NCT Number:	NCT06564038
Sponsor Name:	AstraZeneca
Investigational Product:	cyclophosphamide
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants with Adverse Events, Serious Adverse Events and Adverse Events of Special Interest: Safety and tolerability of AZD0486 as monotherapy and in combination with other anticancer agents across mature B-cell malignancies. 2. Number of Participants with Dose Limiting Toxicity (DLTs): Safety and tolerability of AZD0486 as monotherapy and in combination with other anticancer agents across mature B-cell malignancies.
Secondary Obj.:	1. Objective Response Rate (ORR) 2. Complete Response (CR) Rate 3. Duration of Response (DoR)

2.2 Background & Rationale

The purpose of this study is to assess the safety and efficacy of AZD0486 administered as monotherapy or in combination with other anticancer agents in participants with hematological malignancies.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: RECRUITING
Target N:	276

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Master Inclusion Criteria applicable to all substudies:

* Eastern Cooperative Oncology Group (ECOG) performance status of 0 to 2.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Contraception use during treatment and at least 90 days after final dose.
- * Confirmed CD19 expression if prior anti-CD19 therapy.

Substudy 1 Specific Inclusion Criteria:

- * Participants with CLL must require treatment according to the international workshop on Chronic Lymphocytic Leukemia (iwCLL) criteria.
- * SLL: at least 1 measurable site per Lugano.
- * Absolute lymphocytes $\leq 10,000$.
- * Cohort 1A and 1C: at least 2 prior lines of systemic therapy for CLL/SLL.
- * Cohort 1B: at least 1 prior line of therapy and is bruton tyrosine kinase inhibitor (BTKi)-sensitive.

Substudy 2 Specific Inclusion Criteria:

- * MCL diagnosis per WHO.
- * Clinical Stage II, III, or IV by Ann Arbor Classification.
- * At least 1 measurable site per Lugano.
- * ALC $\leq 10,000$.
- * Cohort 2A and 2C: Relapse or progressed after 2 or more lines of therapy including BTKi.

Substudy 3 Specific Inclusion Criteria:

- * Large B-cell lymphoma per WHO 2022.
- * R/R B-NHL after at least 1 prior line of therapy.
- * International Prognostic Index (IPI) 2-5.
- * At least 1 measurable site as per Lugano.
- * Left ventricular ejection fraction (LVEF) $\geq 50\%$.
- * Contraception at least 90 days after last dose of AZD0486 or 4 months after last dose of vincristine, and 6 months after the last dose of cyclophosphamide, or doxorubicin.

4.2 Exclusion Criteria

Master Exclusion Criteria applicable to all substudies:

- * Central nervous system (CNS) lymphoma.
- * Surgery within 14 days of study drug.
- * Clinically significant cardiovascular (CV) disease.
- * Unresolved Grade ≥ 2 AEs from prior anticancer therapy (except alopecia or fatigue).
- * Any anticancer therapy within 5 half-lives or 21 days (whichever is shorter) prior to treatment.
- * Radiation therapy within 28 days.
- * Prior CAR T-cell therapy or autologous-haematopoietic stem cell transplant (HSCT) within 12 weeks or prior T-cell engager (TCE) within 8 weeks.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Prior Grade ≥ 3 cytokine release syndrome (CRS) or immune effector cell-associated neurotoxicity syndrome (ICANS) event.
- * Prior allogeneic HSCT or solid organ transplantation within 24 weeks of starting Cycle 1 Day 1.

Substudy 1 Specific Exclusion Criteria:

- * CLL transformation to more aggressive lymphoma.
- * Cohort 1B: bleeding diathesis, CYP3A inhibitor or inducer, history of ICH or stroke within 24 weeks, GI malabsorption, receiving vitamin K antagonist.

Substudy 3 Specific Exclusion Criteria:

- * Mediastinal grey-zone lymphoma, Burkitt, Richter's transformation, primary effusion large B-cell lymphoma (LBCL).
- * Cumulative dose of anthracycline ≥ 150 mg/m².

11. Study Identifiers & Governance

Primary ID:	376674369970258013
Registry Number:	NCT06564038
Sponsor:	AstraZeneca
Study Title:	A Study of AZD0486 Monotherapy or in Combination With Other Anti-Cancer Agents for Mature B-Cell Malignancies

15. Sign-off & Approval

Principal Investigator: _____	Date: _____
Clinical Operations Lead: _____	Date: _____
Lead Statistician: _____	Date: _____