

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A PHASE I DOSE ESCALATION AND EXPANDED COHORT STUDY OF PF 06821497 (MEVROMETOSTAT) IN THE TREATMENT OF ADULT PATIENTS WITH RELAPSED/REFRACTORY SMALL CELL LUNG CANCER (SCLC), CASTRATION RESISTANT PROSTATE CANCER (CRPC) AND FOLLICULAR LYMPHOMA (FL)
Short Title:	A Study of Mevrometostat for Treatment of Relapsed/Refractory SCLC, Castration Resistant Prostate Cancer, and Follicular Lymphoma
Protocol Number:	817732042169621517
NCT Number:	NCT03460977
Sponsor Name:	Pfizer
Investigational Product:	enzalutamide
Phase:	PHASE1
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Percentage of patients with dose limiting toxicities (DLTs) to determine the maximum tolerated dose (MTD): First cycle DLTs will be utilized to determine the MTD 2. Overall safety profile including adverse events: Adverse Events will be graded by National Cancer Institute Common Terminology Criteria for Adverse Events (NCI CTCAE version \[4.03\]) 3. Preliminary efficacy determination as evaluated by disease specific response criteria: Objective response using Response Evaluation Criteria in Lymphoma (RECIL) for lymphoma, Response Evaluation Criteria in Solid Tumors (RECIST) 1.1 for solid tumors including Small Cell Lung Cancer (SCLC) and Prostate Cancer Working Group 3 (PCWG3) for Castration Resistant Prostate Cancer (CRPC). Progression-free survival in Part 2B in patients with CRPC.
Secondary Obj.:	1. Evaluate time to event anti-tumor activity of mevrometostat including progression-free survival (PFS), PSA50, Duration of Response (DoR), Time to first skeletal related event and Time to symptomatic skeletal related event, depending on tumor type. 2. Evaluate overall survival 3. Pharmacokinetic Parameters: Maximum Observed Plasma Concentration (Cmax)

2.2 Background & Rationale

The purpose of this study is to learn about the safety and effects of the study medicine (called Mevrometostat) for the possible treatment of Relapsed/ Refractory Small Cell Lung Cancer (SCLC), Castration Resistant Prostate Cancer (CRPC) and Follicular Lymphoma (FL). The study consists of 3 parts; Part 1 and 2 enrolled participants with SCLC, metastatic CRPC, and FL are closed for enrollment.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, Status: RECRUITING

Target N: 433

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Histological or cytological diagnosis of castration resistant prostate cancer.
- * Eastern Cooperative Oncology Group (ECOG) Performance Status (PS) of 0-2 with expected life expectancy of at least 6 months.
- * Adequate bone marrow, renal, and liver function

Part 3 Key Exclusion Criteria:

- * Prior irradiation to $\geq 25\%$ of the bone marrow.
- * QTcF interval ≥ 480 msec at screening.
- * Hypertension that cannot be controlled by medications ($\geq 150/90$ mmHg despite optimal medical therapy).
- * Known or suspected hypersensitivity to PF 06821497 or any components or enzalutamide (CRPC)
- * Active inflammatory gastrointestinal disease, chronic diarrhea, known diverticular disease or previous gastric resection or lap band surgery.
- * Current use or anticipated need for food or drugs that are known strong and moderate CYP3A4/5 inducers or inhibitors
- * Prior enzalutamide within the last 4 weeks
- * DDI SUBSTUDY:
 - * history of CHF or evidence of ventricular dysfunction
 - * fructose intolerance
 - * coadministration of CYP3A4 substrates

4.2 Exclusion Criteria

- * Prior irradiation to $\geq 25\%$ of the bone marrow.
- * QTcF interval ≥ 480 msec at screening.
- * Hypertension that cannot be controlled by medications ($\geq 150/90$ mmHg despite optimal medical therapy).
- * Known or suspected hypersensitivity to PF 06821497 or any components or enzalutamide (CRPC)
- * Active inflammatory gastrointestinal disease, chronic diarrhea, known diverticular disease or previous gastric resection or lap band surgery.
- * Current use or anticipated need for food or drugs that are known strong and moderate CYP3A4/5 inducers or inhibitors
- * Prior enzalutamide within the last 4 weeks
- * DDI SUBSTUDY:
 - * history of CHF or evidence of ventricular dysfunction
 - * fructose intolerance
 - * coadministration of CYP3A4 substrates

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

11. Study Identifiers & Governance

Primary ID: 817732042169621517

Registry Number: NCT03460977

Sponsor: Pfizer

Study Title: A Study of Mevrometostat for Treatment of Relapsed/Refractory SCLC, Castration Resistant Prostate Cancer, and Follicular Lymphoma

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____