

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1 Study of Felmetatug Vedotin/SGN-B7H4V in Advanced Solid Tumors
Short Title:	A Study of Felmetatug Vedotin/SGN-B7H4V in Advanced Solid Tumors
Protocol Number:	89661651962581739
NCT Number:	NCT05194072
Sponsor Name:	Pfizer
Investigational Product:	pembrolizumab
Phase:	PHASE1
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of participants with adverse events (AEs): Any untoward medical occurrence in a clinical investigational participant administered a medicinal product and which does not necessarily have a causal relationship with this treatment. 2. Number of participants with laboratory abnormalities 3. Number of participants with dose limiting toxicities (DLTs)
Secondary Obj.:	1. Confirmed objective response rate (ORR) by investigator assessment 2. Complete response rate (CRR) 3. Duration of response (DOR)

2.2 Background & Rationale

The purpose of the study is to test the safety of the medicine called Felmetatug Vedotin alone and with pembrolizumab in participants with solid tumors. It will also look at the side effects of this medicine. A side effect is anything a medicine does to the body besides treating the disease.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE1, Status: TERMINATED
Target N:	250

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

For Parts A, B, and C:

* Participants must have one of the following histologically or cytologically confirmed locally advanced unresectable or metastatic solid tumor types:

* High-grade serous epithelial ovarian cancer, primary peritoneal cancer, or fallopian tube cancer

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * HER2-negative, HR positive breast cancer
- * Triple-negative breast cancer (TNBC)
- * Endometrial carcinoma
- * Non-small cell lung cancer (Squamous cell carcinoma \[SqCC\], Adenocarcinoma \[AC\])
- * Cholangiocarcinoma or gallbladder carcinoma
- * Adenoid cystic carcinoma (ACC) For Part D: Participants must have histologically or cytologically confirmed locally advanced unresectable or metastatic TNBC.

For Part E:

- * Cohort E1: Participants must have histologically or cytologically confirmed locally advanced unresectable or metastatic TNBC and must have CPS $\geq$ 10 by local testing
- * Cohort E2: Participants must have histologically or cytologically confirmed locally advanced unresectable or metastatic TNBC and must have CPS $<$ 10 by local testing
- * Cohort E3: Participants must have triple negative breast cancer with residual disease following neoadjuvant therapy and definitive surgery
- * Parts A and B: Participants must have disease that is relapsed or refractory or be intolerant to SOC therapies, and, in the judgement of the investigator, should have no appropriate SOC therapeutic option
- * Part C: Participants must have disease that is relapsed or refractory or be intolerant to SOC therapies.
- * Part D and E1/E2: Participants must have had no prior treatment for locally advanced unresectable or metastatic TNBC
- * Part E3: Participants must have completed at least 6 cycles of neoadjuvant therapy for locally advanced unresectable or metastatic TNBC
- * Tumor tissue is required for enrollment.
- * Eastern Cooperative Oncology Group (ECOG) Performance Status of 0 or 1
- * Measurable disease per RECIST version 1.1 at baseline (not applicable for E3 participants).

4.2 Exclusion Criteria

- * History of another malignancy within 3 years before the first dose of study drug. Any evidence of residual disease from a previously diagnosed malignancy. Exceptions are malignancies with a negligible risk of metastasis or death.
- * Known active central nervous system metastases. Participants with previously treated brain metastases may participate provided they:
 - * are clinically stable for at least 4 weeks prior to study entry after brain metastasis treatment
 - * have no new or enlarging brain metastases
 - * and are off corticosteroids prescribed for symptoms associated with brain metastases for at least 7 days prior to the first dose of study treatment.
- * Carcinomatous meningitis
- * Previous receipt of an MMAE-containing agent or an agent targeting B7-H4
- * Pre-existing neuropathy $\geq$ Grade 2 per National Cancer Institute (NCI) Common Terminology Criteria for Adverse

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Events (CTCAE) Version 5.0

* Corneal disease or injury requiring treatment or active monitoring

11. Study Identifiers & Governance

Primary ID: 89661651962581739
Registry Number: NCT05194072
Sponsor: Pfizer
Study Title: A Study of Felmetatug Vedotin/SGN-B7H4V in Advanced Solid Tumors

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____