

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	An Open Label, Multi-center Asciminib Roll-over Study to Assess Long-term Safety in Patients Who Have Completed a Novartis Sponsored Asciminib Study and Are Judged by the Investigator to Benefit From Continued Treatment
Short Title:	Asciminib Roll-over Study
Protocol Number:	1086871291634538169
NCT Number:	NCT04877522
Sponsor Name:	Novartis
Investigational Product:	imatinib
Phase:	PHASE4
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of participants with adverse events (AEs) and serious adverse events (SAEs): All AEs and SAEs will be tabulated and listed for participants in the Safety Set by treatment group. From day of first administration of study treatment to 30 days after the last study treatment.
Secondary Obj.:	1. Percentage of participants with clinical benefit as assessed by Investigator

2.2 Background & Rationale

This is a long term safety study for patients who have completed a Novartis sponsored asciminib study and are judged by the investigator to benefit from continued treatment

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE4, Status: RECRUITING
Target N:	347

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- Participant with PH+ CML or PH+ ALL currently receiving treatment with asciminib (single agent or in combination with imatinib, nilotinib or dasatinib), imatinib, nilotinib or bosutinib alone within a Novartis-sponsored study and, in the opinion of the Investigator, would benefit from continued treatment.
- Participant has demonstrated compliance on the parent study protocol and is willing and able to comply with scheduled visits, treatment plans and any other study procedures.

Key Exclusion Criteria:

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Participant has been discontinued from parent study treatment.
2. Participant currently has unresolved toxicities reported as possibly related to study treatment in the parent study.
3. Participant's ongoing treatment is currently approved and reimbursed at country level.
4. Pregnant or nursing (lactating) women.
5. Women of child-bearing potential, unless they are using highly effective methods of contraception and willing to continue while taking study treatment.
6. Sexually active males receiving imatinib, nilotinib, bosutinib or dasatinib unwilling to follow the relevant contraception requirements in the local prescribing information.
7. Applicable for participants on bosutinib treatment at the end of the CABL001A2301 and on other TKIs for CABL001A2202 study that switch to asciminib treatment:

* Asymptomatic (grade 2) pancreatitis if not resolved within 28 days

* QTcF\>480msec or inability to determine QTc interval

* any grade 3 or 4 toxicity not resolved to grade 2 or lower within 28 days before starting asciminib treatment

Other protocol-defined Inclusion/Exclusion criteria may apply.

4.2 Exclusion Criteria

1. Participant has been discontinued from parent study treatment.
2. Participant currently has unresolved toxicities reported as possibly related to study treatment in the parent study.
3. Participant's ongoing treatment is currently approved and reimbursed at country level.
4. Pregnant or nursing (lactating) women.
5. Women of child-bearing potential, unless they are using highly effective methods of contraception and willing to continue while taking study treatment.
6. Sexually active males receiving imatinib, nilotinib, bosutinib or dasatinib unwilling to follow the relevant contraception requirements in the local prescribing information.
7. Applicable for participants on bosutinib treatment at the end of the CABL001A2301 and on other TKIs for CABL001A2202 study that switch to asciminib treatment:

* Asymptomatic (grade 2) pancreatitis if not resolved within 28 days

* QTcF\>480msec or inability to determine QTc interval

* any grade 3 or 4 toxicity not resolved to grade 2 or lower within 28 days before starting asciminib treatment

Other protocol-defined Inclusion/Exclusion criteria may apply.

11. Study Identifiers & Governance

Primary ID:	1086871291634538169
Registry Number:	NCT04877522
Sponsor:	Novartis
Study Title:	Asciminib Roll-over Study

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____