

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Multicenter, Long-Term, Open Label Study Evaluating the Safety and Efficacy of Abrocitinib, With or Without Topical Medications Administered to Pediatric Participants Aged 2 Years and Older With Moderate-to-Severe Atopic Dermatitis
Short Title:	A Long-term Study of the Medicine Called Abrocitinib in Children Aged 2 Years and Older With Moderate to Severe Eczema
Protocol Number:	1123380521116202033
NCT Number:	NCT06807281
Sponsor Name:	Pfizer
Investigational Product:	abrocitinib
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants with Treatment-Emergent Adverse Events (TEAEs), Serious Adverse Events (SAEs), and adverse events (AEs) that lead to study discontinuation: The number of the treatment emergent adverse events, serious adverse events and adverse events leading to discontinuation among patients with moderate-to-severe disease treated with abrocitinib regardless of discontinuation from study treatment.
Secondary Obj.:	1. Number of Participants With Clinically Significant Laboratory Abnormalities 2. Response based on achieving Validated Investigator's Global Assessment (VIGA) score of clear (0) or almost clear (1) (on a 5-point scale) and a 2 -point reduction from baseline at all scheduled time points 3. Percentage of Response based on achieving a ?4 point improvement from baseline in the Worst Itch Numerical Rating Scale (WI-NRS) at all scheduled time points in participants aged ?2 to <6 years

2.2 Background & Rationale

This 24-month study will assess the long-term safety and efficacy of liquid abrocitinib oral suspension with or without topical medications in children 2 years of age or older with moderate-to-severe atopic dermatitis. The study will enroll two groups: participants who have completed other abrocitinib studies and participants who have never participated in abrocitinib studies.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: NOT_YET_RECRUITING
Target N:	500

4. Subject Selection (Eligibility Criteria)

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

4.1 Inclusion Criteria

3. Body weight $\geq$ 15 kg

Exclusion Criteria for the Extension Cohort:

Medical Conditions:

1. Any medical or psychiatric condition including any active suicidal ideation in the past year or suicidal behavior in the past 5 years or laboratory abnormality that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.

If the participant has SDQ total score $\geq$ 17, the investigator should exclude the child or refer them to a pediatric MHP to determine if it is safe to participate in the study. A copy or summary of the evaluation should be placed in the site source documents.

Prior/Concomitant Therapy:

2. Required use of any prohibited concomitant treatments outlined in Section 6.9.3 and Appendix 9 of study protocol.
3. Required vaccination with live attenuated vaccines during study treatment and for 6 weeks after discontinuing study treatment.

Diagnostic Assessments:

4. Ongoing adverse event in the parent studies which in the opinion of the investigator, or sponsor, is an ongoing safety concern OR the participant is currently triggering safety monitoring criteria.
5. Discontinued from treatment early in the parent studies OR triggered a discontinuation criterion at any point during the parent studies OR meets exclusion criteria from the parent studies which in the opinion of the investigator, or sponsor, is an ongoing safety concern.

Exclusion Criteria for the De Novo Cohort

Medical Conditions:

1. Any medical or psychiatric condition including any active suicidal ideation in the past year or suicidal behavior in the past 5 years or laboratory abnormality that may increase the risk of study participation or, in the investigator's judgment, make the participant inappropriate for the study.

If the participant has SDQ total score $\geq$ 17, the investigator should exclude them or refer the child to a pediatric MHP to determine if it is safe to participate in the study. A copy or summary of the evaluation should be placed in the site source documents.

2. Have any of the following medical conditions:

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

* Infections:

* Skin infections that require treatment with systemic antimicrobials within 2 weeks prior to Day 1 (baseline) or have superficial skin infections within 1 week of Day 1.

* History of systemic infection requiring hospitalization or parenteral antimicrobial therapy or as otherwise judged clinically significant by the investigator within 1 month prior to Day 1.

* Have a history (single episode) of disseminated herpes zoster or disseminated herpes simplex, or a recurrent localized, dermatomal herpes zoster.

* Infection with HIV, hepatitis B, and/or hepatitis C

* Evidence of active TB or inadequately treated latent TB.

* Skin Conditions:

\- Including but not limited to psoriasis, seborrheic dermatitis or lupus on Day 1 that would interfere with evaluation of AD or response to treatment.

* Other Conditions:

* Documented history of skeletal dysplasia.

* Documented history of retinal detachment.

* History of or conditions associated with thrombocytopenia, coagulopathy or platelet dysfunction.

* Prior history of leukemia, lymphoma, sarcoma or any other malignancy.

* Immunodeficiency disorder or a first-degree relative with a hereditary immunodeficiency.

* Any other medical conditions that in the investigator's judgment make the participant inappropriate for the study.

Prior/Concomitant Therapy:

3. Prior treatment with a systemic JAK inhibitor for AD.

4. Live attenuated vaccination within 6 weeks prior to Day 1 or require vaccination with live attenuated vaccines during treatment or within 6 weeks after the last dose of study intervention.

5. Concomitant use of strong inhibitors and inducers of CYP2C19 enzymes and strong inducers of CYP2C9 enzymes is not allowed in the study.

Prior/Concurrent Clinical Study Experience:

6. Previous administration of an investigational drug within 30 days or 5 half lives, whichever is longer, of Day 1.

Diagnostic Assessments:

7. Hepatic and/or renal and/or hematological abnormalities defined as:

* AST $\geq 2 \times$ ULN

* Hemoglobin ≤ 10 g/dL

* ALT $\geq 2 \times$ ULN

* ANC $\leq 1000/\text{mm}^3$

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Total bilirubin $\geq 1.5 \times \text{ULN}$
- * ALC $< 500/\text{mm}^3$
- * eGFR $< 60 \text{ mL/min/1.73 m}^2$
- * Platelets $< 150,000 /\text{mm}^3$

Other Exclusion Criteria:

8. Investigator site staff directly involved in the conduct of the study and their family members, site staff otherwise supervised by the investigator, and sponsor and sponsor delegate employees directly involved in the conduct of the study and their family members.

4.2 Exclusion Criteria

8. Investigator site staff directly involved in the conduct of the study and their family members, site staff otherwise supervised by the investigator, and sponsor and sponsor delegate employees directly involved in the conduct of the study and their family members.

11. Study Identifiers & Governance

Primary ID: 1123380521116202033

Registry Number: NCT06807281

Sponsor: Pfizer

Study Title: A Long-term Study of the Medicine Called Abrocitinib in Children Aged 2 Years and Older With Moderate to Severe Eczema

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____