

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Randomized, Double-Blind, Placebo- and Active-Comparator-Controlled Clinical Study of Adjuvant V940 (mRNA-4157) Plus Pembrolizumab Versus Adjuvant Placebo Plus Pembrolizumab in Participants With High-Risk Stage II-IV Melanoma (INTerpath-001)
Short Title:	A Clinical Study of Intismeran Autogene (V940) Plus Pembrolizumab in People With High-Risk Melanoma (V940-001)
Protocol Number:	130786206856368179
NCT Number:	NCT05933577
Sponsor Name:	Merck
Investigational Product:	pembrolizumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Recurrence-Free Survival (RFS): RFS is defined as the length of time from when the participant starts the study until either the cancer comes back, or the cancer spreads as assessed by the investigator, or death due to any cause.
Secondary Obj.:	1. Distant Metastasis-Free Survival (DMFS) 2. Overall-Survival (OS) 3. Number of Participants Who Experience an Adverse Event (AE)

2.2 Background & Rationale

The purpose of this study is to learn if intismeran autogene which is an individualized neoantigen therapy (INT; formerly, called messenger ribonucleic acid [mRNA]-4157) with pembrolizumab (MK-3475) is safe and prevents cancer from returning in people with high-risk melanoma. Researchers want to know if intismeran autogene with pembrolizumab is better than receiving pembrolizumab alone at preventing the cancer from returning.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N:	1089

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

The main inclusion criteria include but are not limited to the following:

* Has surgically resected and histologically/pathologically confirmed diagnosis of Stage IIB or IIC, III, or IV cutaneous

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

melanoma

- * Has not received any prior systemic therapy for their melanoma beyond surgical resection
- * No more than 13 weeks have passed between final surgical resection that rendered the participant disease-free and the first dose of pembrolizumab
- * Is disease free at the time of providing documented consent for the study
- * Human immunodeficiency virus (HIV)-infected participants must have well controlled HIV on anti-retroviral therapy (ART)

4.2 Exclusion Criteria

The main exclusion criteria include but are not limited to the following:

- * Has ocular or mucosal melanoma
- * Has cancer that has spread to other parts of the body and cannot be removed with surgery
- * Has heart failure within the past 6 months
- * Has received prior cancer therapy or another cancer vaccine
- * Has another known cancer that that has spread to other parts of the body or has required treatment within the past 3 years
- * Has severe reaction to study medications or any of their substance used to prepare a drug
- * Have not recovered from major surgery or have ongoing surgical complications

11. Study Identifiers & Governance

Primary ID:	130786206856368179
Registry Number:	NCT05933577
Sponsor:	Merck
Study Title:	A Clinical Study of Intismeran Autogene (V940) Plus Pembrolizumab in People With High-Risk Melanoma (V940-001)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____